

Olson Exclusive! Stereo Components by **WVOXSON**





Unmatched Italian Styling

Stereo tuner and amplifier combined in one long, low, superbly styled unit. The way it looks will tell you how it's going to sound . . . even before you hear it.

Olson RA-285 *\$20 Monthly\$380

The Tuner Gives You:

- * FM-AM-FM Stereo-SW, LW Bands
- * Illuminated Tuning Meter
- * Stereo Station Indicator
- * Separate FM and AM Tuning Dials


The Stereo Amplifier Features:

★ Distortion Level Indicators

★ All Solid State Circuitry

★ Response: 20 to 20,000 Hz
Size: 31" W. x 5" H. x 7" D. 110120 volts AC 50/60 Hz. Shipping
weight 27 lbs.

Precision Is The Key To Quality



A Computer Type Circuitry For Utmost Reliability

B Silicon Power Transistors Offer Clean, Dependable Music

© Fuse Protected Speaker and AC Lines Eliminates Damage To Inter-nal Components In Event Of Shorts

D DIN Type Connections Offer Easy No Tool Hook-Up

E Tuner Level Adjustments Permit Equal Volume Level On Phono and

Tuner

[E] Built-In Calibrated Antenna For AM and SW

[G] Gear Drive Tuning For Easy, Precise Station Tuning

[H] Separate FM and AM Tuning Dials Permits Your Favorite Station To Always Be Pre-Tuned

II FM AFC Switch Reduces Station

☑ SCA Filter Eliminates Background Noise

Precision Tuning Meter Lets You See Station's Signal

Headphone Jack For Private

M Hi-Lo Switches Filter Unwanted Rumble and Tweeter Hiss

N Distortion Level Indicators Alert You When Volume Is Set Too High O Loudness Switch Boosts Response At Low Level Listening

P Pre-Amp Module Enables Use Of Wide Range Magnetic Phono Cart-ridges





Oteon AS-425

Voxson Stereo Receiver
(Olice) RA-285
-Garrard SL-958
Stereo Changer (Pg. 27)
-Pickering Diamond
Stylus Cartridge
-Changer Base
-Changer Dust Cover
-"Ditton 15" Speaker
(Pg. 16) 2 for 129.50 "Ditton 15" Speaker System (Pg. 16) 2 for ... 200.00

Individual Catalog Prices \$722.51



Ready to Plug & Play

1—Voxson Stereo Amplifier 1—Voxson Stereo Tuner Both \$400.00 Garrard SLX 3 Changer Module (Pg. 26) Ottom S-43 2-Way Speaker 99.50

Individual Catalog Prices \$597.50



Unsurpassed Quality and Elegance!

COMPUTER TYPE CIRCUITRY FOR UTMOST RELIABILITY

Olson "In The Lab Report" AM-375

Now sold only at Olson are the Voxson stereo components made by one of the leading European manufacturers of audio equipment.

Attractive stylish components, equipped with just about every feature you could hope for (plus some that you might never even have thought of). The Voxson compon-ents offer an elegantly designed exterior as well as a precision circuit arrangement to please the hi-fi/stereo buffs with modest pocketbooks.

The component front panels are functional and easy-to-

Tuner front panel consists of: separate FM & AM tuning dials which enable a favorite station to always be pretuned; a precise tuning meter is illuminated for easy viewing; six push-button function selectors for FM (88-108 MHz), FM stereo switching, AM (540-1620 KHz), SW (5.8-31 MHz), LW (150-350 KHz) plus wire radio band which can only be used in European countries. Rocker type switches are used for FM AFC which reduces station drift, and the AC power (on-off) switch. Tuner have user been stirivity with excellent FM stereo separation. Receiver sensitivity with excellent FM stereo separation. Receiver can rank among the best as a world-wide receiver.

Amplifier front panel features: 6 easy action controls for function selection, volume, balance, treble, bass, and normal/reverse channel switching. Rocker type switches are used for mono/stereo, tape monitor, loudness which boosts response at low level listening, high filter that reduces high frequency scratch and hiss; low filter re-duces rumble when using changer, etc. Last switch is used for power (on-off).

Distortion level indicators alert you when volume is turned too high (lights start to flicker).


Rear panel of amplifier uses DIN type connectors for phono, tape, aux, tuner, and tape output. Adapters are included for converting DIN jacks over to use standard RCA type phono connectors. Amplifier will accept magnetic or ceramic phono cartridge. AC and audio circuits are protected by individual fuses in each line. Two convenience outlets enable the amplifier to be used as the main AC power source.


The amplifier produces clean, undistorted sound at

RA-235

levels well over what the human ear can bear in volume level.

All the Voxson components feature brushed aluminum front panels and include a beautiful rosewood cabinet at no extra cost.








PERFORMANCE SPECIFICATIONS

RA-285—RA-235 Tuner — 17 transistors, 20 diodes plus zener diode stabilizers. Sensitivity: Superb(all bands), Capture Ratio - 2.0 db. Multiplex separation: 30 db. Operates on 110-120 volts AC, 50/60 Hz.

AM-375—RA-285 Amplifier—All Silicon Transistors. 26 total. 15 diodes. Output: 240 watt. Total IHF power; Bandwidth: 20 to 20,000 Hz @ 0.2% distortion; Bass control gives a ± 15 db variation @ 40 Hz; Treble control gives a ± 10 db variation @ 15 KHz.; Signal to noise ratio is better than 60 db at Phono input. Output impedance 4 to 16 ohms. Operates on 110-120 volts AC, 50/60 Hz.



VOXSON STERED TUNER



Otson RA-235 *S10 Monthly

- FM-AM-FM Stereo-SW, LW Bands
 - * Push-Button Function Selectors
- Separate FM and AM Tuning Dials
- Illuminated Tuning Meter
- Stereo Station Indicator Handsome Rosewood Cabinet
- Size: 151/2" W. x 43/4" H. x 71/2" D. 110-120 V. AC. 60 eps. Shipping

weight 12 lbs.

* MONTHLY PAYMENT CHART, See Page 18



OVOXSON

240 WATT STERED AMPLIFIER



- Solid State Circuitry
- **Outstanding Performance**
- Unmatched Italian Styling
- **★** Gorgeous Rosewood Cabinet
- ★ Response: 20-20,000 Hz

* Distortion Level Indicators Size: 151/2" W. x 48/4" H. x 71/2" D.

110-120 V. AC 60 cps. Shipping weight 15 lbs.

FREE 25 PEARLS

Olson Electro Voice **STEREO** RECEIVE and SYSTEM

* Stereo Headphone Jack * Main

110 WATT STEREO FM-AM

Compare these features: * Ad-Solid State Circuitry * Black-Out Dial Glass * Linear Type Slide Controls * Built-in FM-AM Antenna * Includes Walnut Cabinet at No Extra Cost ★ Precision Tuning Meter * FM Stereo Indicator.

and Remote Speaker Switch * 75 and 300 Ohm FM Antenna Terminals * Inputs for Ceramic and Mag. Phono Plus Tape * Superb FM-AM Sensitivity * Frequency Response: 15 to 25,000 Hz * MPX Separation, 35 db Size 17" W. x 5" H. x 131/2" D. Operates on 110 to 120 V. AC. 60 cps. Shpg. wt. 23 lbs.

RA-110 15 Monthly

COMPLETE STEREO SYSTEM

....\$250.00 1-RA-110 Receiver Ottoo 2-Way Speaker Systems, 5-52 (p. 17) \$190.00

-Garrard SLX-2 Changer Module (p. 26)\$ 69.50

Wiring Harness Otton AS-430 \$435 *\$25 Monthly SAVE \$75.49 from Individual Catalog price, \$510.49

1-HF-65 20' Speaker








FREE! "Add-On" **Extension Speakers**

With the purchase of RA-300, RA-110 or AS-430, AS-365. Spe-cifications S-77, p. 18.



STEREO HEADPHONES ADD GREATER LISTENING PLEASURE Complete Selection p. 24



Our Finest Receiver

250 WATT STEREO FM-AM

* Superb Sensitivity * 250 Watts IHF Music Power * Distortion: 0.3% at Full Output * Resp.: 15-25,000 Hz. * Capture Ratio: 2.5 db * Multiplex Separation: 35 db. Size: 17" W. x 5" H. x 131/2" D. 110-120 V. AC, 60 cps. Shpg. wt. 23 lbs.

Quality Features

· Speaker Selector Switch. Pushbutton Selectors. Stereo Indicator Lamp. Tape Input/output and

4 Olson Electronics

Headphone Jack. Walnut Enclosure. New Slide Controls. Tape Monitor. Built-in FM-AM Antenna. . Two Ceramic Filters plus two In-

- tegrated Circuits in the IF Section offer superb selectivity, excellent interference rejection, and low distortion.
- · An integrated circuit in the multiplex section provides outstanding stereo separation and reduces distortion.
- . The powerful output section of the receiver is all Silicon Solid



State with eight transistors rather than four. The additional silicon devices plus oversize heat sink, and thermal protection circuitry provides the ultimate in high power dependability.

*\$20 Monthly \$360

ACCESSORIES

Indoor FM Dipole Antenna Otson AA-211 20 Ft. Speaker Wiring Cable Osen HF-65

COMPLETE STEREO SYSTEM

-Changer Base -Otton HF-65 Speaker Cable

SAVE \$76 from Ind. Cat. price \$626.00



Olson

Solid State Electronics Super Sensitive FM-AM Tuner

Tape

FM Stereo Indicator
Full Phono and Tape Facilities

Monitor Response: 30 to 20,000 Hz.

175 WATT STEREO FM-AM RECEIVER

Automatic FM Stereo Switching Loudness Contour-Boost Response

★ Hi-Low Filters
★ Circular Illuminated Tuning Dial
★ "Blackout" Dial Glass
★ Impedance: 4-16 ohms.

* Power to Spare The All new The RA-290 is truly an innovation of today's stereo receivers. Good to look at, easy to hookup and operate but designed to a professional's taste to give you many hours of music enjoyment. Size 18% W. x 51% H. x 143% D. Operates on 110-120 Volts AC, 50/60 cps.. Shipping weight 27 lbs.

2 FREE!

Page 50 for Details.

SAVE 50% ON PSYCHEDELIC LIGHTING EQUIPMENT

"Add-On" Extension
Speakers With Purchase of RA-290 or
Systems (Below) Reg.
\$10 Val. See (Oison
\$-77 (Pg. 18) for
Specifications.

PLUS FREE! 30 PEARLS

Oisse RA-290 \$15 Monthly

Changer Mounting Board Enables use of Garrard Changers SL-72B, SL-75B, and SL-95B on Top of RA-290 for Compact Use. Gison CA-445 INDOOR FM DIPOLE ANTENNA Olsoe AA-211 \$1.29

"In The Lab Report" RA-290 Olson

The Olson RA-290 is a receiver that offers excellent performance and an abundance of features. It can serve as the heart of any first-rate home entertainment system. Its unique front panel design with its circular illuminated tuning dial and assortment of knobs, switches, and levers is stylish and easy to operate. FM tuning is aided by two meters—one for signal strength and one for cen-ter of channel adjustment plus an FM stereo indicator light. Easy set slide controls are used for volume, balance, bass and treble. Rocker type switches for loudness (low level response boost), hi-lo filters (reduces tweeter, hiss and rumble noises), FM muting (eliminates interstation tuning noise), tape monitor and stereo/mono

Unusual features include: 4-way speaker selector switch

Unusual features include: 4-way speaker selector switch that enables use of headphones, main speaker system or remote speaker system or both, tape input and output jacks front mounted for easy and convenient direct recording facilities plus stereo headphone jack.

The rear panel contains push-on speaker terminals for ease of hookup, a full compliment of standard RCA phono pin jacks for phono (mag or cer), tape, aux, and tape output, AM antenna, convenience outlet, FM and AM antenna terminals plus circuit breakers to protect the speaker and AC lines. the speaker and AC lines.

An extremely sensitive FM/AM tuner and smooth responsive distortion free amplifier can be credited to its advanced solid state circuitry. The newest technique from FET, IC's and silicon transistors are used to make up this fine receiver.


Another unique feature of this unit is that it can easily be used as a compact system with the optional changer mounting board which accepts Garrard models SL-72B, SL-75B, and SL-95B. Simple plug-in hookup to jacks already installed on the inside of the unit.


PERFORMANCE SPECIFICATIONS:

Superb FM/AM Sensitivity; Stereo Separation: 32 db; Capture Ratio: 2.9 db.

AMPLIFIER:

Transistors total 30, 22 diodes, FET & IC, Output: 175 watts total IHF; Total Harmonic Distortion: less than 0.5% @ IK Hz; Response: 30 to 20,000 Hz; Bass control gives a ± 12 db @ 50 Hz; Treble control gives a ± 10 db @ 10K Hz; Output Impedance: 4 to 16 ohms.





COMPLETE STEREO SYSTEM

Ready For Your Enjoyment Otson RA-290 175 Watt 1—Otton RA-290 175 Watt Stereo Receiver (Above) 1—Garrard SLX2 Changer \$300.00 Amodule (Pg. 26) 69.50
2—Ditton 15 Speaker
Systems Oisen \$-39
(Pg. 17) 2 for 200.00
1—[Gissa PH-174 Deluxe Stereophone
(Pg. 24) 20.00 HF-65 20' Wiring Harness Individual Catalog Prices . \$590.49

PLUS FREE! PEARLS

Save \$70.49 Olson A5-426 \$520

ACCESSORIES: INDOOR FM DIPOLE ANTENNA

Complete Selection of Plugs, Jacks, Adaptors and Audio Cables (Pg. 23) *MONTHLY PAYMENT CHART, See Page 18



PLUS FREE!

SAVE! \$88.46 Low Monthly Terms Available

(Pg. 27) 89. Empire 999E/X Ellipt. Diamond

C(CA-415)

(CA-415)

(CA-4

\$640 AS-462

ACCESSORIES: INDOOR FM DIPOLE ANTENNA Open AA-211
Complete Selection of Plugs, Jacks, Adaptors and Audio Cables (Pg. 23)

OLSON ELECTRONICS 5



DOLLAR FOR DOLLAR . . . FEATURE FOR FEATURE . . . YOUR BEST BUY

VOXSON 120 Watt Stereo FM Receiver

Made in Italy-Oison Exclusive

Otson RA-358 *\$15 Monthly \$250

- Excellent Sound With Any Speaker
- System
 Includes Rosewood Cabinet at
- No Extra Cost
 Advanced Solid State Computer
 Type Circuitry
- Main and Remote Speaker Switch

A complete compact stereo sound center that offers more outstanding features per cubic inch than any receiver in its price class. These features include excellent FM sensitivity from its FET front end, automatic stereo indicator lamp, precision tuning meter, advanced FM muting circuit eliminates inter station tuning noise, inputs for magnetic or ceramic phono and tape, plus tape output jacks for direct re-

cording. Push-button switches for FM AFC, tape monitor, hilow filters, loudness, mono/ stereo mode plus power on/off. Has stereo headphone jack, distortion level indicators alert you when volume is set too high, 300 and 75 ohm antenna terminals, plus DIN and standard RCA/type pin jacks for easy and universal hookup. Output stages and/AC line are fuse protected. Specifications: 38 transistors, 25 diodes, plus FET; Response: 20 to 20,000 Hz.; Capture Ratio; 3.5 db; MPX Separation: 30 db; Impedance: 4-16 ohms. Operates on 110-120 volts AC. 60 Hz. Size: 15½ W. x 4¾ H. x 7½ D. Shipping weight 20 lbs.



TOWN OR POST OFFICE

YOU MUST PUT ZIP

STATE

OLSON ELECTRONICS

260 S. Forge St., Akron, Ohio 44308

Send ADEQUATE amount by check or Money Order for merchandise, postage, etc. WE REFUND EVERY CENT NOT USED

See Chart Below for **Delivery Cost**

DELIVERY ZONE CHART

Locate your zone by finding your zip code prefix (first three numbers of your zip code). Your delivery zone is shown to the right of your prefix. Then check delivery rate chart.

Zip Code 2 Prefixes 2	Zip Code & Prefixes 2	Zip Code 2 Prefixes 2	Zip Code au Prefixes 2	Zip Code 2 Prefixes 2
006-009 8	220-229 3	400-406 3	520-539 4	739 6
010-041 4	230-239 4	407-409 4	540 5	740-759 5
042-049 5	240-259 3	410-418 3	541-549 4	760-761 6
050-098 4	260-261 2 262 3	420-424 4	550-558 5	762 5 763-797 6
100-129 4	262 3	425-427 3	559 4	
130-132 3	263-265 2 266-268 3	430-439 2	560-576 5	798-799 7
133-139 4		440-443 1	577 6	800-814 6
140-146 3	270-298 4	444-445 2	580-584 5	815 7
147 2 148-149 3	299 5	446-447 1	585-593 6	816-828 6
148-149 3	300-312 4	448-449 2	594-599 7	829-865 7
150-158 2 159 3	313-329 5	450-452 3	600-609 3	870-871 6
	330-333 6	453-458 2	610-639 4	873-874 7
160-165 2	334-339 5	460-474 3	640-648 5	875-877 6
166 3	350-352 4	475-478 4	650-652 4	878-880 7
167 2 168-179 3	354 5	479 3	653 5	881-884 6
168-179 3	355-359 4	480-482 2	654-655 4	890-891 8
180-181 4	360-361 5	484-491 3	656-676 5	893. 7
182 3	362 4	492 2 493-496 3	677 6	894-897 8
183 4	363-367 5	493-496 3	678 5	898 7
184-188 3	368 4	497-499 4	679 6	900-978 8
189-199 4	369 5	500-503 5	680-692 5	979 7
200-215 3	370-386 4	504 4	693 6	980-989 8
216 4	387 5	505 5	700-722 5	990-992 7
217 3	388 4	506-507 4	723-724 4	993 8
218-219 4	389-397 5	508-516 5	725-738 5	994 7
			A CONTRACTOR	995-999 8

DELIVERY RATE CHART

We will ship your order via United Parcel Service or Parcel Post whenever possible. Items weighing over 50 lbs. or measuring over 108 in, will be shipped via truck or express.

	SHIP	Zone	Zone	Zone	Zone	Zone	Zone ,	Zone
	WT.	1 & 2	3	4	5	6	7	8
to	2 lbs.	\$.60	\$.64	\$ 69	\$.74	\$ 90	\$1.00	\$1.05
-	3 lbs.	.65	.71	.79		1.10	1.20	1.35
	4 lbs.	.70	.78	.88		1.30	1.40	1.60
	5 lbs.	.75		.98			1.65	1.90
					Market Street		1000000	A DESCRIPTION OF THE PERSON OF
	6 lbs.	.80			1.22		1.85	2.10
	7 lbs	.85	.99	1.17	1.34	1.75	2.10	2.35
	8 lbs.	.90	1.06	1.26	1.45	1.90	2.30	2.60
	9 lbs.	.95	1.13	1.36	1.58	2.05	2.45	2.85
	10 lbs.	1 00	1 20	1 45	1.70	2 20	2.65	3.10
	11 lbs.				1.82		2.85	3.35
	12 lbs.				1.94		3.05	3.55
	13 lbs.				2.06		3.25	3.80
	13 105.	1.15	1.41	1./4	2.00	2.00	3.23	3.00
	14 lbs.	1.20	1.48	1.83	2.18	2.75	3.45	4.00
	15 lbs.	1.25	1.55	1.93	2.30	2.85	3.60	4.20
	16 lbs.	1.30	1.62	2.02	2.42	2.95	3.80	4.40
	17 lbs.	1.35	1.69	2.21	2.54	3.10	3.95	4.60
	18 lbs.	1 40	1 76	2 21	2.66	2 20	4.15	4.80
					2.78		4.15	5.00
	19 lbs.				2.90		4.50	5.20
	20 lbs.	1.50	11.90	12.40	2.90	3.50	4.50	3.20
	to A	-	00 1	ACH		OVI	R 20	IRS
	21 4	DD F	UK I	ACI	LD.	311	. ZU	-D3.
	lbs.	5¢	74	10c	12c	14¢	16¢	20¢

(See Other Side)

571 DEFGH

PACKING AND INSURANCE RATE CHART

Please Include Packing And Insurance Fee

Up to \$15.00 ... 20c 15.01 to \$50 30c 50.01 to \$100.00 .40c Over \$100.0050c

C.O.D. CHARGE

An additional charge of 65c is made for each C.O.D. package.

· DO MOT Wiring Herr

DO P	NOT USE	QUANTITY	STOCK NO.	A STATE	DESCRIPTION	100	SHIP WT.	PRICE EA	CH T	OTAL	DO NOT US
IF A	LETTER	RAPPEARS	IN THIS	COLUMN,	SEE INVOICE	FOR	"CHANGES	IN FI	LLING	YOUR	ORDER"

	50 1101 032	don't			and the second of the second					
			\$10.00 TO \$19. \$19.91 to \$29.	90 — 1 PEARL 90 — 2 PEARLS	1-PEARL FOR EACH OF MERCHANDISE		FREE	N/C		
					A CALL OF THE PARTY OF			6510,17	18	
			(4) (12 mg/s					123	500	SENS.
+ 1 (0)					1 2 3 2					
			A Merry Co.	A SHEET	Mary Street	Page 1		988	9339	
•							" Seyout S			
						45.5	以表现			
		Santa L			Table of the second					
			10 5 m 10 m			100	Total Control			
		BOLLENS	The second	WANT DE BUILD			70 10 10 10 10		S DE	
		SWITE ALL								
				- 20,- 3					(E)	
							100			
		NOTI		(0	TOTAL POUNDS		PRICE			
YOU	r check payable	to "Olson Elec	ostage. Pay by che ctronics." Leave th or goods and posta	e amount	HANDLING CHA		R \$5		.50	
nate	es paying us s	mall balances. E	Eliminates Refund	Vouchers.	See } DELIVER	Y PLUS	PACKING and			
sur	to that your or to print your h time you ord	name and add	h you promptly, lress exactly the s	please be ame way	Above \$	+	\$		NE S	
eac			PLEASE WRI	E YO	Send adequ				*	
5	Print Name	& Address	Ship	E 4	ADD SALES TAX if shipment is int		pplicable	100		
COM	IN BOXES B	elow 🔻	Via	· 6 5	TOTAL AMOUNT	(Cash	Price)			
FIRS	T MIDDLE LA	ST NAME			REMITTANCE EN					10/10/10
INITI	AL INITIAL	J. HAME		ODRE 6	SEND C.O.D.		OSIT ENCLOS	ED	1100	
ADDR	RESS			SS SS	MASTER CHARGE	RD.				
12000						The state of the s		time have	Pro 217 .	*** ******

If You Have a Master Charge Card Merely Fill In Below:



If You Have a Bank Americand Merely Fill In Below

BANKAMERICARD urticome here

200	YELG	din.	130	Ca	rd N	lumb	er				_	
	100				100	100		300	0	Fo		17.
-				200				310	1000			

	100	1000	100	-377		-	183	-	THE REAL PROPERTY.		400		
					COL	10.7							
			180					140			4	100	
200				-	-								-

IF YOU DO NOT HAVE A BANK CHARGE CARD PLEASE READ THE FOLLOWING CAREFULLY. FILL IN APPLICATION BELOW.

TERMS AND CONDITIONS OF CARDHOLDER AGREEMENT

The person ("Cardholder") whose name is embossed on the face of the Master Charge Card ("Card") issued by Union Commerce Bank ("Issuer") or BankAmericard ("Card") issued by a member BankAmericard Bank ("Issuer") and each Cardholder, in the event more than one Card is enclosed herewith bearing the same account number, by his signing, using, or making application for, his Card (Embossed with his name), receipt of which is acknowledged, agrees to the following terms and conditions with respect thereto:

or making application for, his Card (Embossed with his name), receipt of which is acknowledged, agrees to the following terms and conditions with respect thereto:

A. CARDHOLDER LIABILITY—Cardholder shall be liable and agrees to pay for all charges for purchases of goods and/or services ("Purchases") from any merchant ("Merchant") who honors said Card, upon execution by such Cardholder of a saies slip covering such Purchases, and for all cash advances ("Advance") obtained by such Cardholder from any office of issuer or any Bank that honors said Card, upon execution by such Cardholder of a written request for each such Advance. Additionally, Cardholder shall be jointly and severally liable and agrees to pay for all Purchases and Advances obtained through the use of any other Card bearing Cardholder's account number that has been issued to another by reason of such person being a member of Cardholder's family, or otherwise issued upon Cardholder's request (all such Cards bearing the same account number hereinafter collectively called "Related Cards"). Each Card is the property of the Issuer and must be surrendered upon demand. It can be cancelled as well as repossessed by Issuer or its designee, and the privileges thereof revoked, at any time without prior notice. USE OF EACH CARD AFTER NOTICE OF ITS REVOCATION IS FRAUDULENT AND SUBJECTS USER TO LEGAL PROCEEDINGS. Cardholder shall be liable and shall pay Issuer for all Purchases or Advances obtained through the use of such Card and all Related Cards, prior to the surrender of all Related Cards of Issuer's receipt of written notice folss or theft of any Related Card. Cardholder agrees to promptly notify Issuer of the loss or theft of any Related Card. Cardholder's Purchases and for all Related Cardholders' Purchases and for all Related Cardholders' Advances: (1) the previous balance (amount due at the beginning of the billing period); (2) the date and amount of each Purchase and Advance; (3) payments made thereon and other credits thereto during such period; (4) F

STATEMENT.

C. PAYMENT—The Cardholders jointly and severally agree to pay monthly on or betore the 25th day ("Payment Date") after the Statement Date specifield: (1) the new balance for Purchases and FINANCE CHARGES owing thereon as shown therein (in which case no additional FINANCE CHARGES will accrue for Purchases) and the new balance for Advances as shown therein plus FINANCE CHARGES thereon to the date payment is received by Issuer, or (2) if Cardholder does not pay such amounts in full, the minimum payment due as shown on the Statement which will equal not less than five per cent (5%) of the Combined New Balance then owing or ten dollars (\$10), whichever is greater. All payments are to be made at a place designated by Issuer in the Statement Cardholder further agrees that payments will be applied, to the extent sufficient, first to any FINANCE CHARGES previously billed on Purchases, next to any FINANCE CHARGES previously billed, next to any FINANCE CHARGES incurred on Advances, mext to any amounts owing for Purchases previously billed, next to any amounts owing for Advances made but not yet reflected on the Statement, next to any amounts owing for Advances previously billing hext to any amounts owing for Advances made during the billing

period, and last to any Purchases made during the billing period. Any other credits will be applied in the same order as hereinabove specified.

D. FINANCE CHARGES—(1) Purchases—No FINANCE CHARGE will be imposed.

period, and last to any Purchases made during the billing period. Any other credits will be applied in the same order as hereinabove specified.

D. FINANCE CHARGES—(1) Purchases—No FINANCE CHARGE will be imposed on Purchases made during the billing period covered by the Statement. A FINANCE CHARGE will be imposed on the average daily outstanding portion of the previous balance for Purchases shown on the Statement, from the previous Statement Date to the current Statement Date. (This average daily outstanding balance is determined by summing the outstanding portion of the previous balance existing for each day during the billing period after deducting payments or credits received each such day and dividing this sum by the number of days in such billing period.) To this average daily outstanding balance, FINANCE CHARGES will be imposed at a monthly periodic rate of 2% for the first \$200, 1½% for the next \$200 and 1% for all amounts in excess of \$400, which are expressed as ANNUAL PERCENTAGE RATES equal to 24%, 18% and 12% respectively. If the entire previous balance shown on the Statement has been paid on or before the 25th day of billing period covered by the Statement, no FINANCE CHARGES will have been incurred for such billing period.

(2) Cash Advances—FINANCE CHARGES on Cash Advances will accrue from the date of each Advance and will be imposed on the average daily outstanding balance during the period after deducting all payments and credits for each such date and dividing the sum by the number of days in the period. A FINANCE CHARGE is determined by applying a 1½% per month periodic rate to the average daily outstanding balance during the period after deducting all payments and credits for each such date and dividing the sum by the number of days in the period, A FINANCE CHARGE is determined by applying a 1½% per month periodic rate to the average daily outstanding balance during the period, resulting in an ANNUAL PERCENTAGE RATE of 15%.

E. RESPONSIBILITY FOR GOODS AND/OR SERVICES PURCHASED—The Issuer sha

any time, in whole or in part, with accrued FINANCE CHARGES to the date of prepayment.

G. DEFALUT—Notwithstanding the terms of payment otherwise provided in this Agreement, if Cardholder fails to pay any amount when due, or fails to perform any of his other obligations hereunder, or in the event of Cardholder's death, bankruptcy or insolvency, Issuer may at its election declare all amounts owing hereunder immediately due and payable without notice or demand of any kind. The Issuer may at any time offset and apply in satisfaction of Cardholder(s)' indebtedness hereunder all monies due to Cardholder from Issuer. Issuer's failure to assert its rights on a default or breach of contract by Cardholder shall not waive such rights.

H. NOTICE AND AMENDMENTS—Issuer may amend this Agreement at any time upon thirty (30) days' notice to Cardholder by mailing a copy of such amendment to Cardholder at his last known address as shown on the records of Issuer. All such amendments shall become effective 30 days from such mailing.

This Agreement, except to the extent that Federal law is applicable, shall be governed by the laws of the State of Ohio. The invalidity of any term or condition of this Agreement shall not affect the validity of any other term or condition.

MONTHLY PAYMENT CHART

_ Date: _

\$10.00

Buyer Sign Here X_

APPLICATION FOR BANK CHARGE CARD	\$400.01- 500.00 \$25.00
Please Print Purchaser's Name	Age (Must be 21 Yrs. Old) Single No. Dependents
Street No.	Employer
City State Zip Code .	Address
How Long At This Address Yrs. Phone No.	How Long Monthly Employed Yrs. Income Dept.
If Rent:— Landlord's (Mo. Rental \$) Name	Present Occupation
Landlord's Address	Previous Employer
If Buying or Own:— Mortgagee's Name	Address
Previous Address	How Long Wife's Employed Yrs. Name
Name of Nearest Relative Not Living With Purchaser	Wife's Employer
Address	Address
Bank Account With	Address Savings Checking
Bank Or) 1	Account Open Account Closed
Finance Co. Credit (Name) (Name)	(Address) (City and State) Account Open Account Closed
(Name)	(Address) (City and State)

0-\$200.00

\$200.01- 300.00

NOW EXCLUSIVE! Only From Olson 100 Watt FM Stereo Receiver FERGUSON



Compare These Quality Features

- Made in England-Otton Exclusive
- Slimline Design
- Advanced Solid State Circuitry
- Oiled Walnut Cabinet Included at No Extra Cost
- **Electronically Activated Tuning Indicators**
- Field Effect Transistor (FET) Improves Station Pickup

Size 21%" W. x 3%" H. x 9%" D. Operates on 110-120 volts AC, 60 Hz. Shipping weight 19 lbs.





RA-288

*S10 Monthly

STEREO HEADPHONES CREASE LISTENING PLEASURE Complete Selection Pg. 24



"In The Lab Report" RA-288

The Ferguson stereo receiver is manufactured by British Radio Corporation, one of the leading manufacturers of high fidelity equipment in England. Otson is the exclusive distributor for this fine piece of equipment.


This all new receiver combines an extremely sensitive tuner with a clean high powered amplifier in a handsomely styled low silhouette walnut cabinet that is included at no


The tuner section features unique electronic tuning which provides greater tuning accuracy and dependability. Electronically activated tuning indicators enable precise station tuning for maximum signal strength. FET (Field Effect Transistor in front end improves station pickup.

Complementing the tuner section, the RA-288 amplifier offers high power, linear response, distortion free sound, and specifications you'd expect only in higher priced models.

Front panel style combines good looks from a black-out dial glass and brushed aluminum panel with a logical and easy-to-use control layout. Controls consist of: power on-off, bass, treble, balance, and volume. Nicely spaced push buttons for phono, tape, FM, aux, and stereo/monomode, plus FM/ AFC to eliminate station drift. Has headphone jack for private listening.

Rear panel features standard RCA phono jacks for phono, magnetic, or ceramic, tape, aux and tape out for direct recording. Has barrier type (short proof) speaker terminals and external 300 ohm antenna terminals.





PERFORMANCE SPECIFICATIONS:

Excellent FM Sensitivity, Stereo Separation; 30 db. Capture ratio: 2.7 db.

AMPLIFIER -

AMPLIFIER — 100 watts Transistors total 37, 25 diodes, Output: 100 watts Total IHF music power, Total Harmonic Distortion: less than 0.5% @ 1 K Hz; Response: 30 to 20,000 Hz; Bass control gives ± 14 db. variation @ 50 Hz. Treble: + 12 db to -15 db — variation @ 10 K Hz. Signal to noise is better than 60 db @ phono input. Output impedance: 4 to 16 ohms. Operates on 110-120 volts AC, 60 Hz.



COMPLETE HOME ENTERTAINMENT SYSTEM



MADE ENGLAND

ENGLAND'S FINEST STEREO EQUIPMENT

SAVE \$70.49 From Individual Cat. Prices

Otsos RA-288 100 Watt Stereo Receiver (Above) .
-Ditton 15 Speaker Systems (S-39 Pg. 17) Garrard SLX II Changer Module (Pg. 26)


Otson HF-65 20' Speaker
Wiring Harness

TOTAL INDIVIUAL CATALOG PRICE \$490.49 Olson AS-439

*\$20 Monthly

Olson 60 WATT STEREO FM-AM RECEIVER

DISTINCTIVE FRONT PANEL DESIGN



LOW

- * Includes Walnut Cabinet At No
- Extra Cost

 Hi-Lo Filters, FM AFC, and
- Loudness

 ★ FM Stereo Indicator

Size: 14" W. x 5" H. x 115%" D. Operates on 110-120 volts AC. 60 cps. Shipping weight 17 lbs.

Quality **Throughout**


Silicon Power Transistors Offer Clean, Dependable Music.

Circuit Breakers Protect Line & Audio Circuits Against Shorts, Etc.

Headphone Jack For Private Listening.

Easy To Use Flip Tab Switches...

Solid State Stereo



Hook up Instructions Etched In Rear Panel.

Integrated Circuit (IC) In Critical Preamp Stages Enable Use Of Wide Range Magnetic Phono Cartridges.


Built-In AM Antenna.

FET FM Front End Improves Sta-tion Pick Up.

Weighted Flywheel Tuning.


Blackout Dial Glass With Lighted Scrolled Dial.

FM Tuning Meter Permits Precise Tuning Of Station.



Fast, Easy Hook Up





COMPLETE STEREO SYSTEM **SAVE \$32.49** FROM INDIVIDUAL

1—Gine 60 Watt Stereo Receiver (Above) 2—Gine 2-Way X-Air Speaker Systems S-131			\$160.00
(Pg. 19) 1—Garrard SLX 2 Changer Module (Pg. 26)	. 2	for	32.00 69.50
1—20' Speaker Wiring Harness HF65			.99
TOTAL HADITIDANE CHINESS PRICES	4.00		

Otson AS-440 *\$15 Monthly

CATALOG PRICES

ACCESSORIES: ACCESSORIES:
Indoor FM Dipole Antenna Otom AA-211
Stereo Headphones Add Listening Pleasure
Complete Selection (Pg. 24)



2-Speed STEREO Turntable

The Choice Of The Professionals

- Complete With Tone Arm, Walnut Base & Dust Cover
- ★ 2 Speeds: 33/3 & 45 RPM ★ Quiet, Smooth Operation ★ Precise Speed Regulation -
- & Flutter Than Automatic Changers.

 Counter Balanced Shock Mounted Tone
 Arm Minimizes Needle & Record Wear

Also Includes Audio Cables, Stylus Pressure Gauge, Plug In Cartridge Shell & Mounting Hardware. Size: 12%" x 16%" x 5½" H. Operates on 110-120 Volts AC, 60 Hz. Shipping weight 20 lbs. Less Cartridge

Ottom RP-407 \$10 Monthly

\$87

SAVEI Turntable Cartridge Combination STEREO ELLIPTICAL CARTRIDGE

EMPIRE PICKERING SHURE
YOUR CHOICE Only \$5 with Purchase Of
AR Turntable, \$24.95 Value Separately,
PC-187 PC-170 PC-143 See pg. 29



Model AR-4X 8" 2-Way SPEAKER SYSTEM

Compact System At A Price

- ★ 8" Acoustic Suspension woofer Produces Realistic & Undistorted Bass Response ★ 2½" Wide Dispersion Tweeter Delivers

- ZV2 Wide Range Response
 Beautiful Oiled Walnut Finish
 High Frequency Control Lets You Adjust
 The High Tones To Suit Your Ear.
- Impedance: 8 ohms

Size: 10" x 19" x 9" D. Should be used with Amplifier of 15 watts Or More Per Channel. Shpg. wt. 24 lbs.

W. H. Clark, 8601 N. Meridian, Pleasant Lake, MI 49272 wins choice of merchanise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

Otson 5-168

\$63

NEW FROM Olson



ACOUSTIC RESEARCH

Stereo Components

Known throughout the World for Their Precision, Quality & Sound Reproduction.



Model AR-2AX

10" Deluxe 3-Way SPEAKER SYSTEM

Concert Hall Realism

* Advanced Acoustic Suspension 10"
Woofer Provides Natural Deep Bass Response

Special 31/2" Midrange Adds Dimension

To Sound Spectrum Ultra High 34" Dome Tweeter Delivers Crisp, Clear Highs Beyond One's

Crisp, Clear Highs Beyond One's Hearing Capacity

★ Separate Level Controls Permit Adjustment Of Midrange & High Tones To What Sounds Best To You ★ Hand Rubbed Oiled Walnut Finish Blends With Any Decor Whether Placed On Floor Or Bookshelf

★ Impedance: 8 Ohms

Size: 13½" x 24" x 11½" D. Designed For Use With Amplifiers Rated at 20 Watts or More Per Channel. Shipping weight 42 lbs.

*\$10 Monthly

\$128



120 Watt STEREO FM Receiver

Precision Quality—Distinctive Styling Excellent Sound Reproduction

- 60 Watts RMS Per Channel Excellent Reproduction With Any
- Speaker System
 Superb FM Sensitivity From FET Front End
 Functional & Easy To Operate Control Panel
 FM Muting Eliminates Inter-Station
 Tuning Noise
- FM Stereo Indicator & Tuning Meter Headphone Jack For Private Listening Full Compliment Of Input Jacks For Magnetic Ceramic Phono & Aux. Plus

Magnetic Ceramic Tape Output
Tape Output
Advanced Solid State Circuitry
Beautiful Brushed Gold Front Panel
Housed in Stylish Case Blends With
All Decors
Specifications: Response 20 to 15,000
Hz. Capture Ratio: 2 db or less; MPX
Separation; 35 db; Power Output: 60
Watts RMS per Channel @ 4 Ohms.
Impedance: 4-16 ohms. Size: 17½" x
6" H. x 11½" D. Shipping weight 35
libs. Operates on 110-120 Volts AC.
60 Hz. Ober RA-371
So Much Quality \$420
*525
For Only



Model AR-3A

AR's Finest 12" 3-Way SPEAKER SYSTEM

Studio Quality-Concert Hall Sound * True Sound Reproduction Without

Coloration

12" Acoustic Suspension Woofer
Produces Clean Deep Bass Below 30 Hz.
Massize 31/4" Ib. Magnet On Woofer
Special Hemispherical Dome Midrange
& Tweeter Add Clean, Vivid Tones With

Greater Dispersion

* Separate Midrange & Tweeter Level
Controls Let You Adjust To The Right
Amount Of Middle & High Tones To

★ Beautiful Oiled Walnut Finish
 ★ Ohm Impedance Permits MaximumPerformance Of Your Stereo System

Size: 14" x 25" x 11%" D. Recom-mended Amplifier Power 25 Watts Or More Per Channel. Shpg. wt. 60 lbs.

Ottom S-170 *S15 Monthly

COMPLETE AR STEREO SYSTEM



SYSTEM INCLUDES: AR 120 Watt FM Stereo Receiver RA-371 (Above) AR 2-Speed Turntable With Base & Dust Cover RP-407 \$420.00 Base & Dust Cover RP-407 (Above) Empire 90 EE/X Stereo Elliptical Cartridge, PC-187 (Pg. 29) Two-AR 3A 3-Way Speaker Systems (above) \$250.00 ea. 50 20' Speaker Wiring Harness HF-65 500.00

Osen AS-451 COMPLETE FOR \$1012.99
Low Monthly Terms Available

COMPLETE OISON AR EXCLUSIVE STEREO SYSTEM



Oisen 60 Watt Stereo Receiver
RA-280 (Pg. 10) ... \$160.00
Two AR4X 2-Way Speaker
Systems S-168 (above) \$63 ea. 126.00
AR XA 2-Speed Turntable with
Base & Dust Cover RP-407

87.00 Pickering P/ATE Stereo Elliptical Cartridge PC-170

(Pg. 29) 20' Speaker Wiring Harness HF65


Osson AS-450 COMPLETE FOR \$378.99

The "Roll Abouts" from Olson ROLL ABOUT CARTS:

music on the move

★ Select Hardwood Walnut Finish ★ Brass Plated Hardware

★ 2" Easy Roll Casters ★ All Are Available Separately







FREE! 21 PEARLS

PEARLS

1-

THE BUDGET CART

Olson	8-Track Receiver RA-361 (pg. 14)	\$150.00
Olson	2-Way Speaker Systems S-48 (pg. 19) pair only	\$29.98
Oison	HF-151 Pkg. of 2 6' Speaker Cables	99
_"Rol	About" Component Cart CA-457	13.95
	Total Individual Catalog Price	\$194.92
		4==


175 Otson AS-459 *\$10 Monthly


THE ECONOMY CART

1—Qison FM-AM Casseiver RA-314 (pg. 13)	\$159.99
2-Oison 2-Way X-Air Speaker Systems, 5-131 (pg. 19)	2/32.00
4-Otson 60 Minute Blank Cassette Tapes, TA-604 (pg. 30)	.4/6.00
1—CA-458 Roll About Component Cart	16.95
2—Cassette Storage Racks CA-438 (pg. 31) \$1.69 ea.,	3.38
1-Olson Pkg. of 2 6' Speaker Cables, HF-151	.99
Total Individual Catalog Price	\$239.32

Oison AS-442 *\$15 Monthly

Complete for \$215





1-Otton 85 Watt Stereo Receiver, RA-194 (pg. 14)	\$150.00
2-Otson 10" 2-Way Speaker Systems, 5-930 (pg. 17) 2 fo	
1—Garrard SL-55B Changer (pg. 26)	
1-Pickering V15/ACE-3 Diamond Elliptical Cartridge (pg. 2	
1—Dust Cover, CA-415	
1_Changer Mounting Board, CA-437	
1—Deluxe Roll About Component Cart, CA-459	
	The state of the s
Total Individual Catalog Price	\$357.43
A Charles Bloom Report William Co.	\$305
ACAA2 *CO Monthly	

Otson A5-443 *\$20 Monthly








THE CELESTIAL

1-Gison 75 Watt Stereo Receiver RA-195		78.0		-			\$185.00
1-Garrard SLX-2 Changer Module (pg. 26) .	 		* *				69.50
2-Ditton 15 Speaker Systems, S-39 (pg. 17)							
1-Mobile Equipment Stand, CA-404							
1-20' Speaker Wiring Harness							
Total Individual Catalog Price							\$472.47
					-	8	400

AS-415 *\$25 Monthly

460





Oson AS-444 LOW MONTHLY TERMS AVAILABLE \$590



THE CONTINENTAL

1-Vexson 240 Watt Receiver, RA-285 (pg. 2)\$	380.00
2-Oisen 3-Way Speaker Systems, S-853 (pg. 17)	200.00
1—Garrard SLX-3 Changer Module (pg. 27)	99.50
1—Dison Stereo Cassette Deck, RA-275 (pg. 31)	89.00
4- Otson 60 Minute Blank Cassette Tapes, TA-604 (pg. '30)4 fc	r 6.00
1—Cassette Tape Storage Rack, CA-438 (pg. 30)	1.69
1-Deluxe Roll About Component Cart, CA-460	26.95
Total Individual Catalog Price\$	803.14
Olson AS-445	98

STEREO HEADPHONES INCREASE LISTENING PLEASURE Complete Selection Page 24

Olson 3-PC. 12 WATT STEREO SYSTEM



8 PEARLS

Deluxe 2-Way Speaker Systems ★ Sensitive FM-AM-FM Stereo Tuner ★ Inputs For Tape & Phono ★ Great For Rec Room, Dorm, Apartment, Ltc. ★ Modern Black Out Front Panel ★ FM Stereo Indicator Lamp ★ Stereo Headphone Jack for Private Listening ★ Complete With 2—6 Ft. Speaker Cables ★ Beautiful Walnut Finish Cabinets

Size: Receiver: 16" W. x 4" H. x 5" D. Speakers: (ea.) 15\\(^2\)" x 10" x 5". Operates on 110-120 volts AC. 50/60 Hz. Shipping weight 33 lbs.

Otson AS-456

*\$10 Monthly

Otson 12 Watt Stereo F/	M-AM Receiver Separ		\$59
Accessories: Indoor FM	Dipole Antenna	Black	
Otson AA-211 Stereophones Increase	Listening Pleasure	Complete Sel	ection Pg. 24



"COMPLETE MATCHED" STEREO SYSTEM

★ Includes everything you need; plugs, jacks, speaker cables, etc. 1—FM-AM-FM Mpx Stereo Receiver
2—3-Way Speaker Systems (S-90, Pg. 18)
1—4-Speed Stereo Changer (RP-364, Pg. 28)
1—4-Speed Stereo Changer (RP-364, Pg. 28)
1—AC Power Cable for Changer (W-535)
2—Audio Cables for Changer (HF-49)
1—Speaker Wiring Harness (HF-65)
TOTAL INDIVIDUAL CATALOG PRICES 2/34.00 3.89 .99 .79c; 2/1.58 ..\$120.44 A5-436

*\$10 Monthly

\$104

CASSETTE HOME ENTERTAINMENT CENTER



Olson 30 WATT CASSETTE FM-AM RECEIVER

Record Your Favorite Music As You Hear It * Unique Professional Design * Easy to Operate * Finished in Oiled Walnut * Built-in Stereo Cassette Recorder RECORDER FEATURES: * Automatic Record Level Control * Dual VI Meters * Simple Push Button Controls * Records Directly from Tuner * Pop-Up Cartridge Eject System * Instant Pause Control

Control.

RECEIVER FEATURES: ★ Dynamic Power Range ★ Excellent FM-AM Sensitivity ★ Illuminated Slide Rule Dial ★ New Slide Controls ★ Black-Out Front Panel with Chrome Knobs ★ Stereo Headphone Jack ★ FM Stereo Indicator ★ Inputs for Ceramic Phono or Tape ★ Impedance: 8 Ohms ★ Wide Range Response ★ Solid State Circuitry.

Size: 18½" W. x 10½" D. x 5½" H. Operates on 110-120 volts AC. 60 cps, Shipping weight 25 lbs.

Otton RA-314

REG. 3180



COMPLETE CASSEIVER ENTERTAINMENT CENTER

Two Ottom 3-Way Speaker Systems Garrard "Demi" Changer Module Plus Green Stereophones
Total Value When Purchased Separately \$242.92

SAVE! \$32.92

Otson AS-437 *\$15 Monthly

O. F. Otto, 352 N.E. 75th Avenue, Portland, OR 97213, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instruc-



10 1-Hour One Blank Cassette Tapes With The Purchase of RA-314 or AS-437.
Reg. val. when purchased separately \$12.50

FREE! 6 PEARLS

Olson Compact Stereo System

FM/AM Receiver with Matching Speakers Complete! Ready for Your Enjoyment

★ Solid State Circuitry ★ Ideal for Dorm

Solid State Circuitry
Ideal for Dorm, Home, Office, Etc.
Sensitive FM-AM Tuner
Dynamic Power Range
Beautiful Walnut Finish
2 Extended Range Speaker Systems
Inputs for Ceramic Phono and Tape
Stereo Headphone Jack for
Private Listening

Size: Receiver: 12" W. x 3" H. x 8\fontal{4}" D. Each Speaker 11" x 8\footnote{4}" x 3\footnote{4}" x 3\footnote{4}" x 60. Coperates on 110-120 Volts AC, 60 cps. Shpg. wt. 12 lbs.

You'll Have to See and Hear it to Believe it!

SAVE \$995

From Individual Catalog Prices

with Garrard "Demi" Changer Module (p. 28)



Osen AS-434 \$90 *\$10 Monthly

Complete Home Entertainment Center

NEW! Olson 30 Watt Stereo FM/AM Receiver ... Solid State with 8 Track Cartridge Player

New Easy Set Slide Cnotrols Plays Standard 8 Track Stereo

Cartridges
Black Out Dial Glass
Excellent FM-AM Sensitivity
FM Stereo Indicator

Loudness Switch Boost Low Level Response Headphone Jack for Private

Listening
Illuminated Tape Channel

Indicator Wide Range Response Impedance: 8 Ohms

Size: 18½" W. x 10½" D. x 5½" H. Operates on 110-120 volts AC, 60 Hz. Shpg. wt. 25 lbs.

Less Speakers *\$10 Monthly

Apr. FREE! 15 PEARLS

With the purchase of AS-452 Ampex Cartridge Tapes, Pkg. of 3, Pre-recorded. Reg. Value when Purchased Separately, \$21.00 Pkg.

SAVE \$2450 From Total Price of System When Purchased Separately at \$225.50

Stereo Receiver with 8 Track
Cartridge Player (Above) Cartridge Player (Above)

© 2-Way Speaker Systems
S-80 (Pg. 18)

Dust Cover, RP-369 (Pg. 28) Two

Garrard

Stereo Headphones PH-140 (Pg. 24)

* \$10 Monthly \$201



* Works Great With Any

Speaker System

Includes Walnut Cabinet at No

Extra Cost ★ Field Effect Transistor (FET) Improves Sensitivity

★ Solid State Electronics ★ Circuit Breaker Overload

Protection

2 Integrated Circuits (IC) for Utmost Reliability

Illuminated Slide Rule Dial

A complete stereo sound center that can be installed in a cabinet or simply located on a bookshelf or table. State-of-the-Art Electronics is enhanced by a F.E.T. in the FM front end and dual IC's in the critical pre-amp stages. Specifications—Amplifier: power output: 85 watts (42.5 w/channel). Response: 30 to 20 KHz. Inputs: phono, mag—phono, tape head, aux. High and low frequency filters-output impedance: 4-8 or 16 ohms. Tuner separation: more than 30 db at 1 KC. Size: 16\%" W. x 5\%" H. x 14" D. 110-120 V. AC, 50/60 cps. Shipping weight 25 lbs.



Otson Garrard Compacts



FREE!

Olson RA-194

All You Need To Connect Your Olson Stereo System

* MONTHLY PAYMENT CHART, See Page 18







AS-417

Get all three Olson STATE STATE STATE Mates

A Stereo FM-AM Tuner

* Excellent FM-AM Sensitivity * Precision Tuning Meter ★ Black Out Front Panel ★ FM Stereo Indicator ★ Includes Walnut Cabinet at no Extra
Cost ★ Tape Output Jacks ★ MPX Separation: 32db
★ Built-in AM Antenna ★ Mates With AM-395

Size: $11\frac{1}{2}$ " x $7\frac{1}{4}$ " x $4\frac{1}{4}$ " H. Operates on 110-120 volts AC. 50-60 cps. Shipping weight 10

B 60 Watt Stereo Amplifier

* Works Fine With Any Speaker System * Modern Black Front Panel * Unique White Pin Stripe Accent ★ Flip-Tab Swicthes ★ Main and Remote Speaker Switch ★ Stereo Headphone Jack ★ Oiled Walnut Cabinet ★ Frequency Response: 30-20,000 Hz. * Tape, Aux. and Mag Phono Inputs

Size: 111/2" Size: 11½" x 7½" x 4½" H. Operates on 110-120 volts A.C. 50-60 cps. Shipping weight 12 lbs.

© 8 Track Stereo Tape Deck

★ Plays Standard 8 Track Tape Cartridges Through Your Stereo System & Black Front Panel w/white
Pin Stripe Accent & Automatic Start & Illuminated Channel Indicators & Walnut Cabinet &
Manual Automatic Channel Changer & Cartridge
Eject Push Button & Response: 50-15,000 Hz.

* Simple Plug-in Connections

Size: 11½" x 7¼" x 4¼" H. Operates 110-120 volts A.C. 60 cps. Shipping we Shipping weight

Olson RA-310 *10 Monthly

Oleon AM-395 *10 Monthly ...

Olson RA-308 *10 Monthly

"Stereo Mate" System — Complete!

Enjoy your auto stereo tapes in the comfort of your home. "Stereo Mate" system features See "Stereo Mates" (above), Garrard SLX2 changer module (Pg. 26), See S-90 3-way speaker system (Pg. 18), 20 ft. speaker wiring harness, plus for your private or late hour listening pleasure the PH-140 (Pg. 24) stereo headset is also included.

ACCESSORIES:

Indoor FM Dipole Antenna, Gisen AA-211
Retractable Headphone Extension Cord, Gisen HF-144
Complete Selection of Plugs, Adapters, and Audio Cables (Pg. 23)

from individual

catalog prices

AS-424 *S10 Monthly

INDIVIDUAL CATALOG PRICE \$333.49

Olson

8 WATT STEREO AMPLIFIER SOLID STATE CIRCUITRY

- Response: 70 to 20k Hz. 10 Transistor Circuit
- Separate Tone and Volume Controls
- Brushed Aluminum Panel Inputs for Phono and Tuner

110-120 V. AC, 60 cps. Size: 8" x 4½" x 2½". Shipping weight 8 lbs.

AM-357

MATCHING STEREO SYSTEM

- 1 (Notes) 8 Watt Solid State Stereo
 Amplifier AM-357
 1 Garrard Model 30 Stereo Changer
 RP-361 (See Pg. 28),
 1 Changer Mtg. Base CA-396 2 X-Air
 Speaker Systems S-931 (Pg. 19),
 1 Speaker Wiring Harness HF-65

AS-256 *10 Monthly

* MONTHLY PAYMENT CHART, See Page 18

20 WATT STEREO AMPLIFIER



AM-372


* Works Fine With Any Speaker System

- Bass & Treble Controls Brushed Aluminum Panel Main/Remote Speaker Inputs for Crystal or Ceramic Phono Plus Tuner & Tape Recorder
- * Walnut Wood Cabinet
 - ★ Stereo Headphone Jack Resp: 50 to 20,000 Hz.

Size: 12¼" W. x 3¼" H. x 7½" D. 110-120 V. AC 60 cps. Shpg. wt. 7 lbs.

COMPACT STEREO SYSTEM


"The Mini System with The Big System Sound"



1-Otson AM-372 20W Stereo Amp. 1-Garrard "Demi" Changer (Page 28) Otson S-931 X-Air Speakers (Page 18) Otson HF-65 Speaker Wiring Harness

NO. AS-330





Best Quality Speaker Systems

THESE 3 SPEAKERS GIVE YOU "ENVIRONMENTAL" ADJUSTMENT

Say you move from an apartment to a house. Or you decide to move your whole sound system into a different room. These systems feature an "Environmental Control" front mounted under the grille which makes it possible to "tune" your system to its new acoustic environment. No distortion. The right amount of bass and treble. Perfection, wherever they're used!

A Olson ENVIRONMENTAL 2-WAY SPEAKER

Beautiful oiled walnut enclosure. Removable wood fretwork grille lets you change acoustic grille cloth to match changes in decor, or for cleaning. Compact design with air suspension speakers. 8" woofer and 5" round tweeter delivers fine bass and highs. Frequency response: 25-20,000 Hz. Power capacity: 50 watts. Impedance 8 ohms. Size: 105%" x 17½" x 8%" D. Shipping weight 20 lbs.

Stereo Pr. \$190 Otton S-52 *\$10 Monthly

Ea. \$100

B Oison ENVIRONMENTAL CHARACTERISTIC I

★ Response: 25 to 20,000 Hz.

Superbly crafted wainut case. Removable fretwork grille easy to clean or change it to any color you wish to match new decor. Speaker cone, is unencumbered by artificial stiffner, thus explaining the absence of sound distortion. 12" woofer for clear bass, 5" midrange in its own separately contained airtight enclosure for vivid mid-frequencies, and a 2" tweeter delivering crystal clear highs. Impedance 8 ohms. Crossover points 800 and 5,000 Hz. Size: 14%" W. x 23%" H. x 13/16 D. Shipping weight 40 lbs.

Stereo Pr. \$380 Olson S-72 *\$10 Monthly

C Olson ENVIRONMENTAL CHARACTERISTIC II

Same as B left except this system uses a 10" multicellular horn and 4" tweeter plu a 12" woofer capable of deep, ultra-low bass The result is perfection in the reproduction of stereo separation. Impedance: 8 ohms. Crossover points: 800 and 5,000 Hz. Power capacity: 50 watts. Size: 14%" W. x 235%" H. x 111%" D. Shipping weight 42 lbs.

Stereo Pr. \$480 Otton S-82 *\$10 Monthly

Ea. \$250

D CELESTION DITTON 15
From England comes one of the finest compact speaker systems made today. It's unique ABR system produces the ultimate in sound

quality.

8" woofer is reinforced in tone by an auxiliary bass radiator (ABR) giving you a unique clarity in the bass range plus full power capacity down to 30 Hz. The matched tweeter has excellent polar characteristics and nearly straight line response. Response: 30-15,000 Hz. Power capacity: 15 Watts R.M.S. Impedance: 4-8 ohms. Size: 21" x 6½" x 9½". Walnut finished cabinet has removable front grille for easy cleaning or changing. Shipping weight 24 lbs.

Stereo Pair \$200 Otson \$-39 *\$10 Monthly

Ea. \$110

E Olson 3-WAY ACOUSTIC

Suspension Speaker Systems THE SPEAKER WITH THE "ACOUSTIC LENS"

* Excellent Sound from any Music Source

* Excellent Sound from any Music Source
The removable decorative grille (acoustic lens) is specially designed to enhance the sound quality. The 10" acoustic suspension woofer, 5" mid-range and 2" super tweeter are acoustically matched to the walnut cabinet. All are coupled through a L-C type crossover preset by the manufacturer for just the right sound wherever the speakers are placed. Specifications: Power capacity: to 60 watts. Response: 25 to 20,000 Hz. Impedance: 8 ohms. Size: 12½" W. x 20½" H. x 11½" D. Shipping weight 35 lbs.

Stereo Pair \$300 Ossel S-132 *\$10 Monthly

\$15998


F Olson 16" 3-WAY SPEAKER SYSTEM

This system will bring your room alive with music superbly reproduced! The power ful 16" woofer is of the high compliance type with a heavy duty magnet. A matched 6½" midrange unit offers smooth, clear middle frequencies. Tweeter is a 2½" horn type. Teamed together, tuned to perfection in a cabinet designed around them. Oiled walnut finish cabinet with removable ribbed front panel. Power capacity to 50 watts. Response: 25-23,500 Hz. Crossover points 700 and 3,000 Hz. Size: 20%" x 27%" x 14%". Shipping weight 70 lbs.

Stereo Pr. \$430 Otton S-23. \$15 Monthly

\$230









Best Value Speaker Systems

A Olson VERTICAL 2-WAY SPEAKER SYSTEM

- The Finest Sound From Compact Size

 ★ Book-Shelf Size: 8½" H. x 4½" W. x 8½" D.

 ★ Chrome Finish Bar-Type Grille

 ★ Acoustic Suspension Woofer

 ★ Wide Dispersion Tweeter

- ★ Binding Post Terminals ★ Response: 50 to 20,000 Hz. ★ Oiled Walnut Finish

Shipping weight 9 lbs.

Stereo Pr. \$68

B Oison S-838 "CUBE" SPEAKER SYSTEM

- Compact Enough to Fit a Book Shelf or Hutch Push on Speaker Terminals
- ★ 8" Woofer ★ 2½" Horn Type Tweeter ★ Up to 20 Watts

- Impedance: 8 Ohms Response: 50 to 20,000 Hz. Oiled Walnut Finish
- * Stylish Fretwork Grille

Size: 11%" H. x 11%" D. Shpg. wt. 14 lbs.

Oison S-838, 2 for \$75

\$40

C Olson Acoustic Suspension SPEAKER SYSTEM

- Beautiful Curved Fretwork Grille
 Two Way Speaker System
 8" Woofer 3 Tweeter
 Electronic Crossover
 Power Capacity to 25 Watts
 Oiled Walnut Finish
 Response: 70 to 18,000 Hz.
 Convenient Screw Terminals
 Impedance: 8 Ohms

Size: 17%" H. x 11" W. x 10%" D. Shipping weight 22 lbs.

Stereo Pr. \$110 Oison S-85 *\$10 Monthly

D Olson DELUXE 7-SPEAKER 3-WAY SPEAKER SYSTEM AMAZING NEW SPEAKER SYSTEM AT A LOW PRICE 3 High Compliance Woofers 3 Matched Midrange Speakers Super-Tweeter Offers Crystal Clear Highs Flectronic Cross-over

- ★ Electronic Cross-over
 ★ Specially Designed Enclosure with Contrasting
 Black Cloth
 ★ Power Capacity: To 25 Watts
 ★ Impedance: 8 Ohms

Size: 15½" W. x 24½" H. x 12" D. Shipping weight 30 lbs.

Stereo Pr. \$100 Otson S-177 *\$10 Monthly

E 2-WAY SPEAKER SYSTEM

★ 4" Extended Range Tweeter

Oiled Walnut Finish

★ Powerful 10" Woofer

★ Response: 40 to 18,500 Hz.

★ Power Capacity to 35 Watts, 8 Ohms

★ L-C Type Crossover Network

Size: 13" W. x 22½" H. x 11%" D. Shipping weight 33 lbs.

Stereo Pr. \$120 Oison S-930 *\$10 Monthly

All You Need To Connect Your
Olson Stereo System

E 3-WAY 12" SPEAKER SYSTEM

- ★ Beautiful Fretwork Grille
 ★ Hi-Compliance 12" Woofer
 ★ 8" Midrange Offers Vivid Middle Frequencies
- ★ 4"Super Tweeter ★ Adjustable Level Controls for Midrange and
- * Ideal For Floor or Shelf.
- ★ Power capacity: Up to 40 watts ★ Impedance: 8 ohms ★ Frequency Response: 30 to 20,000 Hz. Size: 15" W. x 23½" H. x 11%" D. Shipping weight 40 lbs.

Stereo Pr. \$200 Olico S-853 *\$10 Monthly

\$120

Olson Electronics 17

Olson Famous X-Air Speaker System



- * Soft Pliable Cloth Annulus Cone
- * Acoustic Suspension
- **Heavy Duty Magnet**
- ★ Response: 65 to 18,000 Hz.
- ★ Power Capacity: 5 watts, RMS., 15 watts Program
- * Impedance: 8 Ohms

Size: 6" x 9" x 5". Shipping weight 6 lbs.

Otson 5-931 Reg. \$14.98



Olson 2 & 3-Way **Speaker Systems**

- Handsome Walnut Finish Contrasting Black Grille Cloth Convenient Screw Connection

- ★ Electronic Crossover ★ Electronic Crossover ★ ½" Composition Wood Construction Shipping weight 10 lbs. Imped-ance: 8 ohms. Size: 15½" x 10" x 5".

2-WAY

8" Woofer, 3" Tweeter. Response: 50-16,000 Hz. Power Capacity: 15 watts. 2 for \$25

DELUXE 3-WAY

- 6" Woofer, 6" mid-range, 3" Tweeter. Response: 45-18,000 Hz. Power Cap-city: 20 watts.
- 2 for \$34

\$18

BEST BUY SPEAKER SYSTEMS FR



Compact System

- Includes 6' Cable

- ★ Includes 8 Caore
 and Plug
 ★ Ideal Extension or
 Portable Speaker
 ★ Compact Size Mounts
 Anywhere
 ↓ Use with Radio, TV,
 Phono or Tape System Size: 77%" W. x 10%"
 H. x 5¾" D. Impedance: 8 ohms. Shipping weight 4 lbs.

\$398 2 for 57.60



"THIN-LINE" SYSTEM

- Walnut Finished Wood Cabinet Matching Cane

★ Push-Button
Terminals
★ Only 21/4" Thick
★ 5" Full Range
Speaker
Response 60 to
15,000 Hz.
→ Impedance: 8 Ohms
Size: 8" x 91/4" x
21/4". Shpg. wt. 3 Ibs.

5849 2 For \$16



4"x6" System

- Walnut Finished Wood Cabinet
- Black Acoustic Cloth Grille
- Re inforced Cabinet
- Corners Alnico V Magnet
- Convenient Screw Terminals
- ★ Full Range Response Power Capacity: 5 Watts

Size: 5½" x 9" x 5¾" D. Impedance: 8 ohms. Shipping wt. 3 lbs.

5-33 5998 2 For



Oiled Walnut Finish

- 8" Woofer 3" Tweeter
- Electronic X-Over **Volume Control**

12" x 12" x 41/9" 8 ohms. Shipping weight 71/9 lbs.



\$1398



Ultra-Compact 2-Way System ★ Powerful 5 x 7" Woofer

- ★ High Efficiency 21/2"

- Tweeter

 Headuiful Fretwork

 Grille

 Response: 60 to
 15,000 Hz.

 Power Cap 10 Watts

 Olled Walnut Finish
- Size: 9" x 9" x 914". Shpg. wt. 9 lbs.

Oison S-900 Stereo Pair \$39

\$19.98



FAMOUS 8" X-Air

★ Convenient Push-on Terminals
★ Oiled Walnut Finish
Features an 8" full range speaker with acoustically suspended double cone. Powerful ceramic magnet. Response: 30 to 20,000 Hz. Power capacity to 35 watts. 8 ohms. Size: 14½" H. x 10½" W. x 8" D. Shpg. wt. 14 lbs.

Olson 5-933 Was 538 In 1070 Cat.

\$30

Olson /elensen

8" 2-Way Speaker System



- ★ Unfinished Cabinet Can be Painted, Stained or Vinyl
- Covered Jensen 8" Woofer and 31/2" Tweeter Resp.: 50 to 16,000
- Electronic Crossover Impedance: 8 Ohms Power Capacity: 15 Watts

Size: 121/4" W. x 133/4" H. x 101/4" D. Shpg. wt. 14 lbs. Shpg. \$19.98

2-WAY SPEAKER SYSTEM

Same as Above but walnut finish. Otson 5-741 . 2 for \$62 .. \$36.98

MONTHLY PAYMENT CHART

MAIL ORDER CUSTOMERS: See Order Blank & Credit App, pgs. 7. & 8 Amount Financed Monthly Payment \$ 0 -\$200.00 ...\$10.00 \$200.01 - \$300.00\$15.00 \$300.01 - \$400.00\$20.00

\$400.01 - \$500.00 FINANCE CHARGE will be imposed on the average daily outstanding portion of the previous balance for Purchases shown on the Statement, from the previous Statement Date to the current Statement Date. (This average daily outstanding balance is determined by summing the outstanding portion of the previous balance existing for each day during the billing period after deducting payments of credits received each day and dividing this sum by the number of days in such billing period.) To this average daily outstanding balance, FINANCE CHARGES will be imposed at a monthly periodic rate by 2% for the first \$200, 1½% for the next \$200 and 1% for all amounts in excess of \$400, which are expressed as ANNUAL PERCENTAGE RATES equal to 24%, 18% and 12% respectively. If the entire previous balance shown on the Statement has been paid on or before the 25th day of billing period covered by the Statement, no FINANCE CHARGES will have been incurred for such billing period.



2-WAY SPEAKER

CROSSOVER

Crossover network separates high frequencies from low frequencies. LC type crossover point @ 3,000 Hz. Impedance: 8 ohms. S'ze: 3½" x 1½". Shpg. wt. ½ lb.



\$329

2 FOR \$5.80



Hi-Fi Extension **Speaker System**

- ★ Walnut Grained Vinyl Veneer
- Wide Range 6" PM Speaker
- Convenient Screw Terminals
- * Power Capacity to 10 Watts
- Handsome Custom Weave Grille
- * Ideal Add-on or 2nd System Size: 12%" x 19½" x 3¼". Impedance: 8 ohms. Shipping weight 4 lbs.

Olson 5-77

\$6 2 for \$10


B. J. Snearly, Box 83 Rt. 2, Hardy, AR 72542 wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

Olson

"MICRO-CUBE" SPEAKER SYSTEM

Smashing Decorator colors for you to Mix or Match; Walnut, White, Black, Or-

- ★ Micro Size—Maxi Performance
- * Finished 5 Sides
- Full Range X-Air Speaker Fiberglass Acoustic Insul-
- Contrasting Grille Cloth
- Response: 65 to 17,500 Hz. Shipping weight 5 lbs. Size: 6" x 6" x 6"



\$1099

2 For \$21

Speaker System

Olson

"ECONO-MAX"

Economy Price/ Maximum Performance

- ★ Save by Doing It Yourself
 ★ 6½" X-Air Speaker
 ★ Walnut Grained Vinyl Cabinet
 ★ Response: 35 to 18,000 Hz.
 ★ Power Capacity: 25 Watts
 ★ Impedance: 8 Ohms

Cabinets may have slight irregularities. Size 13½" x 7½" x 6¾". Shipping weight 17 lbs.

AS-376 \$1498



Oison CA-427

Deluxe speaker system; same as above but slightly larger cabinet (16" x 10" x 6½"). Has provision for the addition of a tweeter. Shipping weight 20 lbs.

[Size A5-377 Cabinet less speaker (Size CA-428 S7.79]

Deluxe 2-Way

- * Ideal for Any Room in the

- House

 Matched Pair Only

 61/2" Woofer 21/2" Tweeter

 colled Walnut Finish

 Contrasting Black Finish with

 Metal Trim

 Response: 50 to 16,000 Hz.

 Power Capacity 10 Watts—Ea.

Size: 13" H. x 8¼" W. x 9¾" D. Impedance 8 ohms. Shipping weight 10 lbs.

\$2998 PAIR





Full Range X-Air Speaker 360° Sound Dispersion Sound Dispersion
Attractive Unique Styling
Ideal for Bookshelf, Table, Mantel; etc.
Compact Size: 6" x 9" x 5"
Walnut Finish Cabinet with
Contrasting Grille Cloth


★ 8 Ohm Impedance

★ Fower Capacity to 15 Watts
Shipping weight 6 lbs.

5-130

\$1498

2 for \$29



INCREASE

Olson 2-Way X-Air Speaker

System Fantastic Sound Reproduction Budget Price

- * Powerful Long Throw Woofer
- * High Efficiency Tweeter
- * Acoustically Sealed Enclosure
- * Wide Range Response
- * Power Capacity to 15 Watts
- ★ Walnut Cabinet w/contrasting Grille Cloth
- ★ Impedance: 8 Ohms

Size: 11½" x 8" x 6¼". Shipping weight 10 lbs.

5-131 Stereo Pair \$32

\$1698



Cast aluminum construction with 20 watt music power and 120 sound dispersion angle. Shipping wt. 4 lbs.



8" FULL RANGE SPEAKER Has Hi-frequency radiator and 10 oz. ceramic magnet. Response: 30-13,000 Hz. Power capacity 12 watts. Impedance: 8 ohms. Shpg. wt. 3 lbs.

\$598



DELUXE 10" FULL RANGE
Ideal replacement in
Compact Enclosures or
for building your own
system. Use with Horn
Tweeter and Crossover
Left for Great Sound
Quality has 10 oz. Ceamic Magnet, Cloth Roll
Cone Suspension and
High Frequency Cone
Radiator. Power Capacity: 15 watts; Response:
50 to 13,000 Hz. Shipping weight 5 lbs. \$93 Otson \$-159



DELUXE 12" FULL RANGE
Great for large bookshelf or console systems.
Has 10 oz. Ceramic
Magnet, Cloth Roll Cone
Suspension, and High
Frequency Cone Radiator. Power Capacity: 20
watts; Response. 40 to
15,000 Hz. Shipping
weight 7 lbs.

\$1098

CUSTOM DESIGN **SPEAKER** COMPONENTS

- ★ Select From 8", 10" or 12"
- * Choice of 2 Horn Tweeters
- * For Stereo/Hi-Fi, PA, Etc.
- * Impedance: 8 Ohms



Otson S-548 1 99

2 for \$9 Reg. \$6.47 Made in England Power Capacity: 10 Watts

- Powerful Ceramic Magnet Response: 30 to 16,000 Hz.

Shpg. wt. 31/4 lbs.



\$42 2 for \$79 from Olson's "Treasure Hunt."

12" SPEAKER CABINET WITH WALNUT FINISH

Constructed of 34" acoustic wood. Has 12" cutout. Adapter board is included for mounting an 8" speaker. Size: 14¼" H. x 25" W. x 9¾" D. Shpg. wt. 24 lbs. E. A. Hooper, 6301 Madison Ave., Indianapolis, IN 46227, wins

See back cover for instructions.

15" SPEAKER CABINET

Same construction and finish as above. Has adapter for 12" and 8" speakers. Size: 25" W. x $17\frac{1}{2}$ " H. x $11\frac{1}{2}$ " D. Shpg. wt. 27 lbs. CA-323

Olson HI-FI/STEREO SPEA

★ High Compliance Suspension

* Ideal Replacements for Many Home Stereos

Made by Famous U.S. Manufacturer

SAVE on Speaker

Olson 8-Inch HI-FIDELITY



SPEAKER

- High Frequency Radiator High Compliance Suspension
- Response: 45 to 16,000 Hz.
 Power Capacity: 15 Watts
 Precision Die-Cast Housing
 Impedance: 8 Ohms
 Shipping weight 5 lbs.

5-966 \$1198

SPEAKER PLUS CABINET
5 \$11.98 Ottom A
68 \$42.00 You Pay
Total \$53.98 Only CABINET ORSON AS-161
You Pay \$45 Only



CA-368

Olson 12-Inch HI-FI CO-AX SPEAKER

- ★ 12" Woofer and 3" Tweeter ★ Response: 35-15,000 Hz. ★ Built-in Crossover ★ Impedance: 8 Ohms
- Shipping weight 8 lbs. 5-311 \$1198 (Olson S-311

2 for \$21

SPEAKER PLUS CABINET

\$11.98 You Pay CA-368 Reg. Total \$53.98 Only

12-Inch WOOFER Olson



- High Compliance Suspension

- Resonance 25 Hz.
 Power Capacity: 20 Watts
 Massive Ceramic Magnet
 Response: 20 to 3000 Hz.
 Impedance: 8 Ohms
 Shipping wt. 11 lbs.

Otson 5-967 \$1398

2 For \$27 SPEAKER PLUS CABINET

You Pay SAC 5-967 \$13.98 CA-368 \$42.00 Reg. Total \$55.98 Only

12" SPEAKER Oison



Full Range
High Compliance Suspension
Response: 30 to 16,000 Hz,
Power Capacity: 20 Watts
Precision Die-Cast Housing
Impedance: 8 Ohms

Shipping wt. 11 lbs. 5-968 \$1698 or \$29 2 For \$29

SPEAKER PLUS CABINET \$-968 \$16.98 CA-368 \$42.00 Reg. Total \$58.98 AS-156 \$49

Olson 8-Inch 2-Way CO-AX SPEAKER



One 5-969 2 For \$33

SPEAKER PLUS CABINET S-969 CA-368 \$18.98 \$42.00 Reg. Total \$60.98

You Pay \$51 Only

Olson 12-Inch 3-Way CO-AX SPEAKER



- * Compression Horn Tweeter r Tweeter Level Control
 r Response: 30 to 18,000 Hz.
 r Impedance: 8 Ohms
 r Power Capacity 55 Watts
 r High Compliance Suspension
 Shipping wt. 11 Ibs.

| Speaker Plus CABINET | S28.00 | Gram AS-1 | S42.00 | You S70.00 | Pay Only Otson AS-157 5-970 CA-368 Total \$61

Oison 12-Inch Deluxe 3-Way SPEAKER



- ★ 20 to 20,000 Hz.

 ★ Power Capacity: 65 Watts

 ★ Impedance: 8 Ohms

 ★ Compression Horn Tweeter

 ★ Ceramic Magnet

 ★ Mid-Range Radiator

 ★ High Compliance

 ★ Cast Housing Shop wit 10



Olson DELUXE DOME TWEETER

Wide Angle Dispersion Adds Clarity and Brilliance to

High Tones Powerful Ceramic Magnet

* Fower Capacity: 30 Watts

* Impedance: 8 Ohms

Size: 3½" dia. x 1" D. Shipping wt. 3 lbs.

Requires 2½" dia. mounting.

Oison 5-163 2 for \$15

Olson FAMOUS X-AIR SPEAKERS



5-732 **\$798**★ Full Range

A powerful ceramic magnet. High compliance High compliance cone. Resp.: 40 to 16,000 Hz. 8 ohms. Power: 15 watts (music). Shipping weight 5 lbs.

61/2" X-AIR SPEAKER

6½" X-AIR SPEAKER
Imp.: 8 ohms. Resp.: 35-16,000
Hz., Cloth annulus. 25 watts.
Shpg. wt. 7 lbs. 6500 S-755 \$9.98
8" X-AIR SPEAKER
Res.: 30 to 20,000 Hz. Imp.: 8 ohms, 35 watts. Shpg. wt. 10 lbs.
65000 5-786 \$13.98

Crossover Capacitors
Kit of 5 Non-Polarized Capacitors
Gene C-209. 2 for \$3.20 ea. \$1.98

50 ft. SPEAKER CABLE

Olson 3 Piece Combo AS-314

5" WOOFER Olson

★ 15 Watts ★ Acoustic Suspension
Special ribbed

tic Suspension
Special ribbed
cone. Imp: 8 ohms.
Power cap: 15 watts
(music). Response:
30 to 5,000 Hz. Resonant frequency: 48
Hz. Size: 5½" W.
3½". Shpg. wt. 4 lbs.

Giene 5-845



Olson 2-Way Crossover

★ With Level Control ★ Panel Mounted

A Panel Mounted
L-C type crossover at
3,000 Hz. Control for
tweeter. 8 ohms. Push
button terminals. Size:
4" W. x 5½" H. x 1" D.
Shpg. wt. 1 lb.
35498
HF-102



Olson 23/8" Tweeter



★ 20 Watts Sensitivity: 100 Sensitivity: 100 db.
Impedance: 8 ohms.
Power handling capacity: 20 w at ts.
Mounting hole size:
2½" dia. Overall size:
2½" by 2½".
Shipping weight 2 lbs.

5-846



SPEAKER ENCLOSURE **CONSTRUCTION BOOK**

Detailed drawings and instructions for building enclosures, including the infinite-baffle base - reflex, horn projector. Shpg. wt. 14 lb. 200 B-309 \$3.25



★ Made in England ★ Response: 40 to 15,000 Hz. ★ Power Capacity: 15 Watts ★ Impedance: 8 Ohms

Shipping weight 2% lbs.

Olson Quality Replacement Speakers * SAVE! When Buying in Quantity

6"

6"

61/2"

6x9"

.68

1.47

1.47

1.47

A

B


A

E

Replace That Tired Speaker with an Otson Extra Duty, Wide Range Speaker.

* HI-FI STEREO * RADIO * AUTO TAPE PLAYERS * PA * POPULAR SIZES

HD-Heavy Duty Ceramic Magnet HF-High Frequency Radiators




GOOD Ideal For Radios, Pho-nos, Hobby Projects, Etc.



BETTER

★ Use in Auto, Boat, Home, Radio, Etc.



BEST

HF High Frequency Radiator High Tones

★ HD Heavy Duty Ceramic Magnet

Great For Tape Players.

Impedance Ohms Power Cap. Watts Stock Number Lots of Magnet Weight oz Size: 5" S-340 \$1.69 \$1.59 .55 3.2 2 2 5" 3.2 B .68 S-133 2.49 2.39 5" 45 2 S-26 1.19 .99 B .47 4x8" 1.79 34 S-167 1.69 .65 E 4x8" 8 3 S-166 1.89 1.79 E 1.0 C 5x7" 1.0 8 3 S-113 2.49 2.39 1.47 E 5x7" 8 4.5 S-135 2.89 2.49

3

3

3

S-7

S-134

S-63

S-136

1.89

2.89

1.99

3.29

1.69

2.69

1.89

2.98

Shipping weight above 2 lbs

3.2

3.2

8

8

G	4"	2.35HD	8	5	5-137	2.98	2.59
A	5"	1.0	3.2	4	5-336	1.79	1.67
G	5"	2.35но	8	5	5-138	3.49	3.19
G	51/4"	2.35HD	8	6	5-139	3.29	3.09
F	5x7"	2.15	8	6	S-164	1.99	1.79
D	5x7" HF	5.5 HD	8	10	S-141	4.49	4.19
G	6"	2.35HD	8	7	5-140	3.89	3.69
A	61/2"	2.15	8	6	5-64	2.19	1.99
D	6x9" HF	5.5 HD	8	10	5-142	4.98	4.69
		Shipp	ping weig	ght above	3 lbs.		

D	4x10"HF	5.5HD	8	12	S-143	4.98	4.69
	5%"HF		8	14	S-87	5.98	5.00
	5x7"HF		8	15	S-144	7.98	7.88
	6x9"HF		8	15	S-145	The state of the s	8.79
	8"HF		8	15	S-146	6 D. J. St. St. St. Mar. 19 (19)	8.79

HI-FI/Stereo, Auto Reverb s, Radios Etc.

POLY-PLANAR WAFER-TYPE SPEAKERS

WIDE RANGE • RUGGED • HI POWER • SUPER THIN • WEATHERPROOF DO IT YOURSELF . . . TURN ON YOUR TABLE . DOOR . WALL



MODEL P20 1-7/16" THIN

★ Meets Extremes of Shock and Vibration ★ Easily Incorporated In-to Present Equipment ★ May be Baffled or Unbaffled Shipping weight 2 lbs.

\$1095 CUSTOM FLUSH OR SURFACE MOUNT GRILLE FOR ABOVE. Ivorywhite Finish.

Chem CA-433







8" ROUND WAFER TYPE SPEAKER

★ Replaces Conventional Cone
Speakers ★ Water Resistant—Tear
Proof ★ Wafer-Thin — Only 1.05"
Thick ★ Frequency Response: 40 to
20K Hz. ★ Standard 8" Mounting
★ Bi-Directional Radiation ★ Impedance: 8 ohms

Shipping weight 1 lb.

1.05"











MODEL P5 13/16" WAFER THIN CONSTRUCTION

- ★ Completely Waterproof
 ★ Replace Conventional Cone
 Speakers
 ★ Resp.: 60 to 20,000 Hz
 ★ Power Cap.: 5 watts
 ★ Impedance: 8 ohms
 Size: 11/6" x 41/2" x 81/2". Shipping weight 1 lb.

\$595

Deluxe 5" PM Speakers



* Made in England for World's Finest

Shipping weight 3 lbs.

Oison 5-44 99

Reg. \$6.98

DELUXE 5"x8" PM SPEAKER



* Matched Pair for Stereo

* Beautiful Chrome Finish

* Powerful Ceramic Magnets

Heavy duty speakers handle more power without distortion and extend the frequency range over original equipment speakers. The cone edge is specially treated to reduce fatigue and add flexibility. A high frequency radiator cone extends frequency range. Matched pairs are packed in a sturdy, reusable plastic box. Shipping weight 5 lbs.



Reg. \$14:96-\$099

Olson (R REPLACEMENT SPEAKERS









 ★ Transistor & Table Radios

Choice

Your Choice

Lots of 100

Your Choice

* Portable Recorders & Phonos

13/4" x 23/4" PM SPEAKER, 8-10 Ohms, Rd. Yoke. Shpg. wt. 1/4 lb. @Heen S-954. 2" PM SPEAKER, 8-10 Ohms, Rd. Yoke. Shpg. wt. 1/4 lb. Otson 5-636.

21/4" PM SPEAKER, 8-10 Ohms, Round Yoke Shpg. wt. 1/4 lb. Otson 5-54.

21/2" PM SPEAKER, 3-4 Ohms, Round Yoke Shpg. wt. 1/4 lb. Otson S-934. 21/2" PM SPEAKER, 8-10 Ohms, Rd. Yoke.

Shpg. wt. 1/4 lb. Otson 5-55.

23/4" PM SPEAKER, 3-4 Ohms, Round Yoke Shpg. wt. 3/4 lb. One S-891.

3" PM SPEAKER, 8-10 Ohms, Round Yoke. Shpg. wt. 1/4 lb. One S-56.

' PM SPEAKER, 12 Ohms, Round Yoke, Shpg. wt. 1/4 lb. Olson S-944. Lots of 50 Lots of 10 Single Ea. 55c

Ea. 49c

Ea. 65c

3½" PM SPEAKER, 8-12 Ohms, Rd. Yoke, Shpg. wt. ½ lb. Obso S-114.
2½" x 3½" PM SPEAKER, 8-10 Ohms, Round Yoke, Shpg. wt. ¼ lb. Obso S-99
3" x 5" PM SPEAKER, 3-4 Ohms, Sq. Yoke, Shpg. wt. ¼ lb. Obso S-751.
3" x 5" PM SPEAKER, 8-10 Ohms, Round Yoke, Shpg. wt. ½ lb. Obso S-903.
3" x 4½" PM SPEAKER, 8-10 Ohms, Sq. Yoke, Shpg. wt. ½ lb. Obso S-881.
4" PM SPEAKER, 3-4 Ohms, Square Yoke, Shpg. wt. ½ lb. Obso S-724.
4" PM SPEAKER, 8-10 Ohms, Rd. Yoke, Shpg. wt. ½ lb. Obso S-724.
4" PM SPEAKER, 8-10 Ohms, Rd. Yoke, Shpg. wt. ½ lb. Obso S-650.
4" PM SPEAKER, 16 Ohms, Square Yoke, Shpg. wt. ½ lb. Obso S-650.

Shpg. wt. 1/2 lb. Ottom S-650.

PM SPEAKER, 16 Ohms, Sqi
Shpg. wt. 11/2 lbs. Ottom S-651. Square Yoke,

Lots of 50 Ea. 75c Lots of 10 Ea. 83c Single Ea. 95c

" x 6" PM SPEAKER, 3-4 Ohms, Round Yoke, Shpg. wt. 1 lb. Ohms S-897. " x 6" PM SPEAKER, 3-4 Ohms, Sq. Yoke 4"

* X O PM SPEAKER, 3-4 Ohms, 5q. Yoke Shpg. wt. ½ lb. @imai 5-102.
4" x 6" PM SPEAKER, 8-10 Ohms, Round Yoke. Shpg. wt. 1½ lb. @imai 5-684.
4" x 6" PM SPEAKER, 8-10 Ohms, 5q. Yoke, Shpg. wt. 1 lb. @imai 5-656.

Single Ea. \$1.49 Lots of 100 Ea. \$1.15 Lots of 10 Ea. \$1.33 Lots of 5

★ Crossover Frequency ★ Chart Included 50 ft. Spool Gray Vinyl Jacket Color Coded Wires Ideal for crossover in wo or three speaker estems. Contains 2-2



31/2" Tweeter

S-88 199 2 for \$3.80

Range to 12,000 Hz. Extends Range of Most 8-12"

Speakers

Impedance: 8 Ohms Alnico V Magnet

Shipping weight 1 lb.

Deluxe 51/4" Tweeter
Range to 15,000 Hz. 8 Ohm Imp.

Cited \$-165 \$3.49; 2 for \$6

Olson Custom Mount Speaker System



Mounts Easily in Ceiling or Wall

0

\$2.29

* Ideal for Extension in Rec Room,

Den, Office, Etc.
Full Range 8" Speaker
Brushed Aluminum Grille
Includes Easy Do-It-Yourself
Instructions, Hardware & 50' Cable

Size: Grille: (overall dia.) 12%". Speaker Depth, 3½". Shipping weight 6 lbs.

Olson 8-INCH



Otson CA-136 \$698 3 FOR \$20 12 @ \$6.50 ea.

★ Imp.: 8 ★ Resp.: 50-10.000 Hz.



A wide range 8" speaker mounted in wall baffle. Baffle is completely finished and may be surface or flush-mounted. Power capacity 5 watts. Size: 10" x 10" x 3\%". Shipping weight 3 lbs.

8" SPEAKER SEPARATELY

"Ultra Slim" 12" PM Speaker


Cone Edge Treated for Flexibility Powerful Ceramic Magnet Full Range Response Ideal for Fitting Between Wall Studs Only 2%" Thin Impedance: 8 ohms.

Shipping weight 4 lbs.

\$698 Otson 5-79 3 FOR \$20.37

G. D. Rose, 205 E. 28th Street, Des Moines, IA 50317, wins choice of merchandise worth \$5 from Ol-son's "Treasure Hunt." See back cover for instructions.

Only 25 thin!



"Sweet Sixteen" 5" Speakers

Big Speaker Sound at Small Speaker Price



Kit contains 16 Heavy Duty 5"
p.m. speakers. Each kit Contains
Diagrams on the Construction of
this Excellent Multiple Speaker
System. Shipping weight 5½ lbs.

Oteon AS-936 ALL 16

\$1899



4 for \$4

Shpg. wt. 1/4 lb.

Speaker Cable


22 Olson Electronics

systems. Contains 2-2
mfd., 2-4 mfd., and 1-8
mfd. Capacitor Plus diagram. Shpg. wt. ¼ lb.

CHARLE STATE STATE

\$198 2 Kits for
C-209 \$3.20







ADAPTER PLUG

Connects standard ¼" plug to mini phone plug. 2½" long x ¾" dia. Dia. of tip is 3.5 mm. Shpg. wt. ¼ lb. Shee HF-129 3 Kits for \$3.60



Stereo Speaker Wall Jack No. HF-23 3 for \$4 \$1.49 Two ¼" jacks mounted on a standard wall plate. Two ¼" phone plugs are in-cluded. Ivory finish. Size: 2¾"x4½". Shpg. wt. ¼ lb.



Commonly used on European tape recorders and radios. Has one flat pin and one round pin, Size: 1/4" dia. x 2"L.Shpg.wt. 1/4 lb.

Same as above. But has 1 ping and 1 inline jack.

[Sheet] HF-168 \$1.59

MINI POWER PLUG AND JACK for 00 HF-77 119 dia. barrel. Chassis mts. inverted

HF-77 sis mtg. jack has mtg. centers. Shipping wt. 1/4 Otson PUSH BUTTON TERMINALS

\$119 4 for \$4.00 Ideal for Speaker Cabinets Package of two Bakelite terminal strips with one red and one black terminal on each. Shipping weight ½ lb.



For quick connection between phono amplifiers, tuners, etc. Shielded ca ble with grey plastic outer sheath Shipping wt. % lb.

DEF RI

A Phono pin plug, other end stripped and tinned. 3-ft. cable.

No. HF-50 4 for \$1.40 ea. 49c

2 phono pin plugs, one on each end.

HF-49, 3 for \$2.10 Kit of 4 36" Cables No. HF-57 ea. \$1.29

B 90° RCA type pin plug on each end. 5-ft. shielded audio cable.

No. HF-64 3 for \$2.10

Phono pin plug, other end phono pin jack. 5-ft. cable. No. HF-51 3 for \$2.10

© Dual Phono Cable with RCA pin plugs on one end and RCA pin Jacks on the other end. Color. Coded 6-ft.

Otson HF-166 \$1.19 2 for \$2.10

Dual phono cable with pin plug on each end. Color-coded. 6-ft. No. HF-55 3 for \$3.50 \$1.35 ea.

E 5-ft. shielded Cable with 1/4" phone

No. W-558 2 for \$1.00

18" ADAPTER CABLE With Mini plug(3.5mm) on one end and 4" in-line jack on the other. HF-169

AUDIO CABLE KIT HF-11 audio lead Consists of 3' audio lead with pin plug, other end tinned and stripped; 6' d with pin plugs; 1 dual k. Shipping weight ¼ lb.

Audio Cable our Choice & * RCA Type \$119 Plug

HF-60 RED HF-61 GREEN HF-63 GRAY 10 FT. RETRACTABLE YOUR CHOICE \$2.19 GRAY BLACK

HF-85 HF-86 12 FT. AUDIO 13 PATCH CABLE

HF-89 79° Has mini-phone plug on one end and RCA phono plug on the other.

Pkg. of 2, 12' cables with RCA Phono Plug on one end and 90° '4" phone plug on the other.

UNIVERSAL UNIVERSAL CABLE KIT
HF-52
Per Kir \$349

Includes phono and phone type plugs plus clips. Shpg. wt. ½ lb.

1/4" Y Adapter Adapts two ¼" phone plugs to fit into one ¼" phone jack. Shpg. wt. ½
1b. Olime HF-116
3 for \$3.60

"Y" Adapter Kit 5119 9999 HF-69 One has 3 female connections, other has 2 female and 1 male connection. Total length 5%". _Shipping weight 1/4 lb.

No. HF-53 Like Above But: Both have 1 male and 2 female connections. Kit of 2\$1.19

PHONO PLUGS
Color Coded, Pkg. of 5 \$119 4 for \$4.00

Insulated caps are coded for easy identification. Size: 1" L. 34" D. Shipping weight 14 lb.

Ckt. D.I.N. To Dual RCA 6 Ft. Shielded Cable PATCH CABLE 1

★ 3 Pin Din Plug ★ Dual RCA Type Phono Reg. \$2.25 Shipping weight 1/4 lb.

5 CKT PATCH CABLE

Same as above but has 5 ckt. D.I.N. plug in place of the 3 ckt.

One HF-135 2 for \$7.00 \$3.60

Olson 4 IN 1 ADAPTER PLUG

* 4 Most Popular Plugs Dison HF-174 \$1 19 4 for \$4

Has 3.5 mm (Mini) plug. 2.5 mm (Micro) plug, 2.5 mm power jack and extra long 2.5 mm inverted power plug. Shpg. wt. ¼ lb.



A MICROPHONE ADAPTER PLUG

Oison No. HF-94 60c ea. Convert Amphenol screw-on con-nector to ¼" phone plug. Shipping weight ¼ lb.

8 MICROPHONE ADAPTER PLUG


Pkg. of 2. "Tiny" Phone Plug to Standard 1/4" Phone Plug. S1.39

AND

\$ FOR

Shipping weight 1/4" lbs.

39 EA



A D.I.N. AUDIO PLUGS

- ★ 3 Circuit and 5 Circuit ★ 1 Plug and 1 Jack Per Pkg.
- 3 Circuit HF-26 5 Circuit HF-27

Genuine D.I.N. Audio Plugs jacks are completely shielded insulated

B 1/4" PHONE PLUGS NO. X-253 Plugs into 4" phone jack.Pkg. of 4

B 3 Circuit 1/4" Plugs Pkg. of 3 For mikes and stereo headphones. Standard ¼" dia. barrel. PL-146

B Shielded Phone Plugs Kit of 2 No. HF-10

Plated all metal barrel. Screw terminals. 14" shaft. Barrel 156" x

- B Good Adapter Kit HF-141
- ★ 3 Ckt. ¼" Plug to 2 Ckt. ¼"

 ★ Metal Construction

 ★ Adapts Stereo Headphones for Mono

C 1/4" Phone Jacks Kit of 5

Open and closed circuit.

C 3-CIRCUIT PHONE JACKS
Pkg. of 3 One HF-101
Standard 3-circuit ¼" phone jack

D Otson INLINE 1/4" JACKS

★ Standard 2-Circuit ★ For Cable Mounting ★ Pkg. of 2

Otson HF-154 3 CIRCUIT 1/4" INLINE JACKS * Pkg. of 3 Ottom HF-155

E PHONO PIN PLUGS KIT OF 5

All metal. Size: 3/8" dia. x 13/6" long PHONO PIN JACKS KIT OF 6

Mount on single 4" hole. Plated. Size: %" x %".

© CABLE KIT Olson HF-143
* Includes 3 6 Ft. Cables * Cable
#1 "Mini" Phone to Tinned Leads *
Cable #2 "Micro" Phone to Tinned
Leads * Cable #3 Inverted "Mini"
Phone to Leads.

H Otson Adapter Plug HF-142 ★ 3 Asstd. Types ★ 1/4" Phone to ★ Micro-Plug ★ Mini-Plug to 1/4" Plug ★ Micro to Mini Plug

ADAPTER PLUG KIT * Pkg. of 3 Original HF-25 * Pkg. of 3
Adapts: phone to phono, phono to min'-phone, mini-phone to 1/4" phone.

J PHONO PLUG ADAPTERS Kit of 3 No. HF-7

Kit of 3 inline adaptors to convert RCA type phono plug to standard ½" phone plug. Size ½" dia. x 2%". ¼ lb.

K DUAL INLINE JACKS KIT OF 4 No. HF-9
Dual inline phono jacks. Size: ½"
dia. x 1½" long.

- Phono Plug Adapters Kit of 2 No. HF-8
- ¼" phone plugs to RCA type phone plug. Size: 1" dia. x 2¼".

M PHONE PLUG SETS 2 PAIRS

Two pair of male and female ¼ inch phone jacks and plugs.

MINI-PHONE PLUGS & JACKS 3 PAIRS No. J-2

Kit of 3 pairs of miniature, shielded phone type plugs and shorting jacks.

PHONO PIN PLUGS & JACKS Pairs No. HF-4

Jacks for making audio connections, Size: 3/8" diam, x 11/16" long.

P PHONO PLUGS & JACKS

RCA type. Plugs mount on end of shielded cable. Round type chassis mounting jacks.

STEREOPHONES

DO YOUR EARS A FAVOR!

* Comfortable

A

* Convenient

Private



DELUXE STEREOPHONE CARRYING CASE

Otson PH-177

Olson PH-140

PH-82

PH-192

- * Walnut Vinyl Covered
- * Protect Your Phones Shpg. wt. 3 lbs.



- A ★ Padded Ear Cushions Seal Out Room Noise ★ Perfect Coupling Between Reproducer and Ears Assure Full Response
- Individual Volume Controls

- Response

 * Built-in Volume Controls

 10 Ft. Retractable Cord with Standard 1/4"

- Ears Assure Full Response
 Soft Vinyl Covered for Maximum Comfort
 Imp: 8 Ohms
 6 Ft. Cora W/Standard 1/4" Stereo Plug
 Reusable Vinyl Storage Case
 Shipping Weight 2 lbs.

 Soft Padded Ear Cushions
 Response: 20 to 15,000 Hz,
 Impedance: 4 to 16 Ohms
 6 Ft. Cord W/Standard 1/4" Stereo Plug
 Shipping Weight 3 lbs.

- Padded for Extra Comfort
 Response: 30 to 15,000 Hz
 Impedance: 8 Ohms
 7 Ft. Cord W/Standard 1/4" Stereo Plug
- Shipping Weight 3½ lbs.

 Molded Acoustic Chambers for Wide Range
- ★ 10 Ft. Retractable Co...

 Stereo Plug

 ★ Response: 15 to 23,000 Hz

 ★ Air Filled Ear Cushions

 ★ Padded Headband

 ★ Impedance: 8-16 Ohms

 Shipping Weight 2 lbs.

- - * Extra Lightweight 20 Ft. Extra
 Lightweight Cord
- Shipping Weight 2 lbs.

 Fatigue Free Listening
 Sort Air Filled Cushions
 Response: 15 to 25,000 Hz
 Impedance: 4 to 16 Ohms
 Equipped W/Standard 1/4" Stereo Plug
 Shipping Weight 3 lbs.

 Lightweight and Comfortable
 Extra Soft Padded Ear Cushions and Headband
 Give Added Comfort
 Easy-Set Slide Volume Controls
 Two Large Wide Range Elements
 Sturdy Adjustable Headband
 Response: 15 to 30,000 Hz
 Removable Ear Cushions for Easy Cleaning
 Impedance: 8 Ohms
 Attractive Reusable Storage Box
 7 Ft. Flexible Cord with 1/4" Stereo Plug
 Shipping Weight 3 lbs.



- 8 ft. Retractible Cord Standard Stereo Plug Response: 30 to 15,000 Hz.

★ Impedance: 4 Ohms Shipping weight 3% lbs.

Olson PH-30


PROFESSIONAL

H PRO-4AA

- ★ Smooth Fatigue-free Response ★ Truly a Professional Headphone ★ Super Comfortable Ear Cushions and Headband ★ 10' Retractable Cord
 - Olson PH-193
- *\$10 Monthly \$60 I ESP-6 ELECTROSTATIC
 - * Impedance Adapter Included Wider Range Response Than the Best Loudspeaker System
 - * Electrostatic Drivers
 - *\$10 Monthly
- ★ Response: 10-20,000 Hz ★ Impedance: 4-16 ohms Shipping weight 2 lbs.

- * Dynamic Level Indicator
- * Complete With Carrying Case

Shipping weight 2 lbs.



STEREOPHONE ACCESSORIES

Olson Stereo Junction Box Connects 1 or 2
Stereo Phones Otson PH-194 \$489

- ★ Use Speakers & Headphones
 Together Or Just Headphones
 ★ Fast Easy Installation
 ★ Individual Volume Control
 For Headphones
 ★ Mount it or Place it on a Shelf
 ★ Impedance: 4 to 16 Ohms

Size: 4%" x 1%" x 1%" D. Shipping weight 2 lbs.



Olson Control Center

\$398 PH-146

6 Ft. Cable Separate Right & Left Volume

Controls

* Standard Stereo Plug & Jack
Size: 2¾" x 1¾" x 2". Shipping weight 1 lb.



For connecting two stereo headsets to one outlet, Adapter has two std. stereo ¼" jacks on 6" leads attached to one std. stereo ¼" plug. Shipping weight 1 lb.



* Plugs into speaker jacks of stereo tape recorder or receiver to adapt to standard stereo headphone jack Includes 10 ft. Extension Cable Rugged Molded Construction Standard ¼" Plugs and Jack

Shipping weight 1/4 lb.

Speaker/Headset Adapter



Adapts any amplifier or receiver for stereo headphones. Easy con-nection to present speaker ter-minals. Has spkr./phones selec-tor switch. Shpg. wt. ½ lb.

Otson Extension Cord



complete reedom of movement while wear-ing stereo headphones. Flexible vinyl cord stretches to 20 ft. In-cludes standard stereo plug and jack. Shipping weight 1 lb.

Same cord as above but not retractible. Ottom HF-56 ... 3 for \$7 ... \$2.89

Speaker Volume Control * 8 Ohms

Oison HF-44 3 for \$5.70

For use with speaker to pr speaker to provide the separate and independent control of speaker volume. 30 watts. Shipping weight ¼ lb.

STEREO LEVEL CONTROL, Dual 8 ohm controls mounted on one panel, individual knobs. No. HF-46



SPEAKER SWITCH

Control up to 3 pairs of stereo speakers or 1 to 6 monaural speakers. Can be used with 4 or 8 ohm speakers. Gold panel 3%" x 21/4". With instructions. Shipping weight 1/4 lb.

Otsoe HF-43 \$398 3 for \$9.00 12 @ \$2.79

Vinyl Carrying Cases



Cameras, Precision Tools, Mikes Tape Recording Accessories,

Filled with Polyfoam Inside dimensions of case are 12½" W. x 11¾" x 3½" Overall size: 12½" W. x 12¼" D. x 4¼" H. Has four vinyl feet. Shipping weight 3 lbs.

PLATT CHECKMATE CASE Like Above, but larger: Size: 19"x13"-x5" @see CA-337 \$18.50



★ Use With Radio, Phono,

Tape Recorder
Adds Depth & Realism
Heavy Duty 6" Speaker
Fuse Protected Power Supply
For Stereo or Mono Applications

* Hi and Low Inputs * Walnut Finished Wood Cabinet

* Solid State Amplifier Size: 11¾" x 8¾" x ping weight 6 lbs. x 6". Ship-


Otson RA-75

Wireless Satellite Speaker System

Operates Wherever You Have an Electrical Outlet

Built-in Volume Control on Satellite Use With Radio, TV, Phono, etc. 8" Hi-Fidelity Speaker Walnut Finished Wood Cabinet

Easy Installation 110-120 V. AC, 60 Hz. Shipping weight 13 lbs.



GIBBS "Reverb" Amplifier

★ Use with amplifier or receiver with 3-way speaker selector (main-remote-both) such as the selector (see Pg. 5)

★ Adds depth and dimension
★ Handsome walnut finish
★ Adds third channel Size: 19" x 8½" x 4%". 110120 volts AC, 60 cps. Shipping weight 9 lbs.

*\$10 Monthly

Otson RA-186 \$5995

Olson 4 Piece Stereo System

Ideal for Bookshelf, Rec.

Room, Kids Room, Etc. Compact Modern Styling BSR 4-Speed Changer Powerful Solid State

Amplifier

Stereo Headphone Jack Separate Volume Controls Plus Tone Control

* Matching Wide Response Speakers

Attractive Walnut Finish Includes Transparent Dust Cover

Size: Main Unit: 17½" x 3" H. x 10½". Speaker: 10½" x 7½" x 5¾" Oper-ates on 110-120 volts AC. 60 Hz. Shpg. wt. 25 lbs.





"Teenage" Roll About Stereo System — at Just the Right Price

A great system that the kids can roll around to any room or to any party at a price dad can afford. Just think Dad . . . now you can have your expensive system all to yourself System features @man 4 Piece Stereo System (above) and a handsome roll about cart. (CA-457).

COMPLETE FOR \$60 Oison AS-458 *\$10 Monthly

Olson Electronics 25

X-10 AUTOMATIC/MANUAL RECORD CHANGER MODULE



Olson RP-382

\$10 MONTHLY

Total Value f Components Purchased Separately \$ 62.70

ready to plug

into table radios

FM stereo radios

budget component systems

TV sets tape recorders

and

cassette machines

★ Completely Mounted Ready to Operate ★ Includes Ceramic Stereo

- Includes Ceramic Stereo
 Cartridge
 Flip-over Diamond Stylus
 Pencil-thin Tubular Tonearm
 Cueing and Pause Control
 Oversize Turntable
 Three Position Dust Cover
 Coordinated Base
 Designed for Use with: Radios,
 TV Sets, Tape Recorders, Etc.
 Manual & Automatic Spindles
 Included

Size 7%" V. AC, 6 12 lbs. " x 15" x 131/4. 110-120 60 Hz. Shipping weight

SLX-2 AUTOMATIC/MANUAL RECORD CHANGER MODULE





Olson RP-377

\$10 MONTHLY

Total Value Components Purchased

- Simplified Speed-and-Size Selector
- Garrard Synchro-Lab Motor Thrae Position Dust Cover Precision Balanced Turntable Cueing & Pause Control



Module SLX-2 comes with a diamond stylus magnetic cartridge. A superb instrument for flawless performance, built throughout to Garrard's exacting standards.

Specifications: 3 speeds, 331/4, 45 and 78 rpm: 110-125 volts, 66 cyles AC.

Dimensions: (turntable on base): 15" left to right, 131/4" front to back, 7%" high. Shpg. wt. 14 lbs.

arrare A GREAT GIFT FOR

SL55B AUTOMATIC/MANUAL RECORD CHANGER



Look What I' Buys!

Your Choice With Garrard SL-55B SL65B See Below



PICKERING

SHILDE

Oison

V15/AC3 M55E STEREO ELLIPTICAL CARTRIDGE \$29.95 Value Separately

Olson **RP-388**

With Synchro-Lab (tm) Synchronous motor

★ 3 Speeds

* Counterbalanced Tone Arm * Built-in Stylus Adjustment

* Cueing and Pause Control Operates on 110-120 V. AC, 60 cps.

Minimum Cabinet Dimensions 14%" W. x 12½" D. 4%" (Above Board). 110-120 volts, 60 cps. Shipping weight 10½ lbs.

Mounting Base, CA-396 Deluxe Walnut Wood Mtg. Base, CA-430 \$5.50 \$19.95

*\$10 MONTHLY Molded Plastic Dust Cover, CA-398 \$ 5.50 45 RPM Adapter Spindle, RP-335

(Less Base)

\$ 3.80 "Power-Matic" base, turns off amplifier when last record has played.

Otton CA-366 \$14.95

SL55B Changer and your choice, Shure MS5E or Pickering V15/AC-3 Cart.idge, Otton AS-319 \$59.51

SL55B Changer and your choice, Empire 999E/X or Pickering V15/ ATE-3 or Shure M93E Cartridge, AS-320 \$64.50

SL65B AUTOMATIC/MANUAL RECORD CHANGER



RP-389

(Less Base) \$10 MONTHLY

★ With Synchronous Motor
★ 3 Speeds
★ Cueing and Pause Control
★ Anti-Skating Control
★ Balanced Arm
★ Stylus Adjustment Gauge

Minimum Cabinet Dimensions 15" W. x 131/4" D. 43/4" (Above Board). Operates on 110-120 volts AC, 60 cps. Shpg. wt. 12 lbs.

Mounting Base, CA-396 Deluxe Walnut Wood Mtg. , ... \$19.95 Base, CA-430

Molded Plastic Dust Cover, CA-398

45 RPM Adapter Spindle, 5 3.80

\$ 5.50

"Power-Matic" Base, CA-366 \$14.95

SL65B Changer and your choice, Shure M55E or Pickering V15/ACE-3 Cartridge, Otson AS-317 \$79.51

SL65B Changer and your choice, Empire 999E/X, Pickering V15/ATE-3 or Shure M93E Cartridge, AS-318

26 Olson Electronics





AUTOMATIC and **MANUAL RECORD CHANGERS**

DAD, MOM OR GRAD



NEW! Stylus Force Scale Ultra-Low Mass Tonearm 12" Balanced Turntable NEW! Cueing Control

Mtg. Base, CA-397

Minimum Cabinet Dimensions 15%," W. x 14%" D. 4%" (Above Board) Operates on 110x120 volts AC, 60 cps. Shpg. wt. 15 lbs.

5 6.50

Molded Dust Cover, CA-399 \$ 6.50

SL72B Changer and your choice. Empire 999E/X Shure M93E or Pickering V15/ATE-3 Cartridge, AS-328 \$89.51

SL72B Changer and your choice, Empire 9995E/X, Shure M91E or Pickering XV15/AME Cartridge, (Manu) A5-329 S94.50

45 RPM Adapter Spindle,

Fully adjustable

QUALITY" - Sliding weight anti-

skating control
"QUALITY" — Dampened set-down

"QUALITY" — Simplified operating

"QUALITY" - Slide-in Cartridge "QUALITY" — Synchro-Lab motor

"QUALITY"

\$159.50

SL95B Changer and your choice. Empire 999E/X, Shure M93E or Pickering V15/ATE-3 Cartridge (01500) A5-323 \$129.51

SL95B Changer and your choice, Empire 999SE/X, Shure M91E or Pickering XV15/AME, Store A5-324 \$134.50

S30 BONUSI Garrard SL-95B plus Empire 999VE/X Cartridg AS-325



Deluxe 4-Speed Stereo Changer

MADE ENGLAND

Otson RP-362

England's IESS BASE Finest Changer Mfr. & COVER

- Turn-Over Ceramic Cartridge 1056" Weighted Turntable Tubular Aluminum Tonearm Plays Manually or Automatically Stylus Cleaning Brush Automatic Record Size Intermix
- Size: 13¼" x 11½" x 5" above mtg. board. 110-120 v. AC, 60 cps. Shpg. wt. 10 lbs.

Molded Dust Cover CA-415 \$3.98
Mtg. Base, Osse CA-414 \$3.98
AC Line Cord with AmpLock Plug, Osse W-535 99c
5' Audio Cable (2 req'd.),

79c ea.

Olson Diamond Needle

\$169

REG. \$2.49

- * Stereo Dual Tip
- * Diamond LP
- * Sapphire 78 * For GE C-500

Shipping weight 1/4 lb.

N. C. Cherry, 125 W. Swan St., Centerville, TN 37033, wins choice of merchandise worth \$5 from Ol-son's "Treasure Hunt." See back cover for instructions.

Deluxe 4-Speed Stereo Changers



England's

Automatic

★ Spring Suspension
★ Stereo Cartridge
★ New Nylon Motor Suspension
★ 9½" Dia. Turntable
★ Size: 13" x 6" x 11¼"
★ 110-120 Volts AC, 60 cps.
★ 4 Speeds: 16-33-45 and 78 RPM

Shipping weight 10 lbs. Automatic/Manual

★ 4-Pole Motor ★ Plays 7-10 and 12" Records ★ Ceramic Cartridge Included ★ 4 Speeds: 16-33-45 and 78 RPM

Size: 18½" W. x 11½" D" x 3½" H. (above mtg. board), 110-120 V. AC, 60 cps. Shipping weight 10 lbs.

garrard Auto/Manual Model 30 Finest Changer Mfr.

Comes complete with its own ceramic diamond stylus cartridge, 1-piece cast aluminum tonearm, easy-to-use stylus pressure adjustment, 4-speed intermix, Garard-built motor, two spindles, super-sensitive trip with Dupont Derling®, Size: 14%" W x 12½" D. x 4%" above mtg. board, 2%" below. 110-120 volts, 60 cps. Shipping weight 10 lbs.

Garrard Auto/Manual X-11 "Demi" Module

Compact Design, Ideal for Bookshelf

Professional Aluminum Tone Arm High Quality, Stereo Ceramic

Cartridge

Automatic or Manual Operation

Power-Surge Hi-torque Motor

Advanced Foolproof Mechanism

Otson RP-364 LESS BASE & COVER

Molded Dust Cover, CA-415 \$3.98 Mtg. Base, Otson CA-318 \$3.89 AC Line Cord with Amp-Lock Plug, Osca W-535 5' Audio Cable (2 req'd),

Oison RP-369 \$2498 LESS BASE & COVER

Molded Dust Cover, CA-415 \$3.98 Mtg. Base Office CA-414\$3.98 AC Line Cord, Oson W-535 . \$.99 5' Audio Cable (2 reqd.),

Otson RP-361 LESS BASE & COVER

ping weight 10 lbs.

Mounting Base, CA-396 ... Molded Plastic Dust Cover, CA-398

CA-398 35.50
45 RPM Adapter Spindle,

Ottom RP-335 \$3.80
"Power-Matic" base, turns off amplifier when last record has played,

Ottom CA-366 \$14.95

Otton RP-393

\$3995

- ★ Complete With Base and Dust Cover
- ★ 4 Speeds: 16, 33, 45 and 78 RPM
- * Plays All Size Records
- * Ready to Plug-and-Play


Size: 13" W. x 9" D" x 6" H. 110-120 volts AC, 60 cps. Ship-ping weight 7 lbs.

4-Speed Turntable

Olson

DIAMOND Needles

\$ 1998



Stereo Dual Tip ★ Diamond LP ★ Sapphire 78

- A N-166 For Astatic 138, 140, 142, 146, 148
- B N-158 for Sonotone 16T
- A N-168 for BSR-C-1
- E N-173 for CN60, 62, 65, 67, 68, 70, 72, 75
- © N-172 for Sears 5000, 5005, 5170
 D N-174 for Tetrad T1
 P N-130 for Sonotone 8TA & 87
 - Stereo Single Tip

DIAMOND IP S K

H N-102 for Ronette 105 € N-122 for Ronette

DIAMOND LP MONAURAL

6

N-70 for Ronette

STEREO DUAL TIP

N-176 for Garrard 30, X-10, X-11 S4.57



RECORD KLEENER CLOTH

12 @ 35c ea. 3 for \$1.20

Silicone-treated, Eliminates static charges, Also lubricates. Shipping weight ¼ lb.



ANTI-STATIC **SPRAY & CLEANER**

FREE CLEANING CLOTH

Otson TL-471

* Record Cleaner
* Prevents Marie Shipping weight 1/2 lb.



Operates on 9 Volts DC Ideal for Portable Phono 16-33, 45 & 78 RPM

13" PHONO SLIDES


* For Side or Bottom Mounting

* Load Capacity: 50 lbs.

* Easy Action Steel Ball Bearings

* Closed Length

Closed Length 13" Shipping weight 3 lbs.



A VARCO TN-02 STEREO *

Includes sapphire dual point ylus. Output: .6v. Tracking Otson PC-178

B VARCO ST-2X STEREO ❖

Two sapphire needles. Mounting bracket has std. ½" mtg. centers. Output: 1v Tracking centers. Of Oison PC-180

B VARCO TO-55V MONO *

Turnover cartridge with two sapphire needles. Mtg. bracket has ½" mtg. centers. 3.6v. Out-Olson PC-182 \$1.79

B VARCO TO-35V MONO *

Turnover cartridge with 1/2" atg. centers and two sapphire mtg. centers and two needles. .7 volt output.

Varco TO-35 Same as above but does not include mtg. bracket. For front mount tone Otson PC-183

C VARCO ST-2V STEREO *

Includes two sapphire needles and universal mounting bracket. Output: 1v. Tracking force 6 gr. Oison PC-179

D VARCO CN-65 MONO *

Turnover sapphire stylus. Universal mtg. ½" centers or single hole European. .28v. output. Oison PC-181

E VARCO TM-3 MONO *

* Hi Output Dual Sapphire Flipover

Response 50 to 10,000 Hz. 8 gram tracking force; ½" mounting center. Shpg. wt. ¼ lb. Oison PC-177\$1.98 ea.

F RONETTE 106 STEREO

Turnover type. Stereo mon-aural. Output, 1.5 volts. Resp.: 50 to 11,000 Hz. No. PC-70

G ELECTRO VOICE 26 STEREO

Ceramic element. Sapphire stylus, 0.5 volts output. 20-20,-000 Hz. response: 5 gr. tracking. Shipping wt. 1/4 lb. Oison PC-168

H ELECTRO VOICE 13-D STEREO

Ceramic element. Diamond, sapphire stylus, 0.5 volts output. Response: 20-20,000 Hz. 6 gr. tracking force. Shipping weight 14 lb. Oison PC-166

Replaces SONOTONE 8TA4-SD * With Diamond Stylus

J GARRARD REPLACEMENT

by Electro Voice Model 30 changers. Diamond

stylus. Oison PC-176 For Garrard X-10 & X-11 Chgrs.
Otton PC-175 S7 20

C. A. Nevins, 1607 Van Geisen, Richland, WA 99352 wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

*Used In BSR, VM, Maestro, GE, and Garrard Changers

Friction Free Operation

Tracks at Less Than 1 Gram Accepts All 1/2" Mounting Center

Cartridges
Low Resonance Construction
Adjustable Counter Weight

★ Built-in Anti Skating
★ Chrome & Brushed Aluminum
Finish
★ Includes Removable Cartridge
Shell

Overall size: 12¼". Shipping weight 2 lbs.

BEMPIRE Pickering MAGNETIC PHONO CARTRIDGES

Olson PROFESSIONAL STEREO TONE ARM

Perfect Balance For Your Manual Turntable

NOTE: If your amplifier or receiver does not have preamplifiers, you must use our AM-368 (see **Below**.) pre-amplifier with the wide range cartridge below.

EMPIRE



PICKERING

A EMPIRE 90EE/X STEREO

Built-in Stylus Guard

MAGNETIC mono/stereo car-tridge with Elliptical diamond stylus. Response: 10 to 20,000 Hz. Channel separation; more than 30 db. 1/2" mounting centers.

No. PC-187 \$24.95 No. PC-188 999E/X Elliptical \$39.95 No. PC-189 999SE/X Elliptical \$49.95 No. PC-190 999VE/X Elliptical \$79.95

MAGNETIC CARTRIDGE Re-

sponse: ± 2 DB 20-20,000 Hz.

Channel separation 30 DB, Track-

ing force 3-7 grams. Output 6-9

MV per chansel .7 mil. dia., stylus.

B PICKERING P/ATE STEREO

PICKERING



C STEREO CARTRIDGE

Model XV15/750E

Tracking Pressure Only 1/2 to 1 Gram

Separation: 35 db. Diamond Elliptical Stylus

Response: 10 to 25,000 Hz. DCF value 750

Oison PC-160, \$10 Monthly ... \$65.00 SHURE M44-E STEREO

Separation: 25 db, at 1,000 Hz. Response: 20-20,000 cps. Recommended load: 47,000 ohms. Tracking: 11/2 to 3 grams, 1/2" mounting centers.

No. PC-170 \$24.95 No. PC-148 V15/ACE-3 Elliptical \$29.95 No. PC-149 V15/ATE-3 Elliptical \$39.95 No. PC-150 XV15/AME Elliptical \$49.95

PC 143 \$24.95 PC-169 M55E Elliptical \$29.95 PC-163 M93E Elliptical \$39.95 PC-164 M91E Elliptical \$49.95

BOTH FOR \$16.99

OISON STEREO PRE-AMP AM-368 5098

> Adapts magnetic cartridge to any stereo amplifier * Response: 30 to 20,000 Hz.

RIAA * 4 transistor circuit 110-120 V AC, 50/60 cps. Size: 4" x 21/2" x 11/2". Shipping wt. 1 lb.

PICKETING STEREO CARTRIDGE



Model PAC

Magnetic for Utmost Response Response: 20 to 15,000 Hz.

Response: 20 to 15,000 Hz.
Diamond Stylus
1/2" Mounting Centers
Shipping weight 1/4 lb.

SOILD STATE PRE-AMPLIFIER

- Adapts Magnetic Phono Cartridge Tape Deck or Mike to Amplifier with Hi-Level Inputs Response: 30 to 20,000
- ★ Operates on 9 Volt Battery ★ Equalization: RIAA

Size: 3" x 2" x 1\". Shipping weight \(\frac{1}{2} \) lb.



Varco Mono Phono Arm

Turnover Crystal Cartridge Two Sapphire Needles 3 Volt/High Output Modern Styling


Shipping weight 1/4 lb.

HF-152

MONAURAL PHONO ARM

\$159 3 for 3.57

Otson HF-35



★ Dual Sapphire Stylis ★ Resp.: 50-13,000 Hz. ★ Output: .5 V

Shpg. wt. 1/4 lb. Stereo Phone Arm Same as above but has stereo cartridge.

Ottom HF-33 \$2.49 Olson Electronics 29

SAVE 40%



Olson Tape Library Kit \$1260 With Purchase of RA-275 (Right)

- ★ Individual Catalog price \$21.07 ★ Includes 12 Blank Cassettes 3—30 Min., 3—60 Min., 3—90 Min., 3—120 Min.
- Walnut Vinyl Covered Storage Rack

A5-463

Shog, wt. 5 lbs.



STEREO CASSETTE DECK

* Record and Play Cassette Tapes Through Your Stereo System * Solid State Pre-amps * Dual VU Meters * Record Level Controls * Push Button Control Panel * 3 Digit Counter with Reset * Pop-Up Cartridge Eject System * Wide Range Response * Walnut Finished Base * Separate Microphone Inputs

Size: 8½" x 11" x 4" H. Operates on 110-120 volts AC. 60 cps. Shipping wt. 10 lbs.

Olson RA-275 *\$10 Monthly

CASSETTE REC



CASSETTE RECORDER

Solid state circuitry. Features fast forward and rewind. Ideal for Home, office and school use. Includes handmike with remote control switch, earphone and carrying strap or handle. Size: 4%" W. x 9" L. x 23% D. Shipping weight 4 lbs.

Styles May Vary

Milovac DELUXE PORTABLE CASSETTE RECORDER



★ Operates on Battery or House Current

* Ideal for school, office, home,

★ Push Button Control Panel ★ Convenient Digital Counter w/Reset

★ Convenient Digital Counter W/Re

★ Record Level Meter

★ Variable Tone Control

★ Durable Hi-Impact Case

Includes dynamic Remote Control Mike, blank Cassette and

Earphone. Size: 10¾" x 13¾"

X 4¼". Operates on 110-120

volts AC. 60 Hz. and 4 "C"

size batteries. Shpg. wt. 6 bs.

Batteries for above (4 req'd.)

CASSETTE Portable Recorder OPERATES ON BATTERY OR HOUSE CURRENT

* Solid State Circuitry

* Functional Push Button
Controls * Battery/Record
Level Meter * Auxiliary Input
for Direct Recording * Durable High Impact Case

* Cartridge Eject Push
Rutton.

Includes remote control mike, earphone, AC Cord, carrying Strap. Batteries, and Blank Tape. Size: 5½" x 10" x 2¾" Operates on 110-120 volts AC, 60 Hz. or 5 "C" size batteries. Shipping weight 6 lbs.

Olson RA-350 \$7095



CASSETTE TAPE RECORDER

Operates on Battery or

★ Uperates on Battery or
House Current ★ Remote
Control Dynamic Mike ★ Push
Button Control ★ Includes:
Batteries, C-60 Cassette,
Mike and Carrying Case
★ Automatic Record Volume
Control ★ Recording Battery
Life Light.

Size: 2½" x 4¾6" x 7½6". Shipping weight 5 lbs. RA-277 \$3995

MODEL TP-114

Port. With FM-AM Radio

★ Operates on Battery or House Current ★ Automatic Volume Level ★ Records Directly from Radio ★ In-cludes 4 "C" Batteries, Earphone, AC Cord and Blank Cassette

Otsos RA-270 *\$10 MONTHLY

CASSETTE

7/14





CASSETTE DICTATING RECORDER

* With Instant Review * Records Up to 60 Minutes on Popular Cassette Tape * "Instant Review"

Button Rewinds Portion of Tape for Review or Editing * Automatic Volume Control Assures Uniform Button Rewinds Portion of Tape for Review or Editing * Automatic Volume Control Assures Uniform Playback Volume Digital Counter Quickly Locates Each Note or Letter Convenient Push-Button Controls * Cassette Automatically Stops and Pops-Up At End of Tape * Operates on Battery or House Current Includes: Microphone, 60 Min. Cassette, Earphone and Batteries.

Size: 7-11/12" x 11½" x 2½". Shipping weight 6 lbs.

Gisen RA-362
*\$10 Monthly

Foot Pedal Control For Above Otton RA-382 \$4.98

STEREO RECORDER

*\$10 Monthly



MODEL TP-1004

★ Stereo Record and Play ★ Battery or House Current ★ Convenient Push Button ★ Stereo Headphone Jack ★ 2 Watt Output ★ Detachable Speakers ★ Resp.: 60-10 000 Hz.

Also includes earphones, batteries, AC line cord, and tape. Size: 12¾" x 13" x 3½". Shipping weight 10 lbs.

Oison RA-253



SSETTE ACCESSORIE

AMPEX

330

4 for \$13

CASSETTE TAPE

★ Special Lubricated Tape ★ High Signal to Noise Ratio ★ Plastic Mailer-Storage Case

Features new low noise full response tape for high-quality reproduction. Shpg. wt. 1/4 lb.

EACH 4 for \$ 7.40 4 for \$ 8.10 4 for \$13.00 4 for \$15.00 TA-596 30 Min. TA-597 60 Min. TA-598 90 Min. \$1.98 \$2.25 \$3.49 TA-599 120 Min.

AMPEX CASSETTE LIBRARY Gine TA-602,

* Includes 6 C-60 Cassettes

* Handy Storage Box for 11 Cassettes

Cassettes

0 = 0 MEMOREX "CHROMIUM DIOXIDE" 60 MIN CASSETTE TAPE
GIVES EXTENDED FREQUENCY RANGE

★ Ideal for All Dual Bias & Dolby System

BETTER

AS LOW AS 89 c

Olson CASSETTE TAPES

★ Distortion Free Output ★ Headwear Virtually Eliminated

In Lots of 10 Eliminated
Includes Molded Plastic Storage Box

Features special non-jamming cartridge with high output tape for full response recording. Shipping weight 1/4 lb.

TA-603 30 Min. 10 @ 89c ea. \$1.09 ea. TA-604 60 Min. 10 @ \$1.19 ea. \$1.39 ea. TA-605 90 Min. 10 @ \$1.99 ea. \$2.29 ea. TA-606 120 Min. 10 @ \$2.89 ea. \$3.09 ea.



BEST BUY! CASSETTE

In Lots of 10

AS LOW AS



CASSETTE STORAGE BOXES

Kit of Four Rugged Molded Plastic with Hinged Lid

Holds Standard Cassettes See-Through Cover for Easy Identification

* Built-in Stops
Size: 4½" x 2¾" x 5%". Shipping weight ¼ lb.

| TA-601, 99c Kit ... 4 for \$3.50

CASSETTE CARRYING CASE
"LIFE TIME" Lab Tested Hinge

Made in U.S.A.
With Recessed Handle
Size: 434" x 11" x 334" H.
Holds 20 Standard Cassette

Cartridges Shipping weight 1 lb.
Gran CA-408, \$1.49 ... 2 for \$2.58

CASSETTE STORAGE RACK

C CASSETTE STORAGE RACK

★ Holds 12 Cassettes

★ Walnut Vinyl Covered

★ Blends With Any Decor

★ Stands Vertical or Horizontal

★ Ideal for Tape Library Rack

Size: 101¼″ x 4¾″ x 2¾″.

COMMENT CA-438

\$1.69

© CASSETTE ALBUM

★ Holds 12 Cassettes

★ Convenient Index Page
Each cartridge fits snugly into
a molded compartment.

9½" x 10" x 1½". Shpg. wt. ½ lb.

© CA-425 \$2.99

SMPAC CASSETT-RAC E

SMPAC CASSETT-RAC
For Storage or Carrying
Holds 20 Cassettes Per Tray
Unique Lock Keeps Tape Secure
Rugged Vinyl Construction
Includes Two Storage Trays.
One Lock and One Slide-Cover
With Handle

Size: 14" x 4½" x 3". Shipping weight 3 lbs.

Recoton "Cassette Carry-All" Holds Recorder, Acces. and 6

DELUXE CASSETTE CARRY CASE

** Attractive Red Plushi interior

** Aligator Vinyl-Govered Exterior

** Logage Type Latch with Key

** Holds 30 Cassettes

Size-994 ** 1134 ** 31/2" H.

Shipping weight 4 lbs.

See CA-423 Reg. \$7.98 \$5.99

H CASSETTE STORAGE CABINET

+ Holds 36 Cassettes

+ Attractive Sliding Styrene Doors

+ Handsome Walnut Finish
Size: 21" x 4" x 7½". Shipping weight 5 lbs.

CA-449, \$14.98

CASSETTE HEAD CLEANER For All Standard Cassette Recorders

Shipping weight ¼ lb.

Cleaner Kit. Includes Cleaner Plus Fluid & Applicator Otton TA-545 \$2.98

\$2.98

☐ CASSETTE TAPE SPLICER

★ Replaceable Cutter Pad

★ Tape Lock Arms

★ Cuts and Trims Tape

★ Perfect Splices Every Time

Size: 3" x 2" x 1¼". Shipping

weight 1 lb.

☐ Chapter TA.547 Otson TA-587

AMPEX CASSETTE CLEANING-DEMAGNETIZING TAPE Protect Your Valuable Equipment Keeps Recording Heads Like

★ Keeps Recording Heads Like
New Longer
★ Cleans and Demagnetizes in
Seconds by Just Using As a
Standard Cartridge
★ Safe! No Messy Solutions or
Electrical Connections
★ For All Standard Cassette

Recorders

* Prevents Distortion and Volume

Includes Plastic Storage Box Shipping weight 1/4 lb. Olson HF-172\$4.95 * Easy Installation

★ Walnut Enclosure ★ 5 Watt Capacity Size: 5½" x 9" x 3¾". Ship-ping weight 3½ lbs. Oison 5-33

With Any Cassette Recorder Separately \$9.98

CASSETTE AM RADIO TUNER

* Plays Through Your

* Plays Through Your
Cassette Recorder

* Solid State Circuit

* Same Size as Standard
Cassette Cartridge
Just Silie Lt In Like a
Cartridge
Size: ** * ** * ** ** ** **

x %". Shipping weight 1/2 lb. Olson RA-171 Reg. \$6.98

N CASSETTE TAPE STARTER KIT

"Mixi Special"

★ Includes Attractive Walnut Vinyl Covered Storage Rack

★ 12 @ Blank Cassette Tapes

4—30 Min., 4—60 Min., 4—90

Min.

Plastic Storage Boxes Included With Tape

Rack Stands Vertically or Horizontally

Ideal Tape Library Starter Kit For Home, School, etc.
Size: 101/" x 43/" x 23/" Shipping weight 5 lbs.

Grand A5-446

S16-98

PURCHASED SEPARATELY REG. \$21.69 VALUE

Stereo Tape Decks Increase Your Listening **Pleasure**





AIWA

COMPLETE PORTABLE STEREO RECORDER

Model TP-1012 Oison RA-73 *\$10 Monthly

- Take Your Favorite Music With You to The Beach, Picnics, Parties, and Even In the Car
- Operates On Batteries Or House Current
- 7" Reel Capacity

Now from Aiwa comes a complete stereo recorder that offers features galore. In addition to it being completely portable it plays and records 4 track stereo or mono, has two built-in wide range speakers, powerful solid state amplifier and includes two dynamic mikes with stands. Features 3 speed operation, 3 digit counter with reset, separate controls for volume and tone, dual Vu-meters, stereo headphone jack, automatic shut-off. Plus an instant pause control. Response: 50 to 16,000 Hz. Size: 13½" H. x 123%" W. x 7½" D. Operates on 110-120 volts AC, 60 Hz. and 8 "D" Cell batteries (included). Shipping weight 19 lbs.

PROFESSIONAL 4-TRACK STEREO TAPE DECKS CONCORD

Model Mark II (Ottoo) RA-372 *\$10 Monthly Was \$199.79 In 271 Cat.

- Plays and Records Through Your Stereo System
- Beautiful Walnut Base Included

The Concord Mark II is truly a professional deck but is functional and easy to operate. Its hysteresis synchronous motor assures you of a constant speed which will produce a perfect tape every time. You can record sound-on-sound plus add an echo effect to your tape. Has 3 long life heads, 3 speeds, 2 Vu-Meters and a 4 digit tape counter with reset. Size: 13" H. x 18½" W. x 6" D. Operates on 110-120 volts AC, 60 Hz. Shipping weight 27 lbs.

CONCORD

Model Mark IV Otton RA-374 *\$15 Monthly Was \$299.50 In 271 Cat.

- Automatic Reversing-Records and Plays In Both
- Stylish Addition To Any Stereo System

The Concord Mark IV was designed to offer you luxury and convenience in life. Now you can enjoy up to 12 hours of your favorite music without leaving yor chair. It's advanced solid state electronics give you many enjoyable listening hours. Features four extra long life heads, 3 speeds, automatic tape lifters, tape or source monitoring, sound-on-sound and echo effect recording, two large Vu-meters, slider type record level controls and stereo headphone jack. Includes beautiful walnut base and dust cover. Size: 13" H. x 18½" W. 6" D. Operates on 110-120 volts AC, 60 Hz. Shipping weight 35 lbs.

- Vertical or Horizontal Operation
- Records and Plays Through Your System

The well established Ampex quality is evident with your first glance of this unit. Three extra long life heads ensure you of many enjoyable hours of use plus enables monitoring of tape to insure a perfect recording everytime. Features sound-on-sound, sound-with-sound plus echo effect, hysteresis synchronous motor, dual capstan drive for constant speed operation. 3 speeds, dual Vu-meter, pause control and beautiful walnut base. Size: 13" x 15%" x 6½". Operates on 110-120 volts AC, 60 Hz. Shipping weight 27 lbs.

RECORDING TAPE BONANZA

Olson



2400 FT. MYLAR RECORDING TAPE

Otton TA-160 Single \$1.79 **SI**58

Lots of 10

- 7-inch Reels
- High Quality Factory Boxed
- Made by U.S.A. Manufacturer
- Permanently Lubricated Shipping weight 1 lb.

Shamrock RECORDING



- Factory Boxed
- Made in U.S.A. 7" Reel-1 Mil.
- Polyester Backing Shipping weight 1 lb.

Reg. \$1.79 \$1,09 ea. Reg. \$2.59 ...\$1.49 ea. 1200 Ft. Olson TA-75 10 @ 89c ea.

1800 Ft. Olson TA-110 10 @ \$1.29 ea.

AMPEX REEL



- ★ 275' 54 Minutes at 1% ips.
- ★ Plastic Mailing Box Shipping weight 1/4 lb.

recording tape for all applications . . .



. 675' RECORDING TAPE Oison TA-107

- 3—Stand. 3" Reels 225' Tape Per Reel 1 Mil. Acetate Ideal for Voice Letters Fits Most Recorders Made in U.S.A. Shipping weight 1 lb.

RECORDING & DICTATING TAPE Otson TA-18 10 @ 64c ea. * 300 ft. on 3"

Ideal for voice letters. Costs only pennies to mail. Shipping weight 1/4 lb.



ENDLESS TAPE CARTRIDGE

3 @ \$4.50

Plays 12 minutes at 1%, or 6 minutes at 3% ips on any capstan drive recorder. Put cartridge on supply spindle and thread across heads. 3" dia. Shipping weight ½ lb.

Otson TA-146

7-INCH REEL 1200 FT. MYLAR TAPE



■ Made by U.S.A. Manufacturer Exclusively for Olson TA-542 3 for \$3.30, 12 @ 99c, \$1.29 ea.
Shipping weight 1 lb.

1200' MYLAR TAFE \$ 5" Reel Olson TA-542

3 for \$4.74, Lots of 12 ea.

(Sinon TA-222 Single, Ea.

7 INCH REEL 1800-FT. MYLAR
TA-544 Single \$1.71
Lots of 12

3 for \$4.50 ...\$1.25 ea.



AMPEX Recording Tape AS LOW AS 29¢ IN LOTS

- Extreme Smoothness Improves Response Precision Compounding-Coating and

- ★ Precision Compounding-Coating
 Slitting
 ★ For Professional Results
 ★ Polyester and Acetate Types
 ★ 3", 5" and 7" Reels
 ★ Individually Boxed
 ★ Tensilized for Extra Strength
 Shipping weight 1 lb. per roll

Length	Base	Material	No.	Size	No.	Each	of 12
150'	11/2 mil	Acetate	311-11	3"	TA-622	.39	.29
275'	1 mil	Polyester	341-11	3"	TA-573	.91	.87
600'	11/2 mil	Acetate	311-13	5"	TA-620	.89	.69
900'	1 mil.	Polyester	341-13	5"	TA-574	1.39	1.19
1800'	1/2 mil *	Polyester	361-13	5"	TA-577	4.98	4.76
1200'	11/2 mil	Acetate	311-15	7"	TA-575	2.65	2 52
1800'	1 mil	Acetate	321-15	7"	TA-576	4.00	3.79
1800'	1 mil	Polyester	341-15	7"	TA-578	4.40	4.18
2400'	1/2 mil*	Polyester	351-15	7"	TA-579	6.60	6.26
3600'	1/2 mil *	Polyester	361-15	7"	TA-580	8.80	8.37

accessories for your recording convenience . . .

7" TAPE STORAGE CAN



Oison TA-193 **M**C

for \$1.17 12 @ 35c ea.

Finished in blue enamel. Shipping weight ½ lb.

H. Fox, 1 Woodcrest Dr., Schenectady, NY 12302 wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

RECORDING TAPE CHEST



Holds 12 - 7" reels or cans. All steel, grey enamel. Double safety catch, folding handle. Shipping weight 6 lbs.

EMPTY TAPE REELS



Reel is molded of sturdy breakresistant plastic. Shpg. wt. 1 lb.

YOUR CHOICE

7" Oison TA-192 10 @ 25c ea. 5" Oson TA-191 100 @ 20c ea.

3" AUTO-THREADING REEL Otsen AS-39 Pkg. 5

ONCOR

Portable TAPE RECORDER

★ Ideal for School, Business, Talking
Letters, or Sound Camera
★ Lightweight — Weighs Only 2 lbs.
★ Remote Control Dynamic Mike
★ Variable Speed Control
★ Compact Precision Solid State
Size: 6% x 2½ x 4½ Shipping weight 4 lbs.



CASSETTE & REEL RECORDER ACCESSORIES

RECORDING METER

Otson ME-158

2 FOR \$1.90

1/4" Magnetic

Recording Tape

Movement Sensitivity: 200 ua.
Ideal for Many Audio Applications
Vertical or Horizontal Mounting
Fits 136" x 3/6" Mounting Hole
Shpg. weight 3/4 lb.

Computer Tape



Otson TA-491 10 @ 896

Van be Split to 1/4"
1/2" Wide
11/2 Mil Mylar


2,400 ft. of high quality computer tape on 10½" plastic reel. Can be used on most home video recorders when rewound onto corrections. rect reels. Shpg. wt. 2 lbs. used.
1200' Tape, Same as above but 1200'
Gleon TA-600. 79c ea.





- * Index Between Recorded
- Selections on Reel
 Reinforce Tape Ends
 1/4" Wide Mylar Dase
 100 ft. Roll
- Shipping weight 1/4 lb.

1/2" Video Tape Reel



- * 7" Diameter
- * Customized Center Hub
- * Fits All Home Video Tape Recorders

Shipping weight 1/4 lb.


BULK TAPE ERASER



For 3", 5", 7" or 101/2" Tapes Cassettes and Cartridge Tapes

★ Cassettes and Cartridge Tapes
★ Heavy Duty
Will erase any magnetic recording tape from ¾" to 1"
width, including cassettes and 4
and 8 track auto type cartridges.
Housed in rugged case with
Power Switch, Spindle and AC
Cord. For 110-125 Volts AC
Size: 5½" W. x 4¾" H. x 2¾".
Shipping wt. 10 lbs.

YNC



34 Olson Electronics

SUPERSCOPE ®

CASSETTE TAPE ERASER

- * Restores Used Tapes to New Again
- Completely Portable Simple slot load action erases tape without batteries or AC power
- ★ Durable Compact Styling Shipping weight 5 lbs.

Olson Deluxe Pillow



Built-in Volume Control Comfortable and Private For After-Hours Listening Includes 5' Cable with 3.5mm

★ Molded Break-resistant Case ★ Impedance: 8 Ohms Size: 3½" x 3½" x 1" Thick. Shipping weight 1 lb.

Olson PILLOW SPEAKER

Only 34" Thin Works With Radio-Phono-TV Etc. 6 Ft. Cable With Mini-Phone Plug Listen Without

Disturbing Others

Impedance:

Size: 2¼" Dia. x \$4" \$219 Shipping weight ¼ lb.

RETRACTABLE PATCH



Recorder patch cord with clips. Includes plug adapter to 1/4". Shipping weight 1/4 lb.

Olson TAPE HEAD DEMAGNETIZER



* For Cartridge and Reel Type Recorders

Prevents Noisy Tapes
Fits Easily Into Cartridge Slot Size: 8¼" L. x %" dia. 110-120-v AC. 50/60 cps. Shpg. wt. 1 lb

Olson TAPE HEAD DEMAGNETIZER



Just connect to 117 volts AC and move tip against tape head. Removes head magnetism and protects tapes from partial erasures or noise insertions. Will demagnatize many small parts. Shipping weight 1 lb.

Olson TAPE SPLICER



★ 2 and 4 TRACK
Cutter arm has two blades, one
cuts ends of tape to proper angle,
the other blade trims edge of
tape to remove excess splicing
tape. Size: 3" x 2" x 1¼". Shipping weight 1 lb.

Olson nstrumer Cleaner

Olson Cleaning Fluid

Otsoe HF-149 ★ Ideal for Tape

Heads

4 Fluid Ounces

Cleans All
Types of
Electronic

Equipment * Safe for Plastics Shpg. wt. ¾ lb.

Olson TAPE REEL TA-571



QC Pkg. 2 Pair Holds Reel firmly in

place A must for operation of upright

1b. recorders

CASSETTE TAPE RECORDER HEADS

Set of Two A two piece set containing one record/play-back and erase head. Specification: Record/play: 1/4 track. Shipping weight 1/4 lb.

Olson Transistorized POWER CONVERTER



9 Volts

★ Operates Radios, Tape Recorders, Etc. from 12 Volt Auto Battery

★ Transistor Regulated ★ Plug Into Cigar Lighter ★ Output: To 300 Ma. Neg. Gnd. Shipping weight ½ 1b.



COMPACT AM TRANSISTOR RADIO Otson RA-368

Fits Into Purse, Pocket, Etc.
Only 31/4" x 23/4" x 11/6"
Sensitive Solid State Circuit
Crystal Clear Sound From Built-in Speaker

Hi-Impact Case

Stylish Camera Styled Design Includes 2 Penlight Batteries, Earphone, and Carrying Strap

Shipping weight 1 lb.

FM/AM PORTABLE RADIO

USES BATTERY OR HOUSE CURRENT

Olson RA-276 Reg. \$15.98

Solid State Circuitry
Easy-to-Read Dial
Telescope FM Antenna
Built-In AM Antenna
Includes AC Cord, Batteries and Earphone

Size: 7%" x 4\%" x 2\%". weight 4 lbs. Style may vary.



We Want To Continue To Send You Gue CATALOGS . . .

but it costs us several dollars each year to do so. For this reason we must receive an occasional order from you in order to keep you on our mailing list. Just an order or two each year will keep you on our ACTIVE list. . and you will receive the other Catalogs without interruption.

merchandise is manufactured around the world. ENG-LAND, FRANCE, GERMANY, DENMARK, ITALY, HOLLAND JAPAN and U.S.A.

We travel all over the world carefully selecting the finest manufacturers to produce quality products at reasonable prices. You can be sure when you select an Omeon product that it is made of the finest material with the best "know-how" in the electronic industry anywhere in the world. world.

ABOUT OUR PRICES

Your order is shipped at the current price. Prices in this catalog replace prices in all previous (Small catalogs and are subject to change without notice. Orders are filled at the price in effect at time of shipment.

YOU BENEFIT FROM ANY PRICE REDUCTION. If prices are lowered during the life of this catalog, you get the advantage of the lower price. We reduce the cost accordingly and send you a refund at the time we make the shipment. shipment.


Our Return Policy
All of our equipment is brand new
and unused except where noted.
Any returns other than defective
merchandise will be subject to a
small service charge of not less
than \$1.00 or more than 10% of
the purchase price. This is to cover
handling expense and resale through
our outlets at a reduced price.
All items returned for credit or exchange must be returned as shipped to you, in brand new condition complete with all accessories.

OSON WANTS TO BUY

for electronic parts and equipment similar to the items found in this catalog. Merchandise must be first quality. May be complete or incomplete. Large quantities

Jack R. Hardke Write Giving Quantity and Description to

260 S. Forge Street 216, 535-9191 Akron, Ohio 44308



A 12-TO-9 VOLT ADAPTER

Plugs into cigarette lighter to change 12 volt car current to 9 volt. Now you can play these radios on car battery power. Shipping weight ¾ lb.

Otson X-86 \$1.39

B 6 TRANSISTOR AM RADIO

★ Built-In Antenna ★ For Metropolitan Areas ★ Carrying Strap ★ Complete With Batteries ★ Sensitive Solid State Circuit ★ Compact — Fits Into Purse, Pocket, Etc. Styles May Vary

Size: 25%" x 4½" x 1¾". Shpg. wt. 2 lbs.

Otson RA-544 \$4.49

© 9-TRANSISTOR AM/FM RADIO

★ Includes Battery & Earphone ★ Telescope FM Antenna ★ Built-In AM Antenna ★ For Metropolitan Areas. Size: 8" x 4%" x 1½". Styles may vary.

Olson RA-723 \$9.98

D FM-AM PORTABLE RADIO

USES BATTERY OR HOUSE CURRENT

* Solid State Circuitry * Built-in "Lock for Strong FM
Stations Stops Drifting * Heavy-Duty 3" Speaker

* Uses 4 standard "C" Size Flashlight Batteries (Included) * Pivoting Telescopic Antenna
Styles may vary. Size: 5%" x 9" x 2%".

* PA 8.72

Olson RA-873\$24.98

E BIG RADIO SOUND FROM YOUR TRANSISTOR RADIO

Surprising depth and dimension just by attaching this the extension speaker to your present radio. Plugs into earphone jack with 6' cable which has standard 3.5mm mini-plug attached. Walnut grained enclosure. Size: 5\%'' x 9'' x 3\%''. Shipping weight: 3\% 1bs.

Oison S-33

.....\$9.98

REPLACEMENT EARPHONES

Olson 25-Foot Earphone Extension Cord

Otson PH-138 0 2.5MM Plug Otson PH-139 3.5MM Plug

With plug and jack. Soft flexible. 2 cond. cable. Shipping weight 1/4 lb.

Olson Dison SILENT TV RADIO LISTENER Otson \$ 98 3 FOR \$5.50

Ideal for bedside radio or TV. Switch turns off speaker in set if desired. Has two earphone jacks. Complete with one earphone and 15 ft. connecting cable. Size: 2%" x 1%" x 3%". Shpg. wt. 1 lb.

15 OHM EARPHONE ★ With Cable Plug & Jack ★Padded Ear Hook ★ MicroPlug 2.5 MM

Shipping weight 1/4

2,000 ohm Dynamic Earphone Like Above. ★ With Mini-Plug 3.5 MM One PH-131 \$1.29 Otton PH-131

Olson DYNAMIC EARPHONE

★ Reversible Ear Hook 3.5 MM ★ 5' Cable with Plug ★ 8 Ohms

Shpg. wt. 1/4 lb. 3 for \$7.50



Miniature acoustic chamber. Improved low frequency response. Size: 3%" x 13%" x 1 has 4 ft. cable with 3.5 mm plug. Shipping weight ½ lb.

Get All The News Police Gall Radios















GIFTS FOR GRADS, MOMS OR DADS

A POLICE AND FIRE RECEIVER

*24 Hr. Weather Forecast 162.55 MHz ★ Solid State Circuitry ★ Includes Reg. AM Band ★ 145-174 MC ★ Battary Included ★ Styles May Vary Size: 8" W. x 5" H. x 1%" D. Shipping weight 8 lbs.

Otson RA-113

REG. \$14.98

O. L. Davis, 464 Spring Street, Mount Sterling, KY 40353, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

B 4 BAND HI-LO POLICE PLUS FM-AM

**Battery or House Current ** Sensitive 14 Transistor Circuit ** Bands: Police (148-174 MC) & (30-50 MC), FM-AM ** Full Range 4" Speaker ** Leatherette Covered Case Size:11¼" x 6½" x 4" Operates on 110-120 volts AC, 60 cps. and on (4) "C" size batteries (included). Earphone included for private listening. Shipping weight 4 lbs.

Otson RA-351

Otton B-319

C AIWA 6 BAND

★ Operates on Battery or House Current ★ Hi and Lo Band Police (30-50 MHz) and (148-174 MHz) ★ FM and AM Broadcast Bands ★ 24 Hr. Weather Forecast 162.55 MHz ★ Aircraft: 103-138 MHz ★ Shortwave 6-16 MHz

★ Tone Control

Xize: 9" x 8" x 3". 110-120 v. AC. 60 cps. or 4 "D" Batteries (in-

©ison * RA-279, *\$10 Monthly REG. \$59.98

D How to Hear POLICE, FIRE, AIRCRAFT RADIO

E An effective guide on how to improve your present equipment or how to purchase the proper radio for your application. Shipping weight ¼ lb.

HEAR TV ANYWHERE



- ★ TV-FM Receiver for Metropolitan area gives you TV sound without the Sight. Channels 2-13

- 11 Transistors
 Accurate Slide Rule Tuning
 Connects to Your Tape Recorder

- Connects to four labe records.

 Carrying Strap
 Telescope Antenna
 Earphone Included
 ize: 8" x 5" x 2". Shipping weight 2 lbs.

Olson **RA-23** LIMITED QUANTITY BATTERIES 4 PENLIGHT REQ'D 8 for 59c

28 WATT Olson STEREO AMPLIFIER




- Save! Build Your Stereo Output: 10 Watts RMS, 28 Watts IHF

- High Impedance Input Response: 50-20,000 Hz Controls: Volume, Balance, Treble & Bass

Oison AM-341

★ 4-16 Ohm Output ★ 4-16 Ohm Output ★ Includes Brushed Aluminum Face Plate and Matching Knobs Size: 7%" x 4%" 1%". 110-120 V. AC. 60 cps. Shpg. wt. 5 lbs.

MILOVAC STEREO FM-AM PORTABLE RADIO



- Take Stereo Music Anywhere
 Operates on Battery or House Current
 Sensitive 17 Transistor Circuit Brings in The
 Weakest FM-AM Stations
 FM Stereo Lamp Indicator
 Easy Set Slide Controls
 Two Wide Range Detachable Speakers
 Stylish Hi-Impact Case
 Built-in AM Antenna Telescoping FM Antenna


Complete with earphone and 4 "C" batteries. Size: radio 9½" W. x 6½" H x 2½" D. Speakers: 4¾" W. x 6½" x 2½". Operates on 110-120 volts AC, and 6 volts DC. Shipping weight 6 lbs.

* MONTHLY PAYMENT CHART, See Page 18

Listen to World Events With Multi-Band Radios Enjoy the News and Music of all Countries TO APERT

(GRUNDIG)

FM-AM **PORTABLE RADIO**




- Enjoy Your Favorite FM-AM Station With Brilliant Vivid Sound Sensitive Solid State Circuit Push Button Selectors for Tone, AFC and Bands
- Built-in Antennas Attractive High Impact Case Operates on 6 Economical Size "C" Batteries Size: 11" x 7" x 3". Shipping wt.

MODEL TR-301 Olson RA-353

R. Lewis, 959 Meeker, Delta, CO 81416 wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

GRUNDIG

5 BAND: FM-AM-SW-LW PORTABLE RECEIVER



- Wide Range Reception
- * Hi-Fi Sound

★ ni-ri Sound

★ Operates on Battery or House Current
(110-220 Volts)


★ Band Coverage: FM (88-108 MHz) Short Wave 1:
(5.9-62 MHz) SW-2: (6.1-16 MHz) Long Wave:
(145-400 KHz) AM: (510-1620 KHz)

★ Fine Tuning Control for Pin-Pointing Station
★ Sensitive Solid State Circuit
★ Separate Bass and Treble Controls
★ Black w/chrome Accent Cabinet
Size: 14" x 8" x 4". Operates on 110-120
volts AC, or 6 "D" cell batteries. Shipping weight 10 lbs.

MODEL TR-1001

Olsoe RA-354

(GRUNDIG) 20 BAND WORLD-WIDE RECEIVER




IMAGINE! The World Events At The Touch Of Your Finger

- Battery or House Current
- Relatery or House Current
 Compact and Portable
 Bands: 17 Short Wave (Cover 10 to 187 Meters) for
 International Reception, LW: 150-400 KHz, FM: 88-108
 MHz, and AM: 540-1640 KHz
 Built-in Noise Filter Insures Clear Reception
 FET Transistors Offer the 'Utmost in Sensitivity
 Dual Hi-Fi Speaker System
 Fine Tuning & Band Spread Control Helps Pin Point Station
 Visual Tuning Meter & Battery Strength Meter
 Black W/chrome Accent Case
 Separate Base and Treble Controls
 Plus Many More Features Too Numerous To Mention
 Size: 18½" x 10½" x 5". Operates on 110-120 V, AC
 r 6 "D" cell batteries. Shipping weight 12 lbs.
 World's Finest Full

World's Finest Full Coverage Receiver MODEL TR-6001 Otsos RA-364 \$15 Monthly





3 INCH UHF-VHF **ALL CHANNEL** TV RECEIVER

IDEAL FOR ALL SUMMER OUTINGS USE BATTERY OR HOUSE CURRENT

* Solid State Circuitry * AC Adapter and Batteries Included * Operates on Standard "C" Size Batteries

Carry it anywhere. Now you don't have to miss your favorite program just because you won't be home. Compact: 6\mathbb{4}" H. x 6" D. x 3\mathbb{1}\mathbb{2}" W. 110-120 Volts AC. Shipping weight 6 lbs.

Olson TV-144 *\$10 Monthly Olson Electronics 37

* MONTHLY PAYMENT CHART, See Page 18

Two-Way Radio

An Olson BREAKTHROUGH for Everyone

What a convenience! Use as easily as a phone to talk car-to-car, car-to-home, car-to-business. You can install a Citizen's Band (CB) radio yourself, or anyone who installs car radios can install it for you. Clear reception up to 15 miles, depending on terrain or weather conditions. So powerful you'lli need a license to operate it, that costs only \$20 for five years, and all you need to do is

Olson Teaberry 23 Channel

* Ready To Operate On All 23 Channels

The new Owe Teaberry "Five-by-Five" is an excellent two-way radio for emergency, business and public service use. Its advanced solid state circuit includes FET and IC for reliable and quality communication. Dual conversion receiver gives quiet, clear reception. Illuminated S and Power meter lets you see power and signal. Has adjustable squelch control and PA facility plus built-in TVI filter. Includes mounting bracket, rugged push-to-talk mike and power cord. Operates on 12 volts DC neg. or pos. gnd. Size: 65%" L. x 7½" W. x 2½" H. Shipping weight 6 lbs.

Otson CB-200
*S10 Monthly

AC Power Supply fo: Household Operation, Osson BA-156



Complete 23 channel operation with 5 powerful watts to push your signal out! All silicon transistors for dependability. Glass fibre circuit board resists car vibration. Accurately calibrated "S" meter meaures signal strength. Audio so good that engine and car no.ses don't interfere. Public address speaker can be added. Fine definition between channels plus squelch control to minimize "hash" noises. Latch rack accepts lock to discourage thieves. Size: 6¾" x 2½" x 8½". Operates on 12 volts DC neg. gnd. Shipping weight 5 lbs.

Otson CB-80
*\$10 Monthly

AC Power Supply Olson CB-77



The all new Formula 23 has Easy-to-read digital clock that reads in hours and minutes, built-in alarm, and enables you to set the radio to turn on or off at preset time. Sensitive Solid State Circuit gives added talk power. Has large RF, SWR and Signal Strength Meter. PA facility 3.2 watts output. Front panel head phone jack. Dual conversion receiver brings in the weakest stations and reduces channel slop-over. Includes automatic noise limiter, var iable squelch control and fine tuning for crystal clear reception. Complete with auto cord, mounting brackets, AC cord and rugged push to-talk mike. Operates on 110-120 volts AC, 60 Hz. and 12 volts DC Pos. or Neg. Gnd. Size: 5" H. x 14½" W. x 10" D. Shipping weight 15 lbs.

CB-176 \$ *S10 Monthly



A 4 Transistor Walkie-Talkie

Sends & Receives on Channel 14. Rugged, operates on 9 Volt Transistor battery (included). No license required. Telescop-

CB-42 For \$13.00 Extra Battery for Above Otson BA-89

B 7-Transistor Walkie-Talkie

with lever-action push-to-talk switch. Sends & Receives on channel 14. Telescoping antenna. Carrying strap. No license required. Size: 5\%" H. x 2\%" W. x 1%" D. Shipping weight 3 lbs

for \$28

Battery for above (1 required)
Oson BA-89 (9 V.)

C "SKY HAWK" Aircraft Receiver

- Ideal for Sky Divers Ultra compact, slips into your
- pocket
- Compare with ball point pen illustrated
- Operates on hearing aid batteries 108 to 136 mc Aircraft Band Up to 75 mile range to flying
- aircraft
 Up to 15 mile range to tower
 Complete with earphone

Otson RA-239

D CB Crystals for All **Popular Transceivers**

Crystal Certificate enables you to order from Mfr. one receive and one transmit crystal, or two receive or two transmit crystals for all popular CB units and walkie-talkies.

Otson CB-185

Reg. \$5.95

* MONTHLY PAYMENT CHART, See Page 18 38 Olson Electronics



[A] Trik Stik All-Purpose Antenna. For citizen's band, police monitor (hi & lo), CD, aircraft, amateur, TV and FM. Adjustable to cover 27 to 150 MHZ. Mount verticle or horizontal. Use for permanent or temporary installation. Accepts 52 or 72 ohm Co-Ax or 300 ohm TV lead-in. All-aluminum. Shpg. Wt. 2 lbs. Olson AA-369\$6.95

18 102" Whip Antenna. What a buy for your 27 M.C. mobile rig! Durable first-line antenna and mount at a bargain price. Mounts easily on trunk, cowl or fender. Shpg. Wt. 7 lbs. Shipped Railway Express only!

Otson AA-91
20' Cable with Co-Ax Plug
Otson W-574

© CB Base Antenna. For 25-50 Mc. Gives you 3 "drooping" 108-inch 2-section radials and a 108-inch 2-section verticle element radiator, all solid aluminum. Mast bracket in cadium plated steel. Complete with coaxial cable connector (SO-239) and "U" clamp which gives antenna rigid support on 1/4" mast. Shpg. Wt. 4 lbs. AA-121

D 52 ohm Antenna Co-Ax Cable in 100 ft. coil. High quality, low loss RG8-U type, recommended where antenna lead exceeds 50 ft. Shpg. wt. 10 lbs.

Otson W-431

E New-Tronics Hustler CB Antennas Center-Loaded Mobile Model. loading gives greatest efficiency. No holes, no soldering, mounts easily on trunk lid lip. Fiberglass with stainless steel. Included: 17' of cable with plugs. Shpg.

CB-AM-FM Whip Antenna. Model TC\$ 27M. Tuneable. Weatherproof. Stainless steel prod. Automotive mounting accessory included. The results on CB, AM or FM will astonish you! Shpg. Wt. 1½ lbs. Otson AA-231

CB Power Gain Base Antenna. Model PRO, Jr. with optimum low angle radia-tion. Omni-Directional. Highest quality construction. Shpg. Wt. 9 lbs. Otson AA-230 \$24.95

© Green Headphones equipped with 1/8" miniplug for 2-way radio use. 8 ohms. Shpg. Wt. 1/2 lb. Otson PH-27\$2.98

Motorola Mike, made by Astatic, and what a bargain! You'd expect to pay \$8.95 for this quality. Push-to-talk circuit. Ceramic element, 300 to 3,000 Hz voice response. Wired for relay switching. 50K ohm Impedance. Dark navy gray, high-impact case. 5 ft. shielded retractable cord. Complete with hanger attachment. Shpg. Wt. 1 lb.

Oison M-331\$4.99 Push-To-Talk Hand Mike. Rugged Carbon Element can be used in series with battery for almost all applications. Durable high-impact case has 3" cord with 3.5 mm (Mini) plug attached. Ideal for hobbyist & experimenter. Shpg. wt. 1 lb.

Panel Mounting Receptable Ctson CB-27 70c Coaxial Connector, PL 259 Type, cable-mtg. Otson CB-46, 2 for \$1

UG-176U Reducer for RG59U Cable UG-175U Reducer for RG58U Cable

Co-Ax Solderless Connectors for easiest "no-solder" hook-up. Eliminates troublesome shorts.

S'andard Co-Ax PL-259 CB-144 for RG 58/U Cable CB-145 for RG 59/U Cable CB-146 for RG 8/U Cable Choice 69c Choice

Choice Your Choice Choice CB-147 for RG59 Cable CB-148 for RG58 Cable Smalls T. V. Service, R.F.D. No. 2 Buzzards Bay, MA 02532, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

Load. Lights up to indicate output power. Ideal for fast Modulation checks and trouble shooting without antenna. VSWR 1.1:1 connects to standard SO-239 antenna jack for 52 ohm Impedance. Shpg. wt. 1/2 lb.

Oison CB-181

■ Goldline Co-Ax Lightning Arrestor protects equipment against lightning, eliminates static build up. Uses standard Co-Ax connectors. Shpg. Wt. 1/4 lb.

©ISON CB-141\$3.95

S Goldline TV1 Filter. Tuning control gives maximum rejection of CB interference on television. Harmonic rejection 40 db, Uses standard Co-Ax connectors. Sizes 4" x 21/6" x 134". Shpg. wt. 1/2 lb.

Oison CB-142

T Goldline Co-Ax Switch connects two antennas to one receiver, al-Indles up to 1 KW. Standard Co-Ax connectors. Size: 4" x 2½" x 1¾". Shpg. wt. ½ lb.

Oison CB-109\$6.98

☐ Goldline CB Matcher gives perfect VSWR at 1.1 to 1, matches antenna to transmitter. Standard Co-Ax connectors. Size 4" x 2½" x 1¾". Shpg. wt. 1 lb.

Choe CB-78

▼ Goldline 5-Position Co-Ax Switch. For fast simple switching of 5 sets to one antenna or 5 antennas to one set. Low loss switch is for 52-75 ohm cable up to 50MHz. Can be wall or panel mounted. Has standard SO-239 connections. Shipping weight 2. lbs.

Otson CB-179


W Goldline Inline Wart Meter reads true output power in watts. Rated at 5 watts continuous. You can leave it in the line. Standard Co-Ax con-nector. Size: 4" x 21/a" x 13/4". Shpg. wt. 1 lb.

M Goldline Waff Meter → For 2-30 MHz

The new Goldline watt meter provides all you need to get the most out of your transmitter by continually monitoring radiated power. Three position range selector for 0-10, 0-100, 0-1000 watts. Two-way load switch permits rapid change over from dummy load to antenna. Has standard SO-239 antenna connectors plus provisions for measuring VSWR. For 50 ohm impedance. Shipping weight 3 lbs. \$39.95

On these pages .. outstanding NEV

OR YOUR LISTENING PLEASURE



SPECIAL PURCHASE!

Olson BUYING POWER DOES IT AGAIN Complete Stereo Cassette Recorder

Outstanding Value-Budget Price

©ison RA-378
*\$10 Monthly
Mfr. 1971 List Price \$99.95

- Entertainment For the Entire
- Records and Plays All Standard Cassettes
- Complete With 2 Wide Range Speakers & 2 Sensitive Dynamic
- Convenient Push-button Controls
- Separate Record Level Control Stereo Headphone Jack
- 3-Digit Tape Counter

- Unique Jam-Proof Mechanism
- Aux. Input for Direct Recording Pop-up Cartridge Eject System
- Beautiful Walnut Finish
- Powerful Solid State Amplifier

Also includes blank cassette tape and mike stands. Size: Recorder 12½" x 8½" x 3½". Speakers 7½" x 4½" W. x 11½". H. Operates on 110-120 Volts AC. 60 Hz. Shipping weight 22 lbs.

MPANASONIC 8-Track Stereo Recorder

Record Your Favorite Music For Your **Driving Pleasure**



Otson RA-380

*\$10 Monthly

- Records and Plays Through Your Record Safety-Lock Home Stereo System
 Dual Vu-Meters
 Fast Wind Control
 Automatic Stop
- Stereo Headphone Jack Response: 50 to 12,000 Hz. Channel Indicator Lights
- Walnut Finish Cabinet
- Inputs for Mike and Line

Complete with 4-connecting cables. Size. 16%" x 4½" x 9½". Operates on 110-120 volts AC. 60 Hz. Shipping weight 16 lbs.



- Operates on Battery or House Current
- Current Ideal Radio for Home, Boat, Plane, or Car Bands: VHF (108-174 MC); LW (150-380 KC); Marine (1.6-4.0 MC); FM (88-108 MC); AM (540-
- Advanced Solid State Circuitry Operates Under all Temperature Conditions

Deluxe 5-Band Portable Receiver

Built-In Direction Finder Hear Police, Aircraft, Weather, and FM

*\$10 Monthly

- Precise Vernier Tuning
 FM-AFC Locks in Station
 Headphone Jack
 Aux. Input Jack for Mike, Phono,
 Tape, etc.
 Null Meter
 Powerful 5" Speaker
 Rugged Leatherette Case
 Size: 1014" W. 8" H. y. 4" D.
- Null Meter
 Powerful 5" Speaker
 Rugged Leatherette Case
 Size: 10¼" W. x 8" H. x 4" D.
 Shpg. wt. 8 lbs. Operates on 110120 V. AC. 60 Hz. and 4-"C"
 cell batteries included.

FANON PORT



3 Channel 100 Milliwatt

Otson CB-188

- Built-in Call-Tone Signal
- Ready to Send and Receive on Channel 15
- Powerful Solid State Circuit
- Rugged Hi-Impact Case
- Telescoping Antenna

Complete with handstrap and earphone. Operates on 9 volt battery. Size: 6½" x 15%" x 3". Shipping weight 5 lbs.

9 V. battery for above (2 req'd)



6 Channel 1 Watt

Olson CB-189

- Advanced Solid State Circuitry—FET & ICS for Utmost in Reception and Dependability

 Complete With Ch. 15 Crystals
- Installed

Installed
Separate Speaker and Microphone
Variable Squeich Control
Battery Strength Meter
Includes Earphone and Handstrap
Size: 9%" H. x 2" W. x 3" D.
Shpg. wt. 3 lbs. Operates on 8
penlight batteries not supplied. Penlight Batteries for above (8 req'd.) Oison BA-67



Portable-Lightweight-Rugged Ideal for Emergencies, Outdoors, Fun

- Base Station Range and Quality Complete Ready For 23 Channel Operation Advanced Solid State Circuit W/FET & ICS Rugged Die-Cast Aluminum Case Sensitive Dual Conversion

- Receiver
 Full 5 Watt Input W/100%
 Modulation
 Automatic Noise Limiter
 New Slide Controls for Squelch
 and Volume
 3-Way Meter S-RF-Battery Level
 Battery Saver Circuit
 Weatherproof Jacks for Earphone,
 External Mike, Antenna, Speaker
 and Power
- and Power

 54" Telescopic Antenna

Complete with handstrap, shoulderstrap and earphone. Operates on 10 penlight ("AA") Batteries. Size: 10¾" x 2" x 3½". Shipping weight 6 lbs.


AC ADAPTER/Battery charger pack: Includes 12 Ni-CAD "AA" Batteries.

©120 CB-190 \$34.50

V VALUES brought to you by Olson

3 for \$6

NEW! SPECIALIZED MOTORS FOR ALL THOSE UNUSUAL JOBS



Deluxe Timing Motors 4 and 8 RPM

- Synchronous Motors Made by

- Dustproof Gear Housing Permanently Lubricated High Torque—Low Noise Ideal for Displays, Timing
- Devices, etc.

 Operates on 110-120 Volts AC Hz. Size: 2%" dia. x 1¾". Shipping weight ¼ lb.
 4 RPM 0500 MO-247
 8 RPM 0500 MO-248

3 for \$2.70



....\$2.29 YOUR CHOICE

Synchronous Clock Motors

- All You Need Are Hands and Face to Make Your Own Clock, Timing
- Device, etc.

 Output Shafts For Hour, Plus Minute and Second Hand
 Trouble Free—Made by Borg
 110-120 Volts AC, 60 Hz.
 Threaded Mounting Holes

4 Front Set; Size: 2½"
" x1¾" D. Shaft Length ¾"
5 Same as above but

MO-245 Same as above but has back set shaft. MO-246 Back Set Size: 2½" x 1¾" x 1¼" D. Shaft Length 2". Shpg. wt. ½ lb.

SPECIAL PURCHASE!

Otson Quality Replacement Speakers







YOUR CHOICE 65 10 @ 55c ...

■ Great For Transistor Radios, Phonos, Recorders, Etc. Shipping weight 1/4 lb.

2" PM Speaker, 16 ohms, Round Yoke	8
21/2" P.M. Speaker, 16 ohms, Round Yoke	7
2" x 6" PM Speaker, 35 ohms, Round Yoke Steel S-1	19
23/4" x 4" PM Speaker, 16 ohms, Square Yoke Ottom S-1	03
3" PM Speaker, 8-10 ohms, Round Yoke	72

NEW! OUR INTERESTING

Olson 6-Piece Jeweler's Screwdriver Kit Handy Plastic Storage Case



- Precision Quality Carbon Steel
- Blades Easy Grip Chuck Handle 5 Interchangeable Blades: 1-Awl, 1-Phillips; 3-Standard Blades
- 1-Phillips, 3-Standard Blades Ideal for Watch and Eye Glass Shipping weight 1 lb.

Otson PH-196 **\$1 9** 98

Hands Free Conversation



2-Way Cassette Storage



Otson TA-628 S-098

2 for \$5.80

- Includes 3—C-60 Cassettes Tray Attaches to Any Portable

Olson Deluxe Telephone Amplifier

- Powerful Transistorized Circuit
 Adjustable Volume Control
- Stylish Design Blends With Any
- Cost Pennies To Operate
 Size: 8" x 3½" x 3½". Speaker: 3½" x 4" x 2½". Shipping
 weight 4 lbs.

 9 volt battery for above (1 req'd).

 ©ine BA-89. 21c
- New Quartz-lodine Bulb is 300% Brighter Than Standard Sealed
- Plugs Into Any 12 Volt Cigarette Lighter
- Ideal For Auto Emergencies, Boat, Camping, Public Services,
- Brilliant Beam Up To 1/2 Mile Lightweight Pistol Grip Design Highly Chromed Finish Is Water
- Resistant 91/2 Ft. Heavy Cord Size: 6" Dia. Bu Size: 6" Dia. Bulb. Shipping weight 4 lbs.

GREAT GIFTS FOR MOM, DAD OR GRAD

Dynamic Electric Telephone Index



- Illuminated For Easy Viewing
 Fast, Easy Push-Button Selection
 Eliminates Bother of Phone Book
 Rugged Plastic Cabinet
 Operates on 110-120 V. AC
 Size: 8½" x 6" x 5.

Compact Auto Reverb





Operates Rear Speaker With or Without Reverb

Control on and off, balance between front and rear speaker.
Complete with instructions and connectors. Size: 69/2" W. x. 134" H. Operates on 12 volts, neg. ground system.
Shipping weight 3 lbs. Styles May Vary.

Olson Famous X-Air



Speaker System

> Oison 5-931 \$099 Reg. \$14.98

- Soft Pliable Cloth Annulus Cone
- Acoustic Suspension
 Heavy Duty Magnet
 Response: 65 to 18,000 Hz.
 Power Capacity: 5 Watts RMS.,
 15 Watts Program
- Impedance: 8 ohms. Size: 6" x 9" x 5". Shipping weight 6 lbs.

FM/AM Portable Radio

Uses Battery Or House Current



- Solid State Circuitry Easy-to-Read Dial Telescope FM Antenna
- Built-In AM Antenna Includes AC Cord, Batteries and
- Earphone Size: 734" x 4½" x 2½". Shipping wt. 4 lbs. Styles May Vary.

... and look for other exciting NEW ITEMS throughout this catalog



Olson 22 WATT

for \$110

\$5998

- Operates on 117 V. AC or 12 V. DC
- Mike, Phono, and Aux. Inputs

Ideal for portable PA systems. Accepts a hi or low impedance mike plus phono and tape deck or tuner. Outputs for 4-8 or 16 Ohms plus 25 and 70 V. Includes a mounting bracket for mobile-use. 10" W. x 34" H. x 8" D. 110-120 V. AC 60 cps. or 12 V. DC. Shpg. wt. 15 lbs.

Olson 40 WATT

Otson AM-388 2 for \$150 *\$10 Monthly

\$7998

- Operates on 117 V. AC or 12 V. DC
- High or Low Impedance

An excellent all around amplifier for churches, schools, etc. Includes controls for mike 1 and 2 volume. Phono Aux. volume and tone. Mounting bracket. Solid state circuitry. Two mike inputs. Size: 9\%'' W. x 3\%'' H. x 8" D. 110-120 V. AC. 60 cps. and 12 volts DC. Shipping weight 18 lbs.

Olson 100 WATT

M AM-389 2 for \$250

\$130

- Four Mike Inputs
- Circuit Breaker Overload Protection

Circuit Breaker Overload Protection
High power amplifier suitable for
all applications whether large or
small. Solid state circuitry. Has inputs for both high (50K ohms) &
low (600 ohms) impedance microphones plus auxiliary input for
phone or tuner and tape. Has tape
monitor jack. Output for 4, 8, or 16
ohm speakers plus 70.7 and 100 volt
line output. Controls for mike-1
volume, mike-2 volume, phono/aux.
Volume, master volume, bass, treble,
and on/off switch. Operates on 110120 V. AC. 50/60 Hz. Size: 13½"
x 5" x 10". Shipping weight 20 lbs.

Olson FM-AM Background 30 WATT MUSIC RECEIVER

RA-261 *\$10 Monthly

sg0

Inputs Provided for Phono, Tape, Mike

ensitive solid state FM-AM receiver is ideal for professional offices, stores, waiting rooms, homes, etc. Paging facilities can be adjusted to override music from FM-AM tuner. Features: brushed aluminum front panel with gray finished metal cabinet, AFC control. built-in AM antenna, for 4, 8, 16 and 500 ohms (70.7 volt). Operates on 110-120 V. AC, 60 Hz. Size: 13" x 3½" x 8". Shipping weight 9 lbs.

SAVE! ON BACKGROUND MUSIC SYSTEMS

Above RA-261 Receiver	\$90.00
4 Otson Speakers CA-136 pg. 22	\$26.64
1 100' Speaker Cable W-400 (pg. 70) Reg. Total	
Ottoo AS-394 System Price	\$105.00
Same as above but has 4-type speakers in place of v	wall type.

* MONTHLY PAYMENT CHART, See Page 18

BLIC ADDRESS SOUND EQUIPMENT

Olson Complete Commercial PA Systems

- Write For the Low System Price on Items of Your Choice
- Systems For All Applications Indoors or Outdoors, Large or Small





A	Less	than	250	people
	OCK	1 pa	100	AM 207

A Less	than 250	people	0	250 to	500 pe	ople	C 50	O people or	more
STOCK	RA-261 30-W	AM-387 22-W	AM-388 40-W	AM-389 100-W	S-603 P-18	T-100 P-72	S-671 below	MONTHLY PLAN	SYSTEM PRICE
AS-397		-			-			*\$10	\$ 91.00
A AS-398		(1000)						*\$10	\$118.00
B AS-399			-		-	三 三		*\$10	\$134.00
B Otson AS-400			-					*\$10	\$173.00
C AS-401				-	445	***		*\$15	\$213.00
C AS-402	THE S			-		**	1111	*\$15	\$290.00
AS-403	-			馬雪	-	# # # #		*\$10	\$138.00
AS-404		la de	No.	Page 1			11	*\$10	\$180.00

EACH SYSTEM INCLUDES 100' OF SPEAKER WIRE & MIKE PLUG M-94 & M-301 with all systems

35 Watt PA Amplifier

AM-248 *S10 Monthly

Model CHB 35 A. Power output: 35 watts. Response: 20-20,000 Hz. Inputs: 2 microphones. 1-Magnetic Phono. 2-Aux. Output. Impedance: 4, 8, and 16 ohms. 25 volt line, 70 volt line. 105-125 V. AC. 50-60 cps. Dimensions: 634" H. x 1534" W. x 10" D. Shipping weight 22 lbs.

P.A. SYSTEMS

Bogen 35 watts PA amp. (above), two one 8" speakers (below). EV 664 mike (pg. 44).

Otson AS-283 *\$10 Monthly

\$177





Otson CA-385 3/\$5.10 6/59.75


For Ceiling or Wall Fits all 8" speakers. Stylish satin aluminum finish. Comes complete with hardware. Overall dia. 12%". Shipping weight ¼ lb.



Argos Sound Column Speaker System

\$4450

6 wide range speakers mounted in a vertical cabinet. Response: 200 to 10,000 cps. 30 watts. Size: 30¼" H. x 7" W. x 3½" D. 16 ohms. Shpg. wt. 14 lbs.



Do It Yourself Speaker System

If your application calls for a speaker in the wall, cabinet, ceiling or on a shelf. "You can do it."

Storm CA-443 Walnut Wall
Baffle. Size 12½"x10½" x
31¼"

CA-285 Ceiling or Wall Orion CA-385 Ceiling or Wall Grille (right) \$1.50 Orion W-564 50" Speaker \$1.98



5 Inch Paging and Talk-Back Speaker

Otson S-453


Reg. \$9.79

Adjustable Bracket

Cuts through background noise: 8 ohms. 8 watts. Response: 400-8000 Hz. Size: 5½" dia. x 5". Shipping weight 3½ lbs.

\$799

Oison Outdoor/Indoor **Paging Speakers**



A High sensitivity and wide dispersion angle. Response 300 to 12,000 Hz. Power: 5 watts. 8 ohms. Size: 5\%" Dia. x 3". Shpg. wt. 4 lbs.

M. M. Miller, 303 W. 2nd Street, Miller, SD 57362, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

B Wide Angle
Wide dispersion trumpet offers better coverage. Has built-in 15 watt driver and adjustable mtg. bracket. Is shockproof and rust-proof. Response: 340 to 7000 Hz. Impedance: 8 ohms. Size: Horn opening: 8" W. x 5" H. Overall length: 8". Shipping weight 4 lbs.

Green S-97
2 for S33
31698

Deluxe 8 Inch

Adjustable mounting brackets. Weather-proof, 15 watts. Impedance: 8 ohms. Resnonse: 180 to 10 000 Hz. Size: 8" dia. x 8¼" deep. Shipping weight, 5 lbs.

Olson Electronics 43

\$1898

* MONTHLY PAYMENT CHART, See Page 18

Feel Like You're **Not Being Heard?**

quality microphone from



BROADCAST QUALITY MICROPHONES FROM Olson



★ Cardioid Pattern ★ Dual Impedance (50K and 600 0hms) ★ Built-in Wind Screen ★ Response: 100 to 12,000 Hz. ★ Ideal for PA, Recording, Groups, Etc. ★ 20' Cable w/Standard ¼" Plug Attached ★ Includes Removable Stand Adapter ★ Stylish Black and Chrome Finish Size: 6½" L. x 1¾" Dia. Shpg. wt. 3 lbs.

Olson GARDIOID DYNAMIC MICROPHONE

With Anti-Feedback Design



★ Ideal for PA or Recording ★ Removable Stand Adapter ★ "Pop-proof" Wind Screen ★ Brushed Chrome Finish ★ 600 or 50K Ohms Impedance ★ Response: 60-13,000 Hz ★ 20' Cable with ¼" Phone Plug ★ 1½" Dia. x 8¼" L. Shipping weight 3 lbs.

Olson . CARDIOID DYNAMIC MICROPHONE

Professional Quality



Oison M-329

★ Unique Slim Line Design ★ Ideal for Groups, PA, Recording, Etc. ★ High (50K Ohm) Impedance ★ Stylish Black Satin Finish ★ Removable Stand Adapter ★ 20' Cable with Standard 1/4" Plug ★ Wide Range Response
Size: 91/2" L. x 3/4" D. Shpg. wt. 3 lbs.

Olson PROFESSIONAL DYNAMIC MICROPHONE

* Beautiful Gold Finish



★ Ideal for PA, Broadcast or Recording ★ Cardioid Pattern ★ Dual Impedance 600 and 50K Ohms ★ Impedance Selector Switch ★ Anti-Feedback Design ★ Built-in Filter for Close Talking ★ On-Off Switch ★ Removable Stand Adapter ★ Response: 50-15,000 Hz ★ 20' Cable with 1/4" Phone Plug Size: 71/2" L. x 17/8" Dia. Shpg. wt. 3 lbs.



3 Electro-Voice

★ Ideal for High Quality PA, Recording or Broad-cast use ★ Dual Impedance ★ 17' Cable ★ Chrome Finish ★ Response: 40-15.000 Hz ★ 7½" L. x 1½" Dia. ★ Output: — 55 db. Shipping weight 5 lbs.



@ Electro Voice

★ Reduced Feed-Back ★ Adjustable Bass Response ★ Response: 40 to 15,000 Hz ★ Output:

— 57 db ★ Dual Impedance ★ Satin Chrome Finish ★ 7%" x 11½" Dia.

Shipping weight 5 lbs.

MICROPHONES AND ACCESSORIES



CARBON MIKE CARTRIDGE

★ Pkg. of 2 ★ Use in Series w/Battery for High Output

★ Low Impedance Size: 17/8" Dia. x 1/2". Ship ping weight 1/4 lb.

Otson M-315

99° Pkg.

SNAP-ON STAND ADAPTER




to Existing Stand ★ Felt Liner

included

Fits Mikes from
25/32" to 1" dia.
Shipping weight 1/4 lb.

2 for \$1.78 each 990

Olson DESK STAND



3 for \$9 M-95 \$3.49 MICROPHONE CONNECTOR



Standard %-27 thread. Shpg. wt.
1/4 lb.
3 for \$1



25' MIKE EXTENSION Amphenol type connectors on each end. Adapter plugs convert to 1/4" plug or jack. Shpg. wt. 1% lbs.

Heavy Duty Mike Cable * 50' Coil

Durable vinyl jacket with
wrap-shield and poly insulated
center conductor. 0.21" O.D.

Shipping weight 2 lbs.

\$389 Otson W-544

DELUXE FLOOR MIKE STAND





PROFESSIONAL STEREO MICROPHONE KIT

★ Ideal for Recording, PA, Groups,

- Two Dynamic Cardioid Mikes Two Dynamic Cardioid Mikes
 Dual Impedance (600 ohms Lo)
 (50 K Hi)
 Response: 100-12,000 Hz
 On-Off Slide Switch
 Attractive Modern Styling
 Two 20-ft. Cables w/1/4" Plug
 Attached

- ★ Two Matching Desk Stands ★ Two Rugged Stand Adapters Size: 5½" L. x 1½" Dia. Ship-ping weight 6 lbs.

Otson M-333

\$2998

SPECIAL BUY



POWER MEGAPHONE With Built-In Siren

X-143 Mfg. Suggested \$798

- ★ Lightweight—Portable
- Powerful Solid State Circuit
 Can Be Heard Up To 300 Feet
 Built-in Volume Control
 Operates On 9 Volt Battery (Not
 Included)

Size: 1434" x 214" Dia. Size: of horn 8" Dia. Shpg. wt. 3 lbs.

9 Volt Battery BA-89 (1 req'd.)

CRYSTAL HAND MIKE

★ High Impedance ★ Includes Mike Stand



M-145

Built-in on-off switch. Tape recording, P.A., etc. Response: 50-8,500 Hz. Output level: 57 db. With lavelier cord and 6 ft. shielded cable. Size: 1½" x 5". Shipping weight 1% lbs.

VACO CRYSTAL MIKE

High impedance for most portable tape recorders. Size: 11%" W. x 234" H. x 1" D. Includes 5 ft. shielded cable. Response: 40 to 6,000 Hz. Shipping weight 1½ lb.

Olson M-235 2 for 90c


LAPEL MIKE

★ For Cassette Recorder

Shielded cable with miniature plug. High impedance crystal, 11/4" dia. Output. — 50 db. Resp.: 50-50,000 Hz. Shipping wt. 1/4 lb.

2 for \$2.50

REPLACEMENTS FOR CASSETTES



Cassim ★ Includes D.I.N. Connectors
★ Perfect Replacement for
NORELCO, AMPEX and similar
recorders with D.I.N. Connec-

Shipping weight 1 lb.

Otson M-319



CASSETTE 60-12,000 Hz

Has Mini Plug and Micro Plug Remote On-Off Switch Hand Held or Stand For Cassette and Reel Recorders Shipping weight 1 lb.


Oison M-322

Olson **Transistorized** Mike Mixer

2 for S12



Controls one to four signals from high impedance sources. Size: 6" W. x 2½" H. x 3½" D. Shipping weight 1¾ lbs.



BOGEN

- ★ Mixes Mikes, Tuner, Tape. Guitar, etc. ★ Response: 50 to 20 K Hz.
- Use Up to 3 Units for 12 Inputs
- Model MX6A-T Mixer and Preamplifier
- ★ Adds Inputs to Any Amplifier
 ★ Solid State Circuit
 ★ Four Inputs—
 Hi or Low Impedance
- Size 91/4" x 6" x 25%". 110-120 volts AC, 60 cps. Shpg. wt. 6 lbs.

Nothing keeps your family as safe as Closed Circuit TV- as easy to operate as your own TVand now it's priced so that everyone can afford it!

A ten-year old could connect an Osson closed circuit TV camera to. your present TV set in less than 5 minutes and have it working perfectly. We invite you to compare every aspect of performance with expensive industrial systems. That's why industry has come flocking to buy them for security use.

The camera is a compact easily concealed unit with solid state circuitry. An automatic light compensator makes the best picture possible with the light available. This camera is so well designed that even rather low levels of room lighting produce excellent pictures. Though the basic Otson system is an achievement in simplicity, every accessory is available for special surveillance systems. If you don't want to use your present TV set as a monitor (by the way, it can still be used for regular reception), Otson

has an all-channel monitor. Fixed iris, standard, telephoto or wide anale lenses are available. A motor-driven scanner can turn your camera continuously in a full 360°

Adjustable, camera-holding tripods, too. Extra cable-the camera may be located up to 1,000 feet from the monitor. If you want sound, an Olson wire or wireless intercom may be added.

Olson - (v-com - a superb all-around Closed Circuit TV System with built-in two-way sound!

Olson customers in every part of the country have bought the world's most compact closed circuit TV system which features twoway sound — a new dimension in family protection. It's a snap

to hook up: just plug it in, turn it on and you're in the business of keeping your family safe! The camera has an F:1.6 lens, and you get a fine, sharp image on the 5" screen monitor - in al-

most any light. Automatic light control. A 30' cable is included with the system. Shut-off is automatic 30 seconds after conversation ends.



THESE ACCESSORIES MAKE THE SYSTEM EVEN MORE FLEXIBLE:

Adjustable "Take Anywhere" Camera Tripod Mount

Universal Wall or Surface Camera Mount TV-125\$24.95

65 Ft. Extension Cable (camera to monitor) TV-202\$30.00

an extra pair of eyes and ears to protect your home and property!



SEE WHO'S AT THE FRONT DOOR



KEEP AN EYE ON BABY



WATCH OVER POOL OR PLAY AREA



OFFERS SECURITY IN BUSINESS

- . Doctors' and Dentists' Reception Areas . A Nurse's Aid in Time of Sickness . Protects the Parking Lot
- Put on Your Own TV Show and You're the Star! Conduct School or Training Classes

CC TV Camera

- * Solid State Circuitry
- * Automatic Light Compensation

Connects to your present TV set to make complete closed-circuit TV system. Requires no internal connections, just connect to antenna terminals. TV set can still be used for regular reception. Output level: 1.5 volt peak-to-peak video. Resolution: H 500 lines. Size: 9½" L. x 5%" H. x 3%" W. Operates on 110 to 120 volts A.C. 50/60 cps. Shpg. wt. 7 lbs.



Otson TV-132

...\$189.98

2 Pc. Camera & Lens Combination Camera & 25 mm Lens \$198

4 Pc. Complete Closed Circuit TV System

Includes:

 Obsen
 TV Camera, TV-132
 \$189.98

 Obsen
 25 mm Lens, TV-117
 40.00

 Obsen
 Adjust. Tripod, TV-189
 16.50

 TV Monitor, TV-193
 89.88

 Total Individual Price
 \$336.36

Combination Price Oison A5-388\$290



TV Monitor, With Glare-Free Screen

Only 15% lbs. Has clear, sharply defined picture. Aluminized picture tube. Operates on 110 to 120 V. AC, 50/60 cps. Size: 12" x 17" x 11\(\frac{1}{2}\)", Shpg. wt. 23 lbs.

Olson TV-193 \$8988

*\$10 Monthly Style May Vary



Automatic Scanner! Multiply Your Security Coverage!



A 360° AUTOMATIC SCANNER.

Standard camera mount. 1/4-20 screw. Shipping weight 13 lbs.

Oison TV-184\$129.99

Reg. \$149.50 SCANNER SYSTEM. Above scanner with

TV-132 camera and TV-117 lens.

Individual Total \$359.97.

Olson AS-307

B AJUSTABLE TRIPOD MOUNT.

Easy installation. Otson TV-189 \$16.50

\$310

accessories to meet special needs

25 mm Lens: F.8 Fixed Iris, \$15.00
Standard Lens: 25 mm. F 1.4 F stops from 1.4 to 22, 10 TV-117\$40.00
Tele-Photo Lens 50 mm, F 1.4 stops from 1.4 to 22, 500 TV-116
Wide-Angle Lens: 12 mm, F 1.4 F stops from 1.4 to 22, 500 TV-115
Tele-Photo Lens: 12 mm, F 1.4 F stops \$95.00
Replacement Vidicon Tube for Camera 7735A Tourn TV-129 \$99.00

7735A (Miss TV-129 \$99,00 55 Ft. RG59 U Cable, (Miss W-414 \$ 3.49 Universal Campra Mount

Universal Camera Mount, \$24.9

New ways to protect your home ... your family ... your business ... with these fine security products from Olson!

You worked hard for your property

Don't let your car become the next auto theft statistic

A One AUTO BURGLAR ALARM PLUS ROAD HAZARD LIGHT SWITCH. Blows auto horn if disturbed. Auxiliary switch included. Modernizes your parking lights into flashing road hazard lights. For 6 or 12 volt cars. Fast, easy installation. Shipping wt. 5 lbs.

AH-149



E AUTO GUARD protects your car from thieves by making it "jumper proof." Electronically disables car ignition system so that car will try to start but actually will not even with master key. Car will start only for owner. Compact, easily hidden, installs in minutes. For 6 or 12 volt neg. gnd. systems. Size: 21/2"x1"x1". Shipping weight 1 lb.

AU-185

© AUTO BURGLAR ALARM blows car horn and flashes interior lights on and off if disturbed. Fits all 12 volt positive or negative ground cars. Shipping wt. 3 lbs.

© DELUXE BURGLAR ALARM same as above, except also includes high-powered, heavy duty police siren. Shipping wt. 6 lbs.

AU-116



and stop a thief! attracts thieves like a

darkened house. These electrically operated time switches will turn lamps (and appliances) on and off even if you're away for weeks.

Light a light automatically-



A OUTDOOR PHOTO ELECTRIC SWITCH turns lights on at dusk, off at dawn. Needs no wiring. Never needs setting. Screw light bulb into adapter and adapter into outdoor fixture. Gives lighting protection all night. Operates on 120 Volts AC. Shipping wt. 1/4 lb.

SW-402



B INDOOR PHOTO ELECTRIC SWITCH turns lights, signs, appliances and directly on and off at dusk land dayer, sire: \$16" x 21/6" x 134". For 11X Volts A.C. Gapacier 600 Watts. Shipping Wt. 18 kg. \$4.49 \$4.49 \$3.59





C HEAVY DUTY PHOTO ELECTRIC SWITCH KIT with weather-proof Epoxy Encapsulated circuitry. Controls indoor or outdoor lighting, door openers, motors, etc. Can be used to turn on or off with presence or absence of light. Relay contacts handle 5 Amps at 120 Volts A.C. Size 3" x 3" x 134". 110-120 Volts A.C., 60 cps. Shipping Wt. 1 lb. SW-486

INTERMATIC TIME SWITCH has simple push-button controls. Capacity 875 Watts or 7 Amps. Easy time adjustments, plus man-ual control. 110-120 Volts AC, 60 cps. Shipping wt. 21/2 lbs.

DELUXE INTERMATIC TIME SWITCH similar to above, except 15 Amp capacity.

These Alarms Sense Fire Before You Do!



A Dissa PLUG-IN FIRE ALARM FOR HOME AND TRAVEL plugs into electrical outlet. AND TRAVEL plugs into electrical outlet. Though tiny and easily portable, it gives a loud penetrating, continuous buzz if excited by heat. Size 111/6. W. x 2" H. x 134" D. 110-120 Volts A.C. 50/60 cps. Shipping Wt. 1/2 lb. LIMITED QUANTITY

SW-407




B Green SMOKE & HEAT ALARM warns you of smoke as well as of heat. Heat sensor triggers powerful buzzer at 135°F. Locate detector in probable fire area, place alarm anywhere in the same building. Also provision for an additional external heat sensor. Alarm can actuate other 120 V. devices. Sizes: 5½" W. x 7" H. x 2½" D. 110-120 Volts A.C. 50/60 cps. Shipping Wt. 8 lbs.

SW-440



TRANSISTORIZED SMOKE & HEAT ALARM triggers powerful buzzer when it detects either smoke or heat. Heat sensor actuates at 135°, and there is provision for an additional external heat sensor. Manual emergency switch sounds warning if you detect fire even before sensor. Shipping Wt.

Extra Heat Sensor, SW-392



D Gina FIRE SENSING SWITCH FOR ALL ALARM SYSTEMS is ideal for probable fire areas in home, business, or industry. Also protects against overheating motors, fans, boiler, etc. Normally closed switch activates at 140°F. Maximum capacity 1 amp @ 250 volts, Size: 2" x 56" Shpg. wt. 1/4 lb.

SW-521 Pkg. of 2

On these pages, you'll find dozens of items to protect your home and your property against the constant threat of crime and the terrible danger of fire. There are devices to safeguard your car against theft; fire and burglary warnings: ingenious little gadgets to turn lights on and off automatically. There are "must" items of personal protection for your loved ones . . . all kinds of merchandise to add to your security and protection. Turn to the two preceding pages for some of the finest, most reliable closed circuit television equipment you'll find anywhere. Remember—it's no longer a luxury to own items like these-it's become a necessity. And now Olson brings it all well within your reach . . . and now you can order them more conveniently than ever be-

. . now protect it against fire & theft!

Burglar alarms - worth their cost



when a person enters a room. Can also count people, merchandise. Infra-Red filter for invisible light operation. Self-powered. Range up to 49 ft. Includes two pieces, light source and receiver. Size each unit: 6" x 4½" x 3". Operates on 110-120 Volts AC, 50/60 cps. Shipping weight 6 lbs. SW-364 ... 3 for \$11.00 6 Digit Counter X-83



Heavy duty bell, housed in a weather-proof, tamper-proof metal box, can be heard for blocks. Push-button door and window switches activate bell which will continue to ring until you turn it off. Burglar cannot turn off alarm by closing window or door. Key-Lock, on-off switch. Operates on standard 12 volt lantern battery, not supplied. Size: 91/4" W. x 12" H. x 41/4" D. Shipping weight 15 lbs. Sizes SW-520 \$49.98 \$2.79

12 Volt Battery for above Otsoe BA-169

DELT ALERT ULTRASONIC ALARM fills the room with D DELT ALERT ULTRASONIC ALARM fills the room with invisible waves. If interrupted by intruder the mechanism actuates bells, buzzers, lights. Also has built-in timer for night lighting. Range 15 to 30 ft., depending on environment. Solid State circuitry. Operates on 110-125 Volt AC., 60 cps. Relay contacts handle 5 Amps. Size: 10%" W. x 31/4" H. x 31/4" D. Shpg. wt. 3 lbs. SW-502 ... \$69.95



Combination Fire and Burglar alarms



4 Batteries Required. BA-41

B Disce BURGLAR & FIRE ALARM KIT includes motortype siren, one fire sensing switch, I master switch, I override switch, terminal block, battery holder and 100 ft. of wire. Complete with Instructions. Shipping weight 5 lbs. Less batterles. SW-391 \$14.99 Extra Fire Sensing Switch. SW-392



Extra Door/Window Switch Dison SW-393 ...



"MR. SAFETY" DOOR MOUNTED BURGLAR & FIRE

New Deluxe Version With Manual Safety Lock
Otton SW-541
Batteries for above (2 req'd.) BA-109 \$29.98

Personal Security Items!



SECURITY SHOCK ROD uses standard lashlight batteries to give a powerful elec-tric shock on contact. Gives attacker the shock of his life. Works like the cattle prods used in stock shows, auctions. Bat-teries included. Carrying strap for wrist. Shipping weight 3 lbs. \$9.25

Extra batteries (3 req'd.) BA-41 13c ea.



El Gine SECURITY DOOR SCOPE

Low cost personal protection, Let's you see who is on the other side of door before you open it. Ideal for Apa.Iment, Home, Business, etc. You can see out but no one can look in, Wide angle view permits easy viewing of person standing, stooping or even hiding at side of door. Quickly installs in ½" dia. hole. Adustable to door thickness of 1" to 134". Weatherproof and tamper proof. Shpg. wt. ½ lb. St.39, 4 for \$5

Gadgets & Books for Your Protection



A MAGNETIC SWITCH can be used on doors, windows, cabinet, etc. with most alarm systems. Switch is SPST NC when switch is energized by Magnet. Size: 31/2" x 1/2" x 1/4". Shp. wt. 1/4

B BUZZER operates on 117 volts AC, 50/60 cps. Size: 234" x 11/8". Shipping weight

SW-416

E EXTRA LOUD BELL, 110 volts 50/60 cps. Shpg. wt. 1/4 lb. SW-415 \$3.98



"SECURITY **ELECTRONICS."**

Covers

electronic intrusion alarms, photoelectric detectors, signaling systems and dozens of others. The very latest in security systems must be understood by more experts if we are to curb the continuously rising crime rates. Shipping wt. 1/2 lb.



E POLICE-TYPE SIREN can be heard blocks away, for alarm systems in stores, plants, auto, boat, emergency vehicles, etc. Die-cast aluminum and steel. Heavy-duty construction. For 12 volt DC or 110-120 volt AC @ 2 amps, Size 634" L. x 5½" W. x 5½" H. Shipping wt. 3½ lbs. YOUR CHOICE\$19.98 12 Volt 110-120 Volt

PRICE SALE

SAVE 50% On Environmental Lighting Equi-Otson Stereo Receiver Over \$160. Sorry Offer Does Not Apply To Fair Trade or Sale Items



SATELLITE COLOR ORGAN

★ Single Channel — Full Frequency ★ Connects to any Music Source ★ Way-Out Lighting Pattern ★ Ideal for Dorms, Den, Rec Room & Etc. ★ Black & White Pop-Art Finish ★ Complete with Wire and Connecting Clips.

Size: 6" x 6" x 5". Operates on 110-120

volts AC. 60 Hz. Shipping weight 4 lbs.

Use two for stereo \$19.60 Otsoe X-141



Olson LIGHT MODULATOR

★ Lights Dance in Tempo to Music ★ Connects to Any Amp., Radio, Pnono, Etc. ★ Ideal for Music Compos, Home and Parties ★ Light Sensitivity Control ★ 500 Watt Light Capacity

Size: 4½" x 2½" x 1½". Operates on 110-120 AC. 60 Hz. Snipping weight 2 lbs.

Use two for stereo \$19.00 Olson SW-491



ELECTRONIC STROBE LIGHT

★ Create Old Time Movie Flicker ★ Great for Rock Groups — Exotic Dancers — Jazz Combos, Etc. ★ Walnut Finished Wood Cabinet ★ Variable Flash Rate, 1-12 Times Second

Size: $5\frac{1}{4}$ " x $5\frac{1}{4}$ " x $4\frac{9}{4}$ ". 110-120 V. AC. 50/60 cps. Shipping weight 2 lbs.

Oison X-134

\$2498



Olson ENVIRONMENTAL

LIGHT CENTE Lighting Turned-on





SEE THE BEAT IN COLOR

- Colored Light Patterns
 Dance to Music Tempo
 Three Panels of
 Patterned Styrene for Maximum Light Exposure
- Separates HI and Lo Frequency Channels Connects to Hi-Fi or Stereo System, Musi-cal Instrument Amp.,
- cal Instrument Amp., Radio, Etc. Smartly Designed Wainut Finished Cabinet Size 24" x 1114" x 7142", 110-120 volts AC. 60 cps. Shpg. wt. 12 lbs.

Otton X-116

\$30



Otson X-112

TRIPLE CHANNEL

COLOR ORGAN

* 3 Channel color organ

* Lights respond with ★ 3 Channel color organ ★ Lights respond with different sound frequen-cies ★ Individual color predominance can be ob-tained by the adjustment of the corresponding sen-stivity control ★ Book-shelf size walnut finish cabinet ★ Size: 18" x 12" x 9". 110-120 V. AC. 60 cps. Shpg. wt. 11 lbs.

\$4995



DUAL HEAD STROBE LIGHT

★ Lights Flash Alternately ★ Wide Angle Cover-age ★ Variable Flash Rate 1-12 Times/Second * Walnut Finished Wood Cabinet

Size: 5½" x 10" x 4¾". Operates on 110-120 volts AC. 50/60 cps. Shpg. wt. 4 lbs.

Oteon X-142

\$4998



MUSICIANS -- here's your side man! Complete rhythm section for the single performer Olson

Olson X-100



It's your whole rhythm section. It plays the rhythm while you play the melody. Useful for the amateur, semi-professional or professional musician. This instru- fast to slow. Volume control. ment will play through the am-

★ 9 Basic Rhythm Patterns
Rhythms for Waltz, Swing,
Surfin, Twist, Bosa Nova, Samba, Rumba, Mambo and Cha Cha. Beat Sounds for Bass Drum,

R. G. Meister, 2 Tyrone Avenue, New Castle, DE, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt". See back cover for instructions.

More than just a side man, pliffer of your electric organ, 's your whole rhythm section, guitar or hi-fi, Beat sounds are mixed automatically to produce different rhythm patterns. Tempo is infinitely adjustable

* 8 Different Beat Sounds

Tom-Tom, Conga, Claves, Snare Drum, Maracas, Cymbal-A and Cymbal-B. With this instrument you can even combine 2 rhythm circuits, call in instrument sounds at the touch of a button. Solid state circuits.


Operates on 110-120 Volts AC —60 Hz. Size 14" W. x 1313,6" H. x 71,9" D. Shipping weight 18 lbs.

GRILLE CLOTH

Make Your Old Speaker Cabinet Look Like New

Olson Decorator Grille Fabric

Vinyl Plastic
Plastic
from illustration. An @eee Best Buy! Shipping weight 1% lbs.



A	Walnut	or A	Aal	nog.		
	HF-120	36"	×	36"	law in	\$2.98
	HF-122	24"	×	36"		\$2.39
B	Blonde					
	HF-123	24"	×	36"		\$2.39
	HF-121	36"	×	36"		\$2.89
	Package	of	2	Matc	hed I	Pieces
	11" x	26"				
	200					

© Wal. or Mahog. HF-125 . \$2.98 Blonde HF-124 36" x 36" Grille Fabric \$2.98

A Walnut HF-13 . Blonde HF-14 Your choice \$1.79

35" x 12" UNIVERSAL PATTERN

Color and weave are carefully selected to blend with popular wood finishes: Blond, walnut, Fruitwood, etc. E Oison HF-119 12"x35"

BASKET WEAVE

Bold wood grain strips run through neutral field of woven vinyl plastic. Will not sag or fade.

F HF-117 12" x 14"

Handsome fashionable				most
24"x36" Cott 24"x36" Plas	on Otson	HF-159 HF-158		 \$2.79 \$2.99
6 PIECE GI	RILLE CLO	отн кіт	PL ST	200

Otson 25"x36" OLSONTONE

★ From 7" x 10" to 12 ★ Mahogany and Blonde ★ Different Patterns

Otson HF-20 2 Pkgs. for Shipping weight 1/4 lb.

OSON MATCHED GRILLE FABRIC 11" x 26" pkg. of 2 matched pieces. Blonde, HF-18 Walnut, HF-19

Blonde, HF-15 Walnut, HF-16

\$149



x 18" x 1/2" ACOUSTIC FOAM 72" No. HF-12, 3 for \$7.50

\$298

89° ..

12 FT. GUITAR CABLE



Otson HF-90 \$2.79 Has a 90 degree ¼" phone plug on each end. Shpg. wt. 1 lb.

20' Stretch Cable, 1/4" phone plugs Otson W-540\$3.98

DISTORTION GENERATOR 2998

Use With Any Electric Guitar Adds That Distorted Way Out

X out of the Connection X on-Off Foot Switch

★ Volume and Tone Controls
Size: 5½" x 3½" x 2½"
ping weight 1¾ lbs. x 21/8". Ship-

Olson MUSICAL INSTRUMENT **AMPLIFIER HORN**

S-150 98

2 for \$24

Use With Any Music Source

- Adds Dimension and High Frequencies Lost with Paper Cone or Bass Speakers

 Powerful 50 Watt Capacity

 Response: 2,000 to 20,000 Hz. Includes Crossover Capacitor Filter Low from High Frequency

 Adds Dimension and High Frequency


 * 2.8-ounce Ceramic Magnet

 * For 8 or 16 Ohm Impedance

 * Use 2 or more with Higher Power Systems

 * Ideal for Mating with One Guitar Speakers Listed Below Size: 3½" x 8" x 8½". Ship weight 2 lbs.

- x 8" x 81/2". Shipping



highly special devices designed to give: (1) Correct Musical "Voicing" or quality required 15' STRETCH CABLE

2 Standard 1/4" Plugs Single Conductor Shielded

★ Single Conductor

★ Retracts to 22"

★ Durable Rubber Coated Cable

★ Ideal for Guitar to Amplifier

Hook-up, Etc.

Shinning weight 1 lb.

15' STRETCH CABLE Same as above less the plugs. Shipping weight ¾ lb.

3) Electro Voice

Professional Dynamic Mike

\$1.09 ea.

TRANSMITTER PLUG Oison



Marie Ale

- Complete Transmitter in a 1/4" Plug
- Solid State Circuitry
- * Transmits to Any FM Radio * Ideal for Cordless Electric Guitar

Shipping weight 1/4 lb.

BA-126 Battery for Above (1 Req'd.)

ea. 55c

Value Separately

INCLUDED AT NO EXTRA COST

w/Mighty "O"

- ★ Effectively Reduces Feedback
- * Built-in Pop Filter



SI SI SI SI SI

Olson . Electro Voice MUSICAL INSTRUMENT and **VOCAL AMPLIFIER** THE

MIGHTY

Like WOW! It Is Powerful Includes



1 Electro Voice SRO/12 Made To Sell For Over SPEAKER \$80 **BUILT-IN**

Separately Built-in Tremelo with Speed

- and Depth Controls for That Mod Sound Separate Bass and Treble
- Controls
- For Reed, Brass or Rhythm
- Instruments
- ★ Three Inputs for Mike or Instruments with Individual Volume Controls
 ★ Powerful 3 lb. Magnet

Size: $29\frac{1}{2}$ " H. x $19\frac{1}{4}$ " W. x $11\frac{1}{4}$ " D. Operates on 110-120 Volts AC 50/60 Hz. Shipping weight 70 lbs.



Cool-Efficient Solid State

Ideal for Rock Bands, Portable PA, DJ's Etc.

Rugged Vinyl-Covered Cabinet w/Metal Corner Guards

Sturdy Side Mounted Carrying


12" Extended Range Speaker

Circuitry

Handles



\$10 Monthly Complete for









Olson 20K OHMS/VOLT MULTIMETER

- ★ DC Volts: 0-25, 50, 500, 250 V.
- ★ AC Volts: 0-10, 50, 500, 1000 V.
- ★ DC Current: 0-50 ua., 2.5 ma., 250 ma.
- * Resistance: 0-60 K 6 meg.

x 4%" x 1%". Shipping

Olson TE-185

Reg. \$11.98

B Olson | 000 Ohms/Volt Multimeter

- ★ Pocket Size
 ★ Complete with
 Test Leads
 ★ AC and DC Voits, 0-15, 150, 1,000
 ★ DC Current: 0-150 ma.
 ★ Resistance: 0-100K Ohms
 ★ Uses Penlight Bat. (Incl.)

Size: 2%" x 3½" x 1". Shipping weight 2 lbs.

TE-184 \$598

C Olson 30 K Ohms/Volt Multimeter

★ Mirrored Scale-Ranges: DC volts: 0-5, 25, 50, 250, 500, 2.5K, AC volts: 0-10, 50, 100, 1000. DC cur-rent: 50 ua., 2.5 ma., 25 ma., 250 ma. Resistance: 0-60K 6 meg. Db. —20 to +22. Complete with test leads and battery.

Shipping weight 3 lbs.

TE-240

\$1398

30,000 Ohms/Volt Oison Multimeter



Olson TE-200

- ★ DC volts: 0-0.6, 6, 30, 120, 600, 1200V
- ★ AC volts: 0-12, 60, 300, 1200V.
- ★ DC current: 0-60 ua., 12 ma., 300 ma.
- ★ Res.: 0-10K, 1 meg., 10 meg.

Size: 51/4" H. 3%" W. x 11/2" D. Shipping weight 2 lbs.

30K Ohms/Volt Olson Multimeter



Olson TE-230

- ★ Meter Protective Circuit

 ★ Mirrored Scale, Less Carrying Case

 ★ DC Volts: 0.30, 3, 30, 120, 300, 1200

 ★ AC Volts: 0-12, 30, 120, 300, 1200

 ★ Resist: 3000, 300K, 3 Meg.

 ★ DC Current: 0-30 ua., 3 ma., 300 ma.

 Size: 3½″ W. x 6″ H. x 2¾″ D.

50K Ohms/Volt Oison Multimeter



Oison TE-197

- ★ Meter Safe/Guard

 ★ DC Volts, 0-600 mv., 3, 12, 60, 300, 600, 1200, 3000 V.

 ★ AC Volts: 0-6, 30, 120, 200, 1200 V.

 ★ Resistance: 0-10K, 1 meg., 10 meg., 100 meg.

 ★ DC Current: 0-30 ua., 6 ma., 60 ma., 600 ma. Size: 4" W. x 6" H. x 1\%" D. Shipping weight 4 lbs.

Shipping weight 2 lbs.

D Olson 20K Ohms/ **Volt Multimeter**

- * Mirrored Scale
- ★ DC V.: 0-3, 12, 60, 120, 300, 600, 1200
- ★ DB: —20 to +17, +15 to +31 db
- Res.: 0-5,000, 500K, 5 meg.
- ★ AC V.: 0-6, 30, 120, 300, 600, 1200
- ★ 0-6 ua., 6 ma., 60 ma., 300 ma., Shpg. wt. 4 lbs.

TE-214

E Deluxe 100K Ohms/Volt Multimeter

* Mirrored Scale ★ Protective Cat.

* DC V: 3, 12, 60, 120, 300, 600, 1200

* Rest.: 0-2,000, 200K, 20 meg.,
200 meg.

* AC V: 0-6, 30, 120, 300, 600, 1200

* Audio Voit: 0-6, 30, 120, 300, 600

* Db.: -20 to + 17; + 15 to +31

* DC Current: 0-12 ua., 6 ma., 60
ma., 300 ma., 12 A.

Size: 5½" W. x 7½" H. x 2½"

D. Batteries and test leads included. Shipping weight 4 lbs.

TE-216 \$45

F Mercury Frofessional Vacuum Tube Voltmeter

- Large 6" Meter

- ★ Not a Kit
 ★ Ideal for Beginner or Pro
 ★ AC Volts 1.5 V. to 1500 V.
- (7 Ranges) ★ Peak-to-Peak: 0-4000 V.
- (7 Ranges)
 DC Volts: 1.5 V. to 1500 V.
 (7 Ranges)

★ Resistance: 30 to 1000

meg ohms (7 Ranges)

Operates on 110-120 volts AC

50/60 cps. Size: 8½" x 6½" x

4½". Shpg. wt. 7 lbs.

TE-208



METER OF THE MONTH

Olson 30 K OHMS/VOLT MULTIMETER

* Professional Quality * Easy Push-Button Operation

LOTS OF USES:

Check AC Line Voltage



Check DC Voltage and Current



 Check Resis-tance and Continuity



· Check Output



SPECIFICATIONS

30 K Ohms/Volt
DC Volts: 0-1, 2.5, 10, 50, 250, 1,000
AC Volts: 0-2.5, 10, 50, 250
AC Volts: 0-2.5, 10, 50, 250
Resistance: 0-5,000, 50K, 500K 5 meg ohms
Db.: —10 to +36
DC Current: 0-50 ua., 100 ma., 250 ma., 500 ma., 10 A

Size: 8½" x 5½" x 2½". Batteries and test leads included. Shpg. wt. 4 lbs.


TAUT BRAND METER




Large Easy to Read

Meter Face Mirrored Scale for Accuracy

TE-235 \$4000





Mercury Tube Tester Kit

MODEL 990K

Olson KB-219

- ★ Magnoval, Novar, Decal, Compactron,
 Nuvistor, Octal 9-10 pin & 7 pin
 ★ Checks emission, shorts, leakage and gas
 of all up-to-date tubes
 ★ Bridge meter circuit
 Size: 6½" x 7½" x 3½". 115 V. 50/60 cps.
 Shipping wt. 5 lbs.

Factory Wired Model 990 \$34.95

Otson TE-233

Deluxe Mercury Tube Tester Kit



WAS \$40 IN 271 CAT.

★ Exclusive 2-Point Test Principle for Accuracy

* Exclusive 2-Point Test Principle for Accuracy

* Test Decals, Magnovals, Nuvistors,
Compactrons, Octals & 7-9-10 Pin

* Large, Easy to Read Meter

* Luggage Style Scuff-Proof Case

* Step-by-Step Easy to Assemble Instructions
Size: 8½" x 11½" x 3½". Shipping
weight 6 lbs.

E. J. Boocock, Star Route Box 10, Richford, VT 05476, wins choice of merchandise
worth \$5 from Olson's "Treasure Hunt."
See back cover for instructions.

BEGINNER'S SPECIAL!

Complete Test Equipment Center at a Savings



* Ideal For Do-It-Yourselfers, Students and Servicemen

Servicemen

* Special Includes:
Mercury VTVM @mon TE-208 (p. 52)
Mercury Tube Tester Kit, Model 990K (left)
@mon TE-207 Test Lead Kit (p. 54)
@mon W-568 6 AC Outlet Converter (p. 54)
Sturdy Bench Frame KB-98 (p. 61)
SAVE \$13.16 FROM
INDIVIDUAL CAT. PRICES

*\$10 Monthly \$70

G Olson 500 Watt Variable **Voltage Control**

Variable auto-transformer of toroidalcore design. Delivers variable AC voltage from 0 to 130 volts. Maximum rating applies over full range of output voltage. AC input 110-125 volts AC. 50 to 60 cps. Shpg. wt. 10½ lbs.

Olson \$ 498

H Auto Tachometer



1 Otson Variable DC **Power Supply**

Size: 7¼" W. x 5½" D. x 3¼" H. 110-120 V. AC, 50/60 cps. Shipping weight 5 lbs.

Otton BA-145

\$2198

Dwell Meter

Well Meter
Also Checks For Weak Voltage
★ Electronically Tunes Up Any Car
Made
★ Fast, Easy Operation
★ Checks 0-16 Volts DC Battery, Etc.
★ For 4, 6, or 8 Cylinder Cars
★ RPM Ranges: 0-3,000, 0-4,000 RPM
★ Dwell Angle Ranges: 15-45°,
20-60°
Size: 634″ x 514″ x 214″ Cl

Size: 6¾" x 5½" x 2½. Shpg. wt. 5 lbs.

\$2198 TE-250

J Tachometer Dwell Angle Meter

- **Electronically Tunes Up Any** Car Made
- 3 Ranges: 0-45, 0-60, 0-90
- ★ 3 kanges: 0-43, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65, 0-65,

Size: 6¾" W. x 5½" H. x 2¾. D. Shipping weight 5 lbs.

Otson TE-204 \$2995





-:| | | | =

ELECTRICAL TAPE



TL-268

.

\$1.19

★ 66 Ft. Roll ★ 34" Wide Shpg. wt. 1/4 lb.

Olson 12 PC. TEST LEAD KIT



Otson TE-207 \$189 Reg. \$9 79

Consists of two 36" red and black test leads with banana plugs on each end. 2 heavy-duty spade lugs, 2 phone tip plugs, two 5" test probes and insulated clips. Shipping weight 1/4 lb.

Oison 6 & 9 VOLT AC Adaptor



NEON CIRCUIT TESTER

For Radio-Electrical Circuits For Radio-Electrical Circuit's Circuit tester for voltages from 125 to 280 volts AC or DC. Mold-ed plastic with insulated leads. Completely safe. Shpg. wt. 1/4 lb.



Plugs on to test probe to change to clips. Fully insulated. 9%" long. Shipping weight 1/4 lb.

DELUXE TEST LEADS



4 for \$4

★ 60" Long

Long extra, flexible test leads with new "flexiprobes." Molded strain relief eliminates wire breakage, Standard tip plugs on end of leads fit most multimeters. Shipping weight 1/4 lb.



* Checks for Opens and Shorts



★ Indicates Diode Polarity
★ Indicates Diode Polarity
★ Tests Low Voltage Electrolytics
Size: 3½" x 2½" x 1¾". Shipping weight ½ lb.
Battery for above, one required.

[Gien] BA-89 21c



TA-584

NAVY BROWN YELLOW ORANGE BLACK GRAY WHITE BLUE

10 Colored Rolls each 33' long. Color Code Wires and Connections.

330 FT.

JEWELED SWISS STOP WATCH



Scale divided in 1/10 seconds up to 30 seconds on outer dial. Inner dial registers up to 15 minutes. Side and crown push buttons. 134" dial. Shipping weight 1/2 lb.

Olson 6 AC OUTLET CONVENIENCE

Osos \$ 199 W-568 3 for \$5.40

Converts One AC Outlet to Six 15 Amp Capacity Easy Mount-in-Seconds Installation

Complete with 6 ft. Heavy-duty Cable

Size: 4" x 434" x 1". Shipping weight 1 lb.

MULTIPLE OUTLET CONVERTER

8-IN-1 TAP-A-LINE

W-278

* For Kitchen or Work Bench Shipping weight 1/4 lb.

6 AC OUTLET CONVERTER



★ 6 AC Outlets Available From 2

* Ideal for Home-Office-Shop

* Easy Plug-In Installation Size: 4¼" W. x 4¾" H. x 1". Shipping weight 1 lb.

DEGAUSSING COIL



Sharpens color reception through demagnatization of the picture tube. Simply rotate degauser in front of color tube to remove color impurities. Use regularly to keep reception sharp and clear. Includes clip to store on back of set when not in use. Shipping weight 1 lb.

- Picture Brightener

* Restores Brightness & Contrast Made in U.S.A.

Extends
Tube Life

For series or parallel wired fila-ments. Can be used on electro-static or electromagnetic focus tubes. Shipping wt. 1 lb.

Otson T-276, 3 for \$5.40 12 at \$1.60 °., \$1.98

COLOR PICTURE TUBE "BRITENER"



★ For 90° Rectangular 23" and 25" Tubes

Brightens and restores color contrast and quality to aging color TV picture tubes. Increas-es filament voltage to boost emission for sharper, clearer pic-tures. Shipping weight 1 lb.

Battery Eliminator-Power Supplies

DC POWER SUPPLY



Olson BA-133. \$299

4.5, 6, 9 and 12 Volts For Solid State Devices Up to 140 MA Output

Low ripple DC power supply is perfect for solid-state modules and experimental transistor circuits. Desired voltage is selected by slide switch on front panel. Has binding posts and pilot light. Size: 5½" x 2¾" x 2¾". Operates on 110-120 volts AC, 50/60 cps. Shipping weight 3 lbs.

* Up To 200 ma. Output

* 3 Plug Adaptors

* For Radios, Tape Recorders,
Walkie Talkies, Etc.

Derates battery powered devices
directly from house current. Condirectly from house current. Convenient plug-in adaptor fits miniature and subminiature phone jacks and the popular coaxial power jack. Supplies 6 V. DC@ 200 ma. or 9 V DC@ 150 ma. pos. or neg. gnd. Operates on 110-120 V. AC. 60 Hz. Size: 2½" x 1½" x 1½". Shpg. wt. 1 lb

Son Solid State
DC Power Supply Olson

BA-161



★ Operates Automotive Accessories From House Current

* Output: 12 Volts DC @ Up to 2

Ideal for Tape Players, CB Radios, Etc.

* Well Filtered and Stabilized

* Convenient Binding Post Terminals Fuse Protected Against Overload

Controls Include On/Off Switch and Pilot Light.

Size: 4¼" W. x 3¼" H. x 7"
D. Operates on 110-120 V. AC.
60 cps. Shipping weight 5 lbs.

UNIVERSAL DC Olson POWER SUPPLY


9 - 12 Volts

★ 3 . 4.5 · 6 · 9 · 12 Volr:
★ Up to 400 Ma Output
★ Operates Radios, Cassette Recorders, Etc. From House Current
★ Has Pilot Light and On-Off Switch

Rugged Metal Cabinet
Size: 3¼" W. x 2¾" H. x 4"

D. Shipping weight 3 lbs.

Olson 12 Volt DC POWER SUPPLY



Completely Assembled Output 1 Amp. 117 V. AC Input Silicon Diodes

* Well Filtered Size: 2¾" x 2¾" x 1¾". Shipping weight 2 lbs.

Oison I AMP TEST CLIP

on X-121

Vinyl Insulated ★ Pkg. of 6, 3 Red—3 Black ★ Solder or Screw Connection Shpg. wt. 1/4 lb.



Deluxe CLIP LEADS Olson X-43

54 Olson Electronics

★ Pkg. of 10 ★ 14" Long ★ Insulated Alligator Clips Shipping weight ½ 1b.

SLOT CAR ACCESSORIES

"SLOT CAR SURPRISE KIT"

★ Wheels, Axles, Bearings, Etc. ★ Components by Leading Manufacturers

generous supply of the most often needed parts for the slot-builder. Includes a set of wheels and axles.



SL-116

Shipping wt.

D. Gillund, 213 St. Anthony, Preston, MN 55965, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

DELUXE SURPRISE KIT___

69 parts including gears, motor mounts, rudder guides, chassis. Tires plus all of above. Shipping weight 2 lbs. Green St.-184 \$2.99

HOME OILER

Ideal for lubricating slot car wheels, bear-ings and household items. Flexible acetate container. Shpg. wt. 14 lb.

SL-20 4 FOR



RANNALLI CONTACT BRUSHES

★ Pkg. of 16 1" Strips

* Tinned Shpg. wt. 1/4 lb.

Otson SL-144 2 for \$1







OG

MABUCHI HOBBY MOTORS Replacement For Many Battery

Powered Recorders

★ 1½ and 3 Volt Models ★ Reversible

IN LOTS OF 4 * Ideal for Toys, Hobby Cars,

Displays, Etc

★ Reversible

★ All Are Compact Sizes

A 3 volt DC. Size 1½" x 1½" x 1½". Shaft: ¼" L. x ½" dia.

→ MO-238

→ MO-238

Same as above but has Pinion Gear pressed on shaft. 89c 4 @ 79c

B. Same motor as A but has pinion gear and gear housing. Housing size 2½" x 1½" x 2".

©nes MO-240

99c ea. 4 @ 89.

99c ea. 4 @ 89c

11/2 volt DC. Heavy Duty with mounting plate. Size: 2" x 13/4" 1". Shaft: 1/4" L. x 1/4" dia. 99c ea. 4 @ 89c

Olson MO-242

Same as above but Smaller. Size 11/4"x11/4"x3/4". Shipping weight ½ lb.

SAL

MALLORY DURAGELL

Alkaline Batteries

Popular "D" Size Pkg. of 2

Reg. \$3.50

NOW \$770

See Mo:e Details Belo

A FRESH SET OF BATTERIES MAKES OLD RADIOS AND RECORDERS PLAY LIKE NEV

DURACELL MALLORY

MERCURY & ALKALINE BATTERIES



They last a Lot Longer!



For Photography, Flashlights, Toys, Games and Transistor Radios.

Mercury batteries last 4 to 5 times as long as carbon/zinc batteries. Alkaline last up to 8 times as long as carbon coils. Mercury batteries give longest life in transistor radios and similar equipment. Alkaline batteries are best for higher current applications such as flashlight and photo-flash. Shpg. wt. 1/4 lb.

VC	DLTS	TYPE	SIZE	NEDA TYPE	MALLORY NO.	STOCK NO.	PRICE
A	1.4	Mercury	AA	15A	ZM-9	BA-108	\$1.00
B	1.5	Alkaline	C	14,814	MN-1400	BA-109	.80
B	1.5	Alkaline	D	14,814	MN-1300	BA-137	1.00
C	1.5	Alkaline	AA	15,815	MN-1500	BA-110	.60
D	1.5	Alkaline	AAA	20	MN-2400	BA-111	.60
E	1.5	A!kaline	N	910	MN-9100	BA-112	.50
F	1.4	Mercury	2%4"×13%4"		RM-675	BA-126	.55



DURACELL

ALKALINE BATTERIES

FIASHLIGH

BATTERIES

13c

13c

Can be stored for two years or more Ideal for Campers — Toys — Recorders Three Popular Sizes
Packaged in Pairs Only
Fully Charged When You Get Them
Can be Charged Up to 100 Times
Shipping weight 34 lb.

1	SITE	Utson	-
"C"	Size	Oison	BA-1
AA	SIZE	Olson	DA.
STATE OF THE PARTY.			CL
200	MAL	Vanı	Cr

Stock No.

BA-89

BA-53

BA-41

BA-67

B

Volts

Size

ARGER for WALLURY above BATTERIES

Replaces

Burgess, 2U6, RCA, VS-312, Eveready 216, and NEDA 1604 Shpg. wt. 11/4 lbs.

Eveready 935, RCA VS.

1½ Burgess 2R, Eveready "D" 950 or RCA VSO-36 Size Shipping wt. ¼ lb.

11/2 Eveready 915, Burgess AA Ray-O-Vac R Z

"TEST FRESH"

Pkg. of 2 \$3.0 Pkg. of 2 \$2.0 Pkg. of 2 \$2.0 Pkg. of 2 \$2.0 \$2.70 \$2.00

Each lots of Lots of 10, ea. 100, ea.


20c

8c Ea. in lots of 10 or more

12c Ea, in lots of 10 or more

Pkg. of 8, 59c 3 Pkgs./\$1.50

19c



98 Olson BA-103

* Pays for itself by not replacing batteries as often.

89c ea. 4 @ 79c

Recharge 1 to 4 batteries at a time, alkaline, carbon/zinc, mercury and even nickel-cadmium. 110 to 120 volts AC, 50/60 cps. Shipping weight 3 lbs.

Cha.gatron Automatic Charger. Similar to BA-103 but includes Safe-T Plug. Self regulating, stops charging when batteries are charged



Olson

c .

BATTERY TESTER

FE-237

Battery Is tested Under Load Conditions (1.5V to 15V only) Large Full View Meter 12 Position Selector Switch Test Leads Included Most Popular Ranges from 1.5 V

to 240 V.

Size: 51/4" x 35/8" x 2". Shpg. wt. 2 lbs.

PENLIGHT BATTERY HOLDERS

Batteries connect in series. 9 volts to the terminals, Ideal for walkie-talkies, transistor radios, etc. Shpg. wt. 1/4 lb.
BA-125 Kit of 2 99c 2 For \$1.79

As above except each holder accepts 4 penlight cells for 6 volt



A 9 Volt Battery Eliminator/Chargers

★ Charges 9V Batteries

Use to replace or charge the following batteries: Burgess 2U6, RCA VS213. Eveready. 216, Neda 1604, See BA-89. For 110-120 Volts AC, 50/60 cps. Size: 2½" x 1½" x 1%". Shipping weight 1½ lbs.

Weight 1/2 105.

Charge batteries in 1 to 1½ hours.

Converts transistor portables to AC.

Use with batteries BL-006P, MV-006P.

Burgess 2U6. For 110-125 volts AC.

Size, design may vary from picture.

Shipping weight ½ lb. Ofson BA-78

Olson UHF-VHF-FM COLOR TV ANTENNAS




Don't Tolerate Ghosts and Color Distortion Use an Oison Color Approved Anten-

- System.
- ★ UHF-VHF-FM Maximum Performance System
- ★ Gold Protecto Finish ★ Signal Splitter Included

Fast accurate assembly is guaranteed by self aligning brackets. Heavy duty 1" square aluminum boom keeps all elements of antenna properly positioned for maximum pickup range. Gibbs AA-847 delivers full power signal to your TV set even in fringe areas. Highly directional characteristics reject unwanted signal from side or rear of antenna to eliminate ghosts. Shipping weight 25 lbs. Shipped Railway Express only.

W. E. Nordholm, 312 E. Park Avenue, Anaconda, MT 59711, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.



FREE! UHF-VHF Splitter Included


Oison AA-347 \$2998

FINCO

E

Add a TENNA ROTOR and save. Above antenna with Alliance K22 rotor and control box plus 100' of 5 cond, cable.

FREE! UHF-VHF Splitter Included With These 6 Antennas



A UHF-VHF-FM **Maximum Performance** System

- ★ For Metropolitan Areas
 ★ Gold Protecto Finish
 ★ Pre-Assembled Construction
 ★ Color or Black and White

Shipping weight 41/4 lbs. Shipped Railway Express only

Lake, ND 58301 wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

AA-360

FM Maximum Performance System

Color or Black and White

This special design antenna, with 3 VHF and 6 UHF driven elements, for suburban areas will deliver sharp, ghost-free reception. Factory pre-assembled. "Gold Protecto" finish. 63" boom. Shipping wt. 5½ lbs. Shipped Railway Express Only.

Antenna with AA-168 rotor

Antenna with AA-239 rotor Otton A5-379

D FINCO ★ For Deep Fringe Areas ★ Forty-Five Elements — Operates as 71 Elements ★ Snap-Lock Pre-Assembled Construction ★ 195½? Boom Length ★ Twin U-Bolt Assures No-Tilt Mounting ★ Gold Anodized Finish.

Shipping weight 16 lbs. Shipped Railway Express Only

AA-368 *SID MONTHLY

B"MOUNT IT ANYWHERE"

Ideal for Attic, Crawl Space, Apartments or Outdoors For Use in Strong UHF-VHF

Signal Area

★ Fine for Color or Black and White,
★ Complete with Mounting Hardware
and Wire
★ Gold Protecto Finish

Rugged factory pre-assembled an-tenna offers fast, easy installation. Kit includes 50' lead-in wire, annational solutions and united and united and united as screw-in insulators, 1 mast insulator, hardware, and UHF-VHF separator. Antenna length 30". Shpg. wt. 8 lbs.

AA-388

Co-Ax Antenna Kit Co-Ax Antenna Kit

Deluxe 36 Element Antenna

"Gold
Protecto" Finish

Pre-Assembled
Construction
Famous Log Periodic
Design
Heavy Duty Support Brace

Pre-Assembled Elements

High
Front-to-back Ratio
Foca-Ax Cable, 5' Mast and 11 Insulators
Shipping weight 20 lbs.

Shipped Railway Express Only

AA-220 *\$10 MONTHLY

For fringe area reception: 18
working elements deliver clear,
sharp pictures on all existing
channels and any new channels
coming in the future. Gold Protecto finished. Reinforced sleeved
elements are mounted on a rugged
one inch square boom, fully pre-assembled. Antenna length 93". Shpg.
wt. 634 lbs.
Shipped Railway Express Only

\$2298

Deluxe 26 element antenna. Same design as above with additional elements for more pulling power.

* MONTHLY PAYMENT CHART, See Page 18

56 Olson Electronics

COLON

Rotating Antennas Improve Reception

Alliance Tenna Rotor





Deluxe Alliance 45 Rotor AA-168

C-225 Automatic Solid State Tenna Roto AA-169

Alliance

Make your color TV come alive! By the addition of an Alliance Tenna Rotor and an Ohon long-range color approved antenna. A precisionaimed antenna reduces interference and color distortion so that you enjoy a lifelike picture. If you live in a fringe area or your picture quality varies when tuning from station to station, a rotator is a must. Rotators not only improve your TV reception, they also improve FM reception and make it possible for you to receive stations from more than one city. Takes up to 20-lb. antenna. 110-120 V. AC. Shipping weight 11% lbs.

100' 5-Cond Rotor Cable Otson W-533

Rotor thrust bearing relieves strain on motor bearings. Recommended for all large antennas

Oison AA-167 \$3.49

Summer Special

OISON HIGH GAIN ANTENNA SYSTEM




Cities

* UHF-VHF-FM — Color or Black

UHF-VHF-FM — Color or Black and White 18 Element VHF-FM Antenna High Gain UHF Antenna Alliance T-45 Rotor 100' 5 Cond Rotor Cable Includes Hardware Kit & Rotor Thrust Bearing

Shpg. wt. 35 lbs.

Otton AS-454
Shipped Railway Express only
\$666



*\$10 Monthly Total Individual Catalog Price \$70.12 \$27.98

VHF-FM Antenna Separately Oison AA-367


Window Feed-Thru Antenna Wire Connector with the purchase of AA-259 or AA-341.

No Holes Needed No Tools Required

Loss Mounting Brackets

★ Fast Easy Installation
★ Minimum Signal Loss
★ For Home, Travel Traller, Etc.
★ For Color, Black & White, FM

Otson AA-204




UHF CONVERTER

For Channels 14 to 83 Easy Hook-Up to Any TV Set Equips Any Set to Receive UHF A Good Looking Accessory That Modernizes Your Old

Set ★ Styles May Vary

Size 9½" W. x 4" D. x 3%" H. 110 to 120 volts AC, 50/60 cps. Shipping weight 8 lbs.




AA-233

UHF Indoor/Outdoor Corner Reflector Antenna

- ★ For Channels 13-83
- * Gold Protecto Finish



UHF ANTENNA



for Color or Black & White

High Gain Hardware In-cluded for Top or Bottom Mounting

Size: 38½" H x 18" W x 3¼" D. Shipping wt. 5½ lbs.

PROVE

Oison AA-151 \$ 198

Shipped Railway Express only

Approximate Railway Express Charges

DO NOT SEND MONEY for express charges with your order. Express charges are collected upon delivery at no extra cost to you. Insurance is included in your express rates.

Note! No express charges for merchandise picked up at any Olson Electronics Store.

Weight	150 Miles	300 Miles	600 Miles	1000 Miles	1400 Miles	1800 Miles	Over 1800 Miles
1 - 25 lbs.	\$6.85	7.30	8.30	9.75	10.90	12.00	13.10
26 - 50 lbs.	7.75	8.45	9.90	12.10	13.85	15.45	17.15
51 - 75 lbs.	9.45	9.65	11.50	14.40	16.70	18.90	21.25

Olson WINDOW FM ANTENNA KIT



Vertical or Horizontal Mounting Ideal for Apartment Buildings, Hotels, Etc.

Aluminum-Gold Corrosion

Proof Finish Separate UHF/VHF Orientation Expandable, Window Frame Mount

Shipping weight 4 lbs. Shipped Railway Express Only

Olson WINDOW TV ANTENNA KIT FOR Color & Black & White

Olson AA-259



Vertical or Horizontal Mounting Ideal for Apartment Buildings, Hotels, Etc. Aluminum-Gold Corrosion Proof Finish Separate UHF/VHF Orientation Expandable Window Frame Mount

Mount Shipped Railway Express Only.

Olson & VHF TV ANTENNA



Factory pre-assembled 8 element VHF-FM antenna for Suburban area. Snap-out pre-assembled con-struction makes installation easy. Shipping weight 5 lbs. Shipped Railway Express only.

Olson FM ANTENNA KIT

Gold Corodized Double Mast

Mount

\$998 AA-173

Complete with 50 ft. of 300 ohm twin line, two mast insulators, three screw eye insulators. Shipping weight 3½ lbs.




INDOOR TV-FM ANTENNA

Otson AA-25




Covers VHF and UHF as well as FM stations. Has 6 position phasing switch built into base. Complete with 300 ohm lead-in for any set. Extends to 34". Shipping weight 3 lbs.



Finco Master Antenna System

- Maintains Full Signal To All Outlets At Any Location
- * Ideal for Home, Apartments, Motels, Etc.
- Advanced Solid State Circuitry is Superior Over Hybrid Couplers Which Reduce Signal
- ★ Uniform Gain On UHF-VHF-FM/MPX

SYSTEM INCLUDES:



II—Signal Amplifier for 110-120 Volt
AC 50/60 cps
1—300 to 75 ohm Matching Transformer
4—Vory Wall Receptacles w/connectors
4—UHF-VHF Line Couplers
206 ft. Low Loss Coax Cable

Shipping weight 15 lbs.

AA-348 *\$10 Monthly

29999

INDOOR TV ANTENNAS



STUDIO COLOR QUALITY ANTENNAS

Folds to Disappear Behind Set

* Strong Adhesive Backing Sticks to Wood,
Metal or Plastic
Shpg. wt. 2 lbs. AA-382 \$298

AA-385 \$595

Color or Black and White
Tower Design for Added Signal Strength
Rotating Scanner for Best Reception
Separate UHF-VHF Leads
Shpg. wt. 4 lbs.

AA-378 AA-378 \$695

TUNABLE **INDOOR TV** ANTENNA

★ Just Turn The Dial To "Beam In"

Handsome Walnut Cabinet

Telescoping Rods
For Color and Black & White
Works with UHF, VHF and FM
Size: 4½" x 3½" x 3¼"

Shipping weight 2 lbs.

EAD-IN & ACCESSORIES

100' TV-FM LEAD-IN

★ 300 Ohm ★ 22 Gauge Copper Made of pure polyethylene, con-ductors are all stranded copper. Available in two grades. Ship-ping weight 2½ lbs.

TV-FM LEAD-IN S2 \$298



100' "Prime-Line" LEAD-IN

★ For Improved Color Reception * UHF/VHF

W-541 \$4 98

New one "Prime-line" lead-in in foam insulated and covered with abrasion resistant black jacket. The outer layer of insulation is impregnated with carbon black for super resistance to the deteriorating effects of the sun's ultra violet rays. Shpg. wt. 2 lbs.

COAXIAL CABLE



COLOR KIT

★ Heavy Duty
18 Gauge Wire
★ 100% Mylar
Shield Oison W-563 Wire

Foll Improve

Color Reception Reduces Interference

Eliminates Line Losses

Convert your 300 ohm antenna system to 75 ohm system. Includes coax connectors, mounting hard-ware, 100 ft. of cable and mast insulator. Shipping weight 2 lbs.

100' Shielded 'Prime-Line' TV LEAD-IN



* Balanced 300 Ohms
300 ohm lead-in for TV or FM.
Shielded for outstanding noiseresistant performance. Each conductor is foam insulated and
coated with abrasion proof vinyl.
Delivers noise-free signal from
antenna to set, efficiently. Shipping weight 3 lbs.

FINCO

82 CHANNEL ANTENNA BOOSTER



ΔA-397 98

★ Solid State ★ UHF-VHF-FM ★ For Color/Black and White

Easily Installs in Any Location

★ Easily Installs in Any Location Indoors
★ Built-in 4 Set Coupler
★ For 300 ohm Systems
★ 5 db Gain
★ Ideal for Distribution AMP on MATV Systems
Shipping weight 1 lb. Operates on 110-120 V. AC, 60 Hz.



Olson FM DIPOLE ANTENNA 300 OHM

AA-211

Flexible folded dipole antenna for FM or TV. Has tabs on end for wire for easy attachment to back of cabinet. Shpg. wt. 1/4 lb.

Universal LIGHTNING ARRESTOR



Otson AA-253

Protects TV set From Lightning ★ For Flat, Round or Open Wire
★ Strap on Mast or Mount on Wall
★ No Need to Cut or Strip Lead-In

Size: 2 wt. ¼ lb. 2" Dia. x 1". Shipping

LIGHTNING ARRESTOR




Otsor AA-205

Fused Protection Replaceable Fuses Rugged Weather-Proof

Construction

** Screw Type Connectors
Shipping weight 1 lb.

Solid State **UHF TV Tuner**




3 @ \$3.80 10 @ \$3.50 25 @ \$2.99 \$399

- Exact Replacement for Many Famous Make TV Sets
- Made by General Industries
- Direct Drive w/Fine Tuning Shipping weight 1 lb. Styles may vary.

 Approx. size: 6" L. (incl. shaft) x 1\%" W. x 3" H.

SALE

Build Your Own Reverb System Spring Delay Unit



Complete Delay Line

For Home or Auto

Schematic Included for Balance of Circuit

Up to 1.7 Seconds Reverb

Can be Used for Echo Chamber

■ 8 Ohm Input. Hi-Impedance Output Size: 5%" L. x 1½" H. x %" D. Shog. wt. ¼



Works Automatically, All You Have To Do Is

Watch Educational and Scientific Fun for All

Ideal for the Mod Set

■ Comes Complete and Ready To Use

Shipping weight 1 lb.

Filters

Olson TV Noise Filter





Connects in TV Antenna Suppress Picture

Interference Interference
Greatly suppresses
interference caused
by auto ignition.
oil burners, appliances, neon signs,
electric shavers and
X-ray. Easy connection, no internal wiring required. Size 2½" ×
1½" x ½". Shpg. wt. ¼ lb.

Plug-In Noise Filter



■ Eliminates Unwanted Line Interference

Just plug the One noise filter into the wall outlet and plug your radio or TV into the filter. Eliminates interference ter. Eliminates interference caused by appliances, electric shavers, fluorescent lights, etc., that is transmitted along the electric lines. Sizes 2½" L. x 1½" dia. Shipping weight ¼ lb.

Noise Filter For Radio, TV and Stereo



Eliminates Interference Caused by Household Appliances
Plugs Directly Into Wall Outlet
Fuse Protected

External Grounding Terminal Easy Plug-In Installation Shipping weight 1/4 lb.

Ant. Mtg. Hardware

Oison TV-FM Plug & Socket



4 for \$4 ■ Kit of 3 Pairs For TV-FM Lead-In Extensions Also Ideal for Speaker Wire

x ¼.". Shipping weight ¼ lb.
M. O. Graffis, 1108 S. 10th St.,
Pekin, IL 61564, wins choice
of merchandise worth \$5 from
Olson's "Treasure Hunt." See
back cover for instructions.

Olson TV-FM Plug & Socket

No. AA-170 4 FOR \$4 ■ Kit of 3 Pairs

\$ 119

Socket mounts on wall or base board. Plug size: ¾" x 1½". Socket: 1¾" x 1" x 1½". Shpg. wt. ¼ lb.

Olson TV FM Wall Plate



Otson AA-51 \$ 19

3 @ \$1.10

Eliminates Unsightly Wire Allows you to put an outlet for 300 ohm TV lead-in wherever you wish. Comes with polarized plug, mounting hardware and complete instructions. Shipping weight 1/4 lb.

Standard TV wall plate with two antenna jacks and one 5 pin rotor jack.

Ohon AA-179 3 FOR \$3.90

Olson Antenna Mounting Hardware Kit



\$369 Includes: 2—33" Masts 6—3" Standoffs 2—7½" Stand-o

-71/2" Stand-offs -Snap-on Standoffs Shpg. wt. 4 lbs

Antenna Acc.

UHF-VHF Antenna Splitter



Otson AA-247

Connects One Lead to Both Inputs on TV Set

Use with black and white or color TV. No signal loss. Shipping weight 1/4 lb.

Finco UHF-VHF Splitter No. AA-184 3 for 7 ea. \$2.59

Olson 72-300 Ohm Antenna Match



3 FOR \$5.10

Use in hospitals, apartment houses, etc. to match your TV-set to the master antenna system. Converts 72 ohm shielded co-ax cable to standard 300 ohm impedance to match input of TV set. Complete with co-ax connector. Size 3" x 1" x 1". Shipping weight ½ lb.

Olson 75-300 Ohm Antenna Splitter

AA-392 \$229



Adapts 75 Ohm Cable to 300

Ohm Input Built-in UHF-VHF Splitter for

300 Ohm Ideal for Apartment Houses, Hospitals, Offices, Etc. Complete With Co-Ax Connector Size: 2½" x 2" x¾". Shpg. wt. ¼ 1b.

2-Set Couplers

Otson 2 Set Coupler



Ofson AA-358 2 FOR \$1.50

79¢

■ Efficient Balun Coil Operation Permits use of two TV sets or TV-FM sets on one antenna with minimum of loss. Screw type terminals for easy installation to any standard 300 ohm antenna system. Size: 3½" x 23%" x 3½". Sphg. wt. ½ lb.

Oison 300 Ohm **UHF-VHF-FM** Splitter With Built-in Two Set Coupler



Low Loss Balun Coil Design
Connects One Lead-in Wire to
Both Inputs on TV Set
Convenient Screw Terminals
Also Permits Use of Two TV
Sets (One UHF-VHF) or TV &
FM Radio Sets From Antenna Size: 2" x 21/4" x 7/8". Ship-wt. 1/4 lb.

Finco UHF-VHF 2 Set Coupler



Oison AA-152

\$298

Channel 2 to 83 coupler, full power signal to two UHF or two VHF sets or a VHF and UHF set from one antenna. Ideal for FM, too. Size: 3" x 2½" x 1½". Shipping wt. ½ lb.

SAVE!



with the purchase of TL-435 separately Oson X-27 \$2.79

ELECTRIC SOLDERING GUN



★ Automatic Temp. Regulation

—25 to 100 Watts kange
★ Instant Heating — Fast Cooling
★ Trigger On-Off Switch
★ Prorused Spot Light
★ Pencil Tip

Size: 9¼" x 5½", 110x120 volts, 60 cps. Snipping weight 4 lbs.

A Solid State LAMP DIMMER

★ Safe — Easy to Install
★ No Wires Just Merely Screws In
★ Increases Bulb Life
★ Dial the Brightness Needed
★ Capacity: 250 watts
Size: 1½" x 1½" dia. Shpg. Wt. 1/4 lb.

B LIGHT DIMMER

Replaces Standard Wall Switch For 110 to 120 Volt 60 cps. Power Capacity 600 Watts Size: 4½" x 2¾" x 1¼".

W-148 E29

E49

PENCIL SOLDERING IRON



30 watt soldering iron features 30 watt soldering iron features sturdy construction and small pryamid type point. The handle is made of break resistant bakelite. Size: 914" long overam, 174 dia, at widest point. For 110-120 volts AC, 50/60 cps. Shipping wt. 1 lb.

SOLDERING Olson PISTOL



Sturdy 30 watt soldering pistol features small pyramid type point. For 110-120 volts AC, 50/-60 cps. Shipping weight 1½ lbs.

LIGHT WEIGHT SOLDERING



★ Insulated Handle ★ Spring Type ★ Protects Semi-Conductors From Heat Damage During Installation Shipping weight 1/4 lb.

EPOXY GLUE



TL-481


Bonds iron. china, aluminum, wood, ceramics, most plastics. Shipping wt. 1/4 lb.

Radio & TV Service, R. F. D. #2, Defiance, O. 43512, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

CIRCULAR SLIDE RULE

A

A Shirt Pocket Calculator



Conversion table weight, length, velocity and energy. Only 3\%" in diameter. Shipping weight \(\frac{1}{2} \) lb.

> Otson TL-397

5249

SKIL SELF-FEEDING SOLDERING GUN



Ideal for Solid State Circuitry

Otson TL-527

Tip

Allows One Hand Operation, Frees Other Hand to Handle Work

45 Watt Heating Element

Holds 10' of Solder

* Small Chisel Type Tip

Operates on 110-120 V. A.C., 60 Hz. Shipping weight 3 lbs.

MINITORCH

- 3500° Pinpoint Flame. Complete with Solder-ing Tip
- ing Tip

 */2 Hour Fuel Charge

 * For Soldering, Brazing,
 Pipe Sweating, Etc.

 * Includes 2 Fuel Carts,
 and Supply of Solder

 Size: 53%" L. x 3%"

 D. Shpg. wt. 1 lb.

TL-515 \$798

Extra Fuel Cartridges, Pkg. of 4 Otton TL-516 \$1.19

Olson POWER CONVENIENCE CENTER Otson SW-397



98 * Master

on/off

switch * Indicator

Six available AC Outlets from one. Heavy duty cable. Master on/off switch. Size: 7" x 4" x 114". Indicator light. Shipping weight 3 lbs.

ELECTRIC PENCIL WOOD, ETC.

* ETCHES ON METAL, PLASTIC,

Built-in mercury switch turns the electric pencil off when you lay it down, starts when you pick it up. Permanently identifies tools, etc. Operates on 110-120 volts AC, 50/60 cps. Overall length, 5½". Shipping weight 1 lb.



LUTRON

MOTOR SPEED CONTROL



★ Controls Speed of Saws, Drills, Buffers, Sanders, Etc. ★ Also Suitable for Mixers, Blenders, Etc. ★ For All AC/DC Motors to 5 Amp. ★ Fuse Protected ★ Has 3-Wire Cable and Plug 110-120 Volts AC. 60 cps. Shipping weight 4 lbs.

Lens surrounded by a 22 watt fluorescent tube. For 110-120 volts. Shipping weight 834 lbs.

Luminex Personal Portable Lamp



Handsome Addition To Any Decor

- Ideal for Office, Study, Den, Home, Etc.
- Swings, Stretches, Swivels Spring Control Keeps Perfect Balance
- Specially Designed Shade Is Air Cooled & Gives 3 Times More Light From Standard Light Bulb
- ★ Weighted Base has Woodgrain Insert
- ★ Light Easily Glides to Any Posi-tion & Holds It ★ 22" Arm Reach

Uses ordinary lamp light bulb (not supplied). Operates on 110-120 volts AC, 60 Hz. Shipping weight 7 lbs.

MAGNIFIER LAMP ★ 5" Dia. Lens * Turns In a Full Circle With Tube Four Power Magnification ★ Expands to 45"

4 IN 1 POCKET SOCKET

SALE

Oison 5 PIECE TOOL SET



YOUR CHOICE

\$ 129 REG. \$3.98

3/16"-7/32" 9/32"-11/32"

— OR — TL-510 1/4"-5/16" 3/8"-7/16"

Only 41/2" Long Butyrate Handle ★ Two Sizes Replace 8 Regular Sockets ★ Bright Chrome Finished Steel

Shipping weight 1/4 lb.

LIMITED QUANTITY

TI-474

REG. \$119

Kit contains 2 miniature screw drivers. One with built-in wire stripper. 1 phillips screw driver, 1 drill and 1 awl. Length 4". Shipping weight 1/4 lb.

TAPE WITH-A-GRIP



TA-520

- * Two Faced Pressure Sensitive
- Tape
 For Fastening Anything to Any
 Smooth, Clean Surface
 Shipping weight 1/4 lb.


Olson

Color TV Tuner **CLEANER &** LUBRICANT TL-459



Cleans and lu-bricates contact points on TV tuners, relays, tuners, relays, switches, generators, etc. Also restores carbon controls. Fine spray 2 or 3 seconds, will give long lasting results. Does not contain Carbon Tet. Shipping wt. ½ lb.

ALL PURPOSE STEEL BENCH FRAME



\$6⁹⁸

Predrilled. Two or more frames may be combined. Size: 22½" x 47½" x 34" high. Pre-finished. May be shipped parcel post to all cities. Shipping wt. 17½ lbs.

QUICK STRIP TL-538 WIRE 99° STRIPPER

- ★ Strips 12-22 ga. wire

 ★ Lightweight Easy to Use

 ★ For Solid and Stranded Wire

 ★ Ideal for Serviceman, Production
 men, Handy Man, Etc.

 Size: 3½" L. x ¾" Dia. Shpg.
 wt. ½ lb.

Olson 111111

13 PIECE DRILL SET

- ★ High Carbon Steel ★ Full Length
- Shafts
- Snafts

 ★ Sizes From
 1/16" to
 1/4"

 ★ Sturdy
 Metal Case
 Shipping wt.
 1/2 lb.

18-PC. HEX KEY WRENCH SET



TL-485 \$ 49


Oison

18 wrenches, .050 to %". Made of fine quality tool steel. Handy plastic pouch has separate compartments for long and short wrenches. Shipping weight short w



with carbon steel blades. Sizes from ½" to ½" wide. Shpg. wt. 1 lb.

Beckman's TV & Radio Serv., Box 217, Cardwell, MO 63829, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.





Insulated color size keyed shafts. In sizes: 3/6", 1/4", 5/6", 11/32", 3/8", 1/4" and 1/2". Shpg. wt. 1/4 lb.



* Self-Adjusting

* Shock-Proof Insulated Handle

Automatically selects the right
socket to fit four different sizes
of hex head bolts or nuts, from
1/4" - 1/4" Just press and turn.
Tempered steel sockets and
springs. Size: 81/4" x 1". Shipping weight 1/2 lb.

36 DRAWER PARTS CABINET



- Clear See-Thru Drawers
 Sturdy Steel Frame Construction
 Rugged Carrying Handle
 Can Be Placed On Shelf, Mounted
 On Wall or Stacked
 Just the Thing to Protect or Store
 Hobby Items, Hardware, Household Items Ftc.

★ Just the Thing to Protect or Store Hobby Items, Hardware, Household Items, Etc.
★ Includes Drawer Dividers
Size: Drawers 2¾" W. x 5¾"
L x 1¾" H. Cabinet 13" W. x 5¾" L. x 13½" H. Shipping wt. 10 lbs.



★ Makes Permanent, Self-sticking, Embossed Labels ★ Great for School, Office, Garden, Home, etc. ★ Uses ¾4" Tape ★ Easy to Use

Anyone can use it. Embossing wheel has 36 characters, A.Z. 0-9, plus /and. Size 4½" x 2½". Shpg. wt. 2 lbs.

\$129 TL-531 12' TAPE CARTRIDGES \$1.25 3 FOR \$3.12

Otson TL-536 Otson TL-537 Black PKG. OF 16 TAPE STRIPS 49c TL-532 TL-533 Red Black Green TL-534 TL-535





1/4" Wide 6 Ft. Length

75° Your Choice

TL-417 Black TL-420 Blue TL-419 Clear TL-418 Red



Olson TL-518

★ 8 Key Sizes From .050 thru 5/32 ★ Best Quality Chrome Nickel Alloy Steel ★ Scientifically Hardened and Tempered ★ Beveled Ends Slip Easily into Screws. ★ Easy-to-Grip Handle 3" long. Shpg. wt. ¼ lb.

Power Transistor Sockets



For TO-3 Case Package of 2 Tapped 6-32 Mounting Holes Shipping weight 1/4 lb.

Olson CIR-KIT **Printed Circuit Kit**



Make your printed circuits the easy way, no chemicals no etching. Just place the copper strips in place on the board, drill where required and you're ready to mount components. 15' of ½" wide, self-sticking, copper strip is supplied with the kit plus a 4" x 6" sheet of copper. Circuit board is 11½" x 6". (May be easily cut to size). Shipping wt. ½ lb. easily cu wt. ½ lb.

COMPUTER CIRCUIT BOARDS



- * Each Board Loaded With Quality Parts
- Includes Transistors, Precision Resistors, Capacitors, Inductors,
- Printed Circuit Boards Can Be Re-used for Experimental Circuits An Outstanding Value For Any
- Experimenter

Shipping weight 1 lb.

INTEGRATED CIRCUIT SOCKETS



- * Dual In-Line Mounting
- Accepts Round or Flat Pins



- + For 14-16 Pin Hybrid Pkgs.

Package of 2

MOTOROLA IC EXPERIMENT KIT



IC Cross Reference 'Tips on Using IC's

Booklet Includes: J-K Flip Flop, Dual Buffer, 4-Input Gate 2-Dual 2-Input Gates





Guide "Tip on Using FET's" Booklet

Includes one N nel Audio FET, N Channel RF One NPN, One Silicon Tran-Channel One N sistor

Shiping weight: 1/4 lb.

MB-222

POLICE, FIRE, & AIRCRAFT CONVERTERS INTEGRATED CIRCUIT (IC) PROJECT KITS



YOUR CHOICE

- Ideal for Experimenter or Hobbyists
- Ideal for Experimenter or Hobbyists
 Easy Step-by-Step Construction
 Includes All Components &
 Predrilled Circuit Board
 All You Need is A Soldering Iron
 Converts Standard AM Radio to Hear
 Police, Fire, Etc., Without Connecting to AM Radio
 Sensitive, Dependable Circuit
 Operates on 9 Volt Battery (Not
 Included)
- Included)

HEAR: AIRCRAFT. 118-136 MHz SPACE RESEARCH, 134-150 MHz POLICE, FIRE, 148-164 MHz POLICE, WEATHER, 160-175 MHz

Olson KB-223 Otson KB-224 Olson KB-225

AC Power Supply Kit for Above Office KB-221
9 Volt Battery (1 reg'd.) Office BA-89
Pencil Soldering Iron Office TL-448
RCA Hobby Circuits Manual. Over 60 Solid State Projects
Office B-321 \$10.95 \$1.99

FPOXY REPLACEMENT YOUR TRANSISTORS CHOICE 5 Selected Transistors

Replace Over 6,000 FOREIGN & DOMESTIC

**A Package of 2

**Gisee TR-131 P.N.P. General purpose low noise amplifier. Breakdown—60 volts, gain 100-300 at 150 ma. Frequency—200 mc. Replaces: 2N43, 2N44, 2N59, 2N60 2N65, 2N104, 2N109, 2N291, 2N311, 2N486, 2N563 plus 100's more.

2N485, 2N565 plus 100 s more.

(Sheel TR-132 P.N.P. High speed switch, amplifier and oscillator. Breakdown — 20 volts, gain — 30 at 10 ma. Frequency — 400 mc. Replaces 2N63, 2N64, 2N78, 2N106, 2N128, 2N130, 2N146, 2N175, 2N207, 2N217, 2N220, 2N265, 2N-344, 2N405, 2N409, 2N482, 2N501 plus 100's more.

© TR-138 N.P.N. R.F. and I.F. amplifier. Breakdown — 70 voltagain 50 to 200 at 10 ma. Frequency—250 mc. Replaces 2N103, 2N117, 2N118, 2N194, 2N211, 2N-213, 2N216, 2N228, 2N233, 2N-263, 2N292, 2N306, 2N433 plus 100's more.

© TR- 134, N.P.N. High speed switch. Breakdown — 40 volts, gain—30-120 at 30 ma. Frequency —350 mc. Replaces: 2N706, 2N707, 2N708, 2N717, 2N719, 2N743, 2N-744. 2N834, 2N835, 2N852, 2N920, 2N708 plus 100's more.

TR-135 N.P.N. General purpose amplifier and switch. Breakdown — 60 volts, gain — 100-800 at 150 ma. Frequency — 250 mc. Replaces: 2N1964, 2N1965, 2N. 2220, 2N2212, 2N2212, 2N2310, 2N2312, 2N2312, 2N2312, 2N3642 plus 100's more.

MOTOROLA PNP POWER TRANSISTOR



Amp Capacity * 90 Watts Power * Germanium Type Dissipation-Replaces: SK 3009, GE 3, DS 520, TR-01, and many more pop-ular types. Shipping weight 1/4 lh.

★ 10 Case ★ Migs. Type: HEP 230

POWER TRANSISTORS



A general replacement for high, medium and low wattage types such as 2N234, 2N234A, 2N235, 2N235A, 2N36B, 2N342, 2N255, 2N255A, 2N307A, 2N352, 2N353, 2N399, 2N400, 2N401, 2N669.

Olson 25B474 PNP Med. Power Transistor



\$969 TR-147

The most popular output transistor used in imported amplifiers and receivers. Germanium type. PNP transistor in T066 case. Shipping weight ¼ lb.

SOLAR CELL KIT



TR-153 \$198


Kit of 10 assorted selenium photo cells. Output from ½ to ½ volt. Current output from 250 micro amps to 5 ma. Shpg. wt. ¼ 1b.

HIGH FREQUENCY FM TRANSISTORS

Otson TR-93

.

PKG. OF 2
PNP high frequency reliability
made by Post Alloy defused
technique. Replaces many popular transistors without circuit
changes. Shipping wt. 1/4 lb.



TRANSISTORS PNP General Purpose Audio MADE IN USA Otson TR-25 8 PNP TRANSISTORS High Frequency AUDIO TR-24 BAG OF 8

PNP and NPN TRANSISTORS



* Big Pack of 8 (4-PNP + 4-NPN)
Contains 4 PNP and 4 NPN
general purpose audio transistors.
New with full length leads. Replace many popular transistors
without circuit changes. Shipping weight 1/4 lb.

Transistor Bonanza



Otson A5-374 \$4.49



IJTILITY BOX

★ Size: 4¾" x 11" x 3¾" H.

★ Ideal for Parts Storage

★ "LIFETIME" Lab Tested Hinge

★ Great For: Papers, Hobby Items,
Fishing Tackle, Etc. Shpg. wt.

Ottom CA-408 2 for \$2.58 \$1.49



- 600 WVDC First Quality Popular Assortment Insulated Jackets
- Long Flexible Tinned Leads
- C-206 MED 10 20 20 .01 05 Shpg. wt. 2 lbs.

TOP QUALITY TUBULAR CERAMIC CAPACITORS



Most are rated at 600 volts or more. Standard color code throughout. Order now and save at this low price. Shipping weight 1/4 lb.

100 PIECE CERAMIC CAPACITOR KIT

★ Disc Type Assorted
High Quality

Most are rated at 600 volts or ore. Standard color code more. Standard color code throughout. Order now and save at this low price.

Shipping weight 1/4 lb.



Your

★ Great where temperature is a

4 Pkgs. for \$4

- High Insulation Resistance
- 2 Popular Values
 Package of 5
 Only 3/8" L x 1/4" Dia.
 Rated at 125 WVDC
- Shpg. wt. 1/4 lb.



Popular Replacement in TV's, Etc. FP Type
Twistprong Mtg W/Solder Termis

★ 200 Mfd. @ 300 WVDC, 100 Mfd @ 175, 30 Mfd. @ 150 V. Size: 3½" L x 1½" Dia. Shpg. wt. ½ lb.



100 PIECE RESISTOR KIT

R-77

* Standard Color Codes
%, %, 1 and 2 watt. Shipping
weight 2 lbs.

50 Pc. Resistor Kit Olson R-88 . 50c

QUALITY CAPACITORS TOP



\$139 * For Low Voltage Applications Your

Application of the property of

COSMIC CAPACITORS
1500 MFD @ 12 V., Pkg. of 1
[Size] C-226
100 MFD @ 150 V., Pkg. of 1
[Size] C-227 2 pkgs. for \$1



Values may range from .001 mfd. to .5 mfd, at voltages from 100 to 600 volts. Condensers cost you less than 2c each. Shipping weight 2 lbs.



Oison MINIATURE MYLAR CAPACITOR KIT

Oison C-232 S **2**9

4 pkgs. @ \$3.00 Ea. Ideal for Solid State Circuits Kit of 27 Popular Values All Rated @ 50 WVDC

KIT CONSISTS OF 3 EACH: .001 .01

.005 .05 .5 Sizes: Min. %" x %", max. %" %". Shipping weight ¼ lb.

PRINTED CIRCUIT **ELECTROLYTIC**



ELECTROLYTIC CAPACITORS



Assorted FP and FP and Ohon Twist Lock C-214

F. P. and twist-lock electrolytic capacitors at an average cost of 15c each. Kit contains 20 assorted single, double and triple capacity electrolytics. Shpg. wt. 7 lbs.

L. A. Chuck, 1414 S. 25th Street, Manitowoc, WI 54220, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

ELECTROLYTIC CAPACITORS

Assorted AS-418

lock electrolytic capacitors at an average cost of 10c each. Kit contains 50 assorted single, double and triple capacity electro-lytics. Shipping weight 7 lbs.

Olson **Miniature** ELECTROLYTICS PACKAGE OF 5

* 1/4" dia. x 1/2" lo * 5 of a ONLY long Type Per Pkg.

Stock No.	MFD.	WVD
C-966	5	10
C-967	10	25
C-968	30	25
C-969	50	25
C-970	100	10

TUBULAR ELECTROLYTIC



50 - 30 MFD @ 150 WVDC

Full insulation protects against heat and humidity. Shipping wt. ¼ lb. each. Canac tors Size, Approx. 2¼" x %" Dia.

MORE ELECTROLYTIC VALUES 100-150 MFD @ 150 & 50 WVDC No. C-213 EA. 80-40-20 MFD @ 150 WVDC No. C-144 EA. .66c 60-40-20 MFD @ 150 WVDC No. C-222 EA. 80-50 MFD @ 150 WVDC No. C-224 EA. 66c

RESISTORS

20 Piece Power Resistor Kit



Wattage range from 3 to 25 watts or more. This is a real value for the experimenter or serviceman. Shpg. wt. 2 lbs.

SAVE

Get Both Kits, R-62 & R-63

\$329 6 @ \$2.98 ea.

CARBON RESISTORS

★ 20 Most Common 1 Watt Kit of 20

R-63

\$198

6 @ 51.69 Shpg. wt. 1/2 lb.

OHMS

10	1.5 K
15	4.7 K
22	10 K
33	15 K
47	47 K
100	100 K
150	150 K
330	330 K

1 K

10

15

22



1/2 W. CARBON RESISTORS

★ 30 Most Popular Values Kit of 30

198 6 @ \$1.69

OHA	AS .
1 K	68 K
1.5 K	100 K
2.2 K	150 K
4.7 K	220 K
6.8 K	330 K
10 K	470 K

33 47 100 150 15 K 1 meg. 220 22 K 1.5 meg. 33 K 2.2 meg. 330 47 K 10 meg.



Shpg. wt. 1/2 lb.







Valet Gives Calling Party Your Message Incoming Message Is Recorded 30 Second Recording Time Easy Installation. No Wires to Telephone

* Solid State Circuitry

Size: 10%" x 8½" x 2%". Operates
on 110-120 volts AC. Shpg. wt. 9 lbs.

Blank Tape Cartridge for Above
30 Sec. 2 Mins.
TA-568

\$10 Monthly \$4.95 ea.

TA-567

DECORATOR PHONES

PETITE PHONE



- Non-Skid Rubber Pad on Bottom Add an Extension Phone Anywhere You Need One
- Complete with Standard Plug, Bells.

Shipping weight 5 lbs.



THE "FLIRT" Olsoe PH-167

Convenient and modern "Fold-up to hang-up." Built in disl. Complete with plug. Ideal for bedroom. kitchen or anywhere you need an extension phone. Shpg. wt. 3 lbs.



Dial is in base. Light weight, with coil cord, dial, induction coil and instructions. Brand new, factory boxed. Size: 9" H. x 4½" x 4". Less bells. Shpg. wt. 2 lbs.

DELUXE TELEPHONE



- Modern Convenient Complete with Dial, and Bell "Recall" Button Hangs-Up Phone Without Replacing Handset on
- ★ Ideal for Bedroom, Kitchen, Den Shipping weight 6 lbs.

TELEPHONE AMPLIFIERS

SLIP-ON ASTRO COM PHONE AMPLIFIER



- * Fits All Standard Telephones
- ★ Amplifies Sound From Receiver
 ★ Built-in Volume Control
- State Circuitry Shipping weight 3 lbs.

TRANSISTORIZED PHONE **AMPLIFIER** PH-100 \$1495 Easy To Use

Adjustable Volume Control Hand-Free Conversation

★ 4 Transistor Circuit
Size: 10¼" x 4½" x 3¼".
Speaker: 3½" x 3¾" x 2". Shipping weight 4 lbs.

Extra Batteries (1 Regd.) BA-89, 21c

EXTENSION PHONES



★ Factory Tested Used, Dial Phones ★ Use As Extension In Any Location

Save money! Install your own extension phone or make your own intercom. Com-mercial dial phones include dial, handset, base. Shipping weight 7 lbs.

Model PH-187 Illustrated \$10.98

PH-117 Deluxe Phone PH-187 Deluxe Late Model Phone ... \$22.98

* Handset With Stretch Cord WALL ★ Used, Factory Inspected PHONE * Styles May Vary Oise PH-155 \$ 199

A very good quality wall handset which is at home in any setting. Suitable for home-built intercom, great as a low cost extension telephone. Shipping weight 8 lbs.

* Used Phone With Dial WALL * Easy To Hang On Wall PHONE

* Styles May Vary AS IS

Use this dial telephone to make your

Sorry we cannot guarantee these to be in working condition. Some work — some don't! But for the price, they're a terrific parts bargain. Shipping weight 8 lbs.

TELEPHONE ACCESSORIES

TELEPHONE PLUGS & **JACKS**





Your Choice 2 for 120

Phone plug Otton PH-121
Phone Jack Otton PH-120
Shipping weight 2 lbs.



USED Styles May Vary

★ Pkg. 1 ea. F1 Transmitter and HA-1 Receiver ★ Replaces Elements In Older

Shipping weight 1/4 lb.



TELEPHONE DIAL Otton PH-163

98

* Standard Telephone Dial with Shipping weight 1 lb.

25' EXTENS. TELEPHONE

CABLE



Oison W.442 \$929

Durable Vinyl Insulation Standard 4 circuit plug & jack Shipping weight 2 lbs.

TELEPHONE WALL JACK

\$159 PH-118

For 2, 3 or 4 wire systems. Fits standard wall conduit boxes. Takes PH-121 plug. Shipping weight ½ lb.

COILED HANDSET CORD



* Expands to 6 * 4 Conductors **aa**¢

4 for \$3.50

Ideal replacement for W.E., A. E., North Kellog and Str. Cal. phones. Shpg. wt. 1/4 lb.

INTERCOM SYSTEMS Wireless and Wire

CONVENIENT - EASY TO USE-HOME - OFFICE - BUSINESS



FANON

FANON TWO-STATION EXPANDABLE INTERCOM

AM.392



- Ideal for Home or Office Advanced Solid State Circultry Simple Plug-In Installation With 50' of Connecting Cable

Remote can signal even with system off. Beautiful ivory and brown finish with walnut wood-grain accents. Hands-free operation. Size: 7" x 3½" x 2". Shpg. wt. 4 lbs. Operates on 110-120 volts AC.



Olson 2-STATION INTERCOM SYSTEM



★ Low cost communication for home, trailer, camper, shop, patio ★ With 66 ft. of lightweight cable

Easy to wire, everything included! Plugs, tape, even wire tacks! One master and one remote. Special tone calling circuit works even with power off. Shipping weight 2 lbs. Size: (Each unit), 3"x1¾" H. x 4" D.



ALL MASTER TELEPHONE INTERCOM



This Bogen Model TQ6A allows a total of 7 instruments to be used in a system. Any station can call any other station. 6 pushbuttons. Less cable and pow-er supply. Shpg. wt. 4% lbs.

117 V. AC Transformer Power Supply (1 reqd.) Shpg. Wt. 53/4 lbs. AM-157

Complete System, 7 AM-156 and 1 AM-157, Shpg. Wt. 40 lbs. AS-657 (*\$15

Cable, 10-Conductor. Shpg. Wt. 20 lbs. Per 100 Ft. No. W-536 \$9,98

Olson 4-STATION INTERCOM SYSTEM



\$1998

Master station has volume control and 4-way selector switch. Remote stations can call master station even with power off. Size: master: 4½" x 3½" D. Remotes: 2" W. x 4" D. Shpg. wt. 3 lbs.



2-STATION WIRELESS INTERCOM

- * Advanced Integrated Circuit
- * Special Built-In Noise Filter
- * Capable of Two-Channel Use

Needs no cable. Just plug them into your home electrical outlets! Your house wires carry the signal. Two handsomely designed units. Size: 7" x 3½" x 2". Units operate on 110-120 volts AC. (Same circuit). Shipping weight 4 lbs.

JUST PLUG & PLAY



Circuitry * Lock Button for Monitor



Oison DELUXE TWO-STATION WIRELESS INTERCOM

Our own design in a compact, handsomely our own design in a compact, handsomely styled two-station intercom. Just plug the units into any outlet in your house wiring system and talk between them! Size 5½ W. x 5 B. X 1½ H. Shgs. wt. 5 Bs. Operates on 110-120 volts AC. 50/60 Hz. (Same line size)



Outlet in Same Circuit * No Cable To Install,

* Built-In Indicator Light

Compact, durable cases which actually adds to decor of kitchen, bedroom, patio. Your house wiring carries the signal. Saves you steps AND money. Size: 3½" W. x 5½" D. x1¾" H. Shpg. wt. 4 lbs. Operates on 110-120 volts. AC. 50/60 Hz.

* MONTHLY PAYMENT CHART, See Page 18



COLOR TV TUBES

Tube	Reg.	SALE
1BC2	\$1.16	.96
5AT8	1.78	1.40
6BK7	1.96	1.56
10GK6	1.38	1.04
12GN7	2.26	1.86

TUBE TESTING in Your Local Olson Store

GUARANTEE Guaranteed for a full 12 months from the date of purchase. We will replace any defective tube (exclusive of freight charges) within

22	C /	<u>. u</u>	es i	4	IL	-	æ
	,		2		- 4	200	
ж.		• 1 5	a n	ne	nr.		

TUBE TYPE	PRICE	TUBE TYPE	PRICE	TUBE	PRICE	TUBE	PRICE	TUBE	PRICE
1AD2	1.36	*6AU8	2.26	*6DK6	1.18	*6KA8	1.96	12AX4	1.32
1B3/1G		*6AV6	1.08	*6DQ5	3.25	6KD6	3.54	*12AX7	1.12
1BC2	1.16	*6AW8	1.78	*6DQ6	1.84	6KD8 6KE8	1.56	*12AZ7	1.60
1J3 1K3	1.57	6AX3	1.36	6DR7 6DS4	2.26	OVED	2.42	1284 128A6	1.60
1R5	1.78	6AY3	1.48	*6DT6	1.30	6KT8	2.16	12BE6	1.22
105	1.36	*6BA6	1.30	*6DW4	1.48	6KZ8	1.62	*12BH7	1.54
1V2	1.15	6BATT	1.96	*6EA8	1.56	6L6GC	2.36	12BY7	1.42
1X2	1.64	6BC5	1.30	*6EH7	1.55	6LB6	3.54	12DQ6	1.98
2AV2	1.24	*6BC8	1.96	*6EJ7	1.42	6LE8	2.22	12GN7	2.26
2CY5	1.76	6BE6	1.36	6EM5	1.78	6LFB	2.04	*12HG7	2.26
3A3	1.78	6BH6	1.60	*6EM7	2.28	6LJ8	1.64	12HL7	1 78
3AT2	1.36	6BJ6	1.62	*6EW6	1.42	6LQ6	3.46	125N7G1	
3BU8	1.96	*6BK4	3.08	*6FG7	1.84	6LU8	1.90	12X4	.90
3BZ6	1.48	*6BK7	1.96	*6FM7	1.84	6LY8	1.56	13DR7	2.12
3CB6	.92	6BL7	2.24	*6FQ7	1.18	6ME8	2.26	13EM7	2.14
3DG4 3GK5	2.36	6BL8 6BN4	1.08	6GE5	2.28	*654	1.48	13FM7 *13GF7	1.60
	2.26	*6BN6	1.80	*6GH8	1.28	*6SN7G			
3HQ5 4BZ6	1.48	*6BN8	1.48	*6GK5	1.84	63M/G	1.60	13210	2.48
4CB6	1.08	*68Q5	1.56	6GK6	1.48	6T8	1.86	*15KY8 17AY3	1.48
4DT6	1.18	*6BQ6	2.16	*6GM6	1.54	*6U8	1.56	17BF11	2.36
SAQ5	1.48	*6BQ7	2.00	6GN8	1.88	*6V6	1.78	17DM4A	1.62
SAT8	1.78	*6BU8	2.02	6GU7	1.66	6W4	1 64	17DQ5	2.10
5CG8	1.60	*6BZ6	1.24	6GX6	. 1.28	*6W6	1.32	17JM6	2.36
5KE8	2.42	*6BZ7	2.00	6HA5	1.54	6X4	1.35	*17JN6	2.14
5U4GB	1.22	*6C4	1.48	6HB7	1.72	6X5GT	1.42	*17JZ8	1.42
5U8	1.88	*6CB6	1.30	6HE5	1.84	*6X8		*19AU4	1.74
5Y3	1.18	*6CD6G		6HQ5	2.01	6Z10	2.48	1918	1.96
6AB4	1.44	*6CG7	1.18	6H58	1.90	*7AU7	_	*21GY5	1 84
6AF3 6AF4	1.42	6CG8	1.73	*6HZ6	1.20	8AW8 *8FQ7	1.18	*22JF6 23Z9	2.90
6AG5	1.52	6CL6	1.84	6JB6	2.54	8JV8	1.72	25BQ6	1.74
6AH6	2.08	6CM7	1.66	6JC6	1.78	10DE7	1.97	25L6	1.48
6AK5	1.80	*6CN7	1.78	6JD6	1.42	10GK6		*33GY7	2.56
6AL5	1.18	*6CQ8	1.64	*6JE6	3.46	10GN8	1.96	35C5	1.28
6AM8	1,84	6CU5	1.60	6JH6	1.44	12AQ5		35W4	.77
6AN8	2.08	6CY5	1.70	6JH8	2.20	*12AT7	1.42	35Z5GT	1.08
6AQ5	1.36	6DA4	1.34	6JM6	2.28	12AU6	1.12	*38HE7	2.90
6ASS	1.60	6DE4	1.42	6JN6	2.14	*12AU7	1.24	*50C5	1.22
6AU4	1.94	*6DE6	1.30	*6156	3.00	*12AV6	.92	50EH5	1.42
6AU6	1.17	6DE7	1.78	6JU8	1.76	*12AV7	1.84	50L6	1.78

Oison

Otson SW-394

WIRELESS S REMOTE CONTROL

★ Turns Appliances and Lights Off-On From Anywhere in Your Home ★ Sends Control Signals Thru House Wiring ★ For TV, Hi-Fi or Appliances. ★ 500 W. Capacity ★ Includes Sender and Receiver Size: 5½" x 2" x 1¾". 110-120 V. AC. 50/60 cps. Shipping weight 1½ lbs.

Rose City TV Center, 225 Central Avenue, Norwich, CT 06360 wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

RADIATION COUNTER

Measures Gamma Radiation to 50 Roentgens per

Hour

Detects the Presence of Radio-Active Materials

Three Ranges: 0.5, 0.5 and 0.50 r/hr

Detects and Measures the Strength of Radio Activity in Minerals and Other Matter

Includes a Shoulder Strap

Operates on self-contained batteries (not included). Size: 7¼″ x 4½″ x 5¾″. Shpg. wt. 8 lbg.

X-113

Was \$14.99 In 271 Cat.

Set of batteries for above, includes 2 "D" size batteries plus a 221/2 volt

Jelco

FISH LOCATOR DEPTH FINDER

MAKES FISHING FUN ELECTRONICALLY

Locates Fish by Size and Water Depth

Range 1 to 200 Feet Sensitive Solid State Circuit Includes Transducer (Search-


Coil)
Detects Submerged Objects
Alerts With Visual Signal
Effective Gain and Squelch Control

★ Rugged Waterproof Case ★ Ideal for Fresh and Salt Water Plus Ice Fishing

Operates on 2 standard 6 volt Lantern batteries (not sup-plied. Shpg. wt. 10 lbs.

X-138

*\$10 MONTHLY



Metal Detectors

FIND HIDDEN TREASURE

COMPACT BUDGET PRICED MODEL

- ★ Locates Buried Coins, Rings, Gold, Etc.

 ★ Lightweight—Easy to Use

 ★ Solid State Circuitry

 ★ Waterproof Search Coil

 ★ Built-in Speaker

 ★ Complete and Ready to Use

Size: overall 32½" D. (stem) 4½" x 6½". Shpg. wt. 8 lbs.

DELUXE "SUPER SENSITIVE MODEL"

- Locates Buried Items, Coins, Gold, Etc. at Greater Depths Electronic Tone Sounds Upon

- Detection

 Dual Water-Proof Search Colls

 Solid State Circuitry


 Lightweight—Easy to Use

 Large Meter for Visual Detection

 High Impact Styrene Cabinet

Size: Overall 42" L. (stem) x 4" x 51/2". Shipping wt. 12 lbs.

*\$10 Monthly



66 Olson Electronics

* MONTHLY PAYMENT CHART, See Page 18

Westinghouse

Hundreds of other available at your

local Olson store

tube types FREE TUBE TESTING AT YOUR LOCAL GISON STORE ONE YEAR GUARANTEE

Brand new. All tubes are guaranteed for a full 12 months from the date of purchase. We will replace any defective tube (exclusive of freight charges) within the GUARANTEE period. This does not apply to broken or burned out filaments.

store	ply t	to broken	or bur	ned out f	ilaments.		
TUBE ME	GR'S	YOUR C	COST	TUBE	MFGR'S	YOUR	COST
TYPE	RICE		- up	TYPE	PRICE	1 - 10 Each	11 - up Each
OZ4	\$3.85	\$2.10	\$1.93	*6BU8	5.0	5 2.79	2.53
*183/1G3GT	3.95	2.13	1.98	*6BZ6 *6C4	3.1		1.55
1BC2 1R5	2.90 5.20	1.60	1.45	6CA4	3.7		
104	3.85	2.10	1.93	*6CB6/6			1.63
*IV2	2.40	1.32	1.20	*6CD6G			
*2AV2 2CY5	3.10 4.85	1.71	1.55	*6CG7/6	FQ7 2.9 4.3		
*2HQ5	3.85	2.10	1.93	*6CJ3/6	DW4B 3.7	0 2.02	1.85
*3A3/3CY3/	4.45	2.47	2.23	*6CL6	4.7	5 2.62	2.38
*3AT2	3.40	1.87	1.70	*6CL8A	4.6		
3AU6	2.95	1,63	1.48	*6CM7	4.1		
*3AW2A	4.05	2.24	2.03	6CX8	5.2	0 2.88	2.60
*3BZ6 3CB6/3CF6	3 70 2.30	1.27	1.85	6CY5	4.8	5 2.68	2.43
			2.95	*6CZ5	4.7		
*3DG4 *3GK5	5.90 3.85	3.22 2.10	1.93	*6DE4 *6DE6	4.1 3.2		
3HM5/3HA	5 3.85	2.10	1.93	6DJ8	4.9	5 2.73	2.48
*3HQ5	5.65 4.45	3.10	2.83	*6DK6	3.5		1.78
		2.02	1.85	*6DQ5	8.1		
*4BZ6 4GX7	3.70 4.60	2.02	2.30	*6DQ6B	5.3	5 2.89	2.68
*4JC6	5.05	2.79	2.53	*6DR7	5.0 3.2		
*5AM8 *5AQ5	4.90	2.70	1.85	*6EA8	3.9		
-				*6EB8	5.6	5 3.10	2.83
*5AT8 *5CG8	4.45	2.47	2.23	*6EH7	3.8	5 2.10	1.93
*5CL8A	4.90	2.70	2.45	*6EJ7	3.5		
5GS7 5HB7	3.85	2.10 1.87	1.93	*6EM5 *6EM7/6	EA7 5.7		
The same of the sa			-	+4EU7			And in contrast of
5KE8 *5LJ8	6.05	3.32 2.42	3.03	*6EU7	3.9		
5U4B/5A\$4		1.69	1.53	*6EW6	3.5		
5U8	4.70	2.50	2.35	*6FG7 *6FM7	4.6		
*5Y3GT	2.95	1.63	1.48	The state of the s			
6AF3	4.05	2.24	2.03	*6GE5	5.7 5.3		2.85
*6AF4A 6AK6	4.90	2.70 1.40	2.45 1.28	*6GH8A	3.20	1.76	1.60
6AL3/EY88	2.60	1.43	1.30	*6GJ7	3.1		1.55
*6AL5	2.95	1.63	1.48	*6GK5	4.60		2.30
6AM8A/ 6AM		2.52	2.30	*6GK6 *6GM6	3.70		1.85
*6AN8A *6AQ5A	5.20 3.40	2.88 1.87	2.60 1.70	*6GN8	3.85 5.65		2.83
6AS5	4.00	2 20	2.00	*6GU7	4.15	2.28	2.08
*6AS8	5.35	2.94	2.68	*6GW8	3.0		1.53
*6AU4GTA/		2.68	2.43	*6GY6	3.20 5.7		1.60
*6AU6A *6AU8A	2.95 5.65	1.63 3.10	1.48	*6HB7	4.30		2.15
*6AV6	2.70	1.49	2.83 1.35	6HD7	3.30	1.82	1.65
*6AW8A/	100		110	*6HM5/6	THE RESERVE TO SERVE THE RESERVE TO SERVE THE RESERVE		1.93
6AW8	4.45	2.47	2.23	*6HQ5 *6HS8	5.05 4.75		2.53
*6AX4GTB	3.70	2.02	1.85	6HT6	2.85		1.43
*6AY3/6BS3/ *6BA6	A 3.70 3.25	1.79	1.85	*6HZ6	3.20	1.76	1.60
*6BA11	4.90	2.70	2.45	6.15	4.60		2.30
*6BC8/6BZ8	4.90	2.70	2.45	*6J6A 6JB6A	6.35		2.23
6BE6	3.40	1.87	1.70	*6JC6	4.45	2.47	2.23
*6BH6 *6BK4C	7.70	2.20 4.25	3.85	*6JE6/6L	Q6 8.65 3.60		1.80
*6BK7B	4.90	2.70	2.45	_			
*6BL7GTA	6.05	3.32	3.03	*6JK8	5.50 4.05		2.75
*6BL8	270	1.49	1.35	*6JN6	5.35	2.89	2.68
*6BM8	2.90	1.60	1.45	*6JS6A	7.50		3.75
*6BN6/6K56 6BN8	4.50	2.49	2.25	6JT6	5.85		2.93
	10000000			*6JT8	4.45		2.23
*6BQ5/EL84 *6BQ6GTB/	3.90	2.15	1.95	*6JUSA *6K6GT	4.40		2.20
6CU6	5.40	3.13	2.70	*6KA8	.4.90	2.70	2.45
*6BR8A	5.00	2.75 2.88	2.50	*6KD6 *6KE8	8.85 6.05		4.43
- Junean	0.20		PRINCIPLE DE LA CONTRACTION DE				3.03 Well as B
THE OWNER OF TAXABLE PARTY.	CONTRACT OF THE PARTY.				Marie Contract		-

SAV	E! V	VEN
SOLI	DERING	GUN
ONLY	A S	
50	in The	1
13	4.29 VA	LUE
The second second	h Purchase o	of 8

	Westinghouse Tubes					
	TVDE	GR'S Y	OUR (11 - up Each		
She der the Daily piet.	*6KM6	8.85	4.89	4.43		
	*6KT8	5.40	3.13	2.70		
	*6KZ8	4.05	2.24	2.03		
	*6L6GC	5.90	3.22	2.95		
	*6LF8	5.10	2.80	2.55		
	*6LY8	3.90	2.15	1.95		
	*6S4A/6S4	3.70	2.02	1.85		
	6SJ7	5.35	2.94	2.68		
	6SL7GT	4.90	2.70	2.45		
	*6SN7GTB	4.00	2.20	2.00		
March of San State of San	*6T8A	4.70	2.60	2.35		
	6U8A/6KD8	3.90	2.15	1.95		
	*6V6GTA	4.45	2.47	2.23		
	*6W6GT	3.30	1.82	1.65		
	6X4	3.40	1.87	1.70		
Designation of the little	6X5GT	3.55	1.95	1.78		
	*6X8A	4.45	2.47	2.23		
	*6Z10/6J10	6.20	3.42	3.10		
	*8AW8A	5.35	2.94	2.68		
	8B10	4.40	2.42	2.20		
	*8FQ7	2.95	1.63	1.48		
	*8JU8A	3.35	1.84	1.68		
	*10CW5	2.55	1.40	1.28		
	10DE7	4.90	2.70	2.45		
	*10GK6	4.45	2.47	2.23		
	*10GN8	4.90	2.70	2.45		
	10LZ8/10JAI	8 4.15	2.28	2.08		
	11KV8	6.50	3.58	3.25		
	12AD6	3.50	1.93	1.75		
	12AT6	2.75	1.51	1.38		
	*12AT7	3.55	1.95	1.78		
	12AU6	3.75	2.06	1.83		
	*12AU7A	3.10	1.71	1.55		
	*12AV6	2.30	1.27	1.15		
	12AX4GTB	3.30	1.82	1.65		
	*12AX7A	2.80	1.54	1.40		
	*12AZ7A	4.00	2 20	2.00		
	12B4A	4.00	2.20	2.00		
	12BA6	2.80	1.54	1.40		
	12BE6	3.05	1.69	1.53		
	*12BH7A *12BY7A/ 12BY7 12DQ6B *12DT8	3.85 3.55 5.35 3.55	1.95 2.89 1.95	1.78 2.68 1.78		
	12FX5	3.25	1.79	1.63		
	*12GN7	5.65	3.10	2.83		
	12SN7GTA	4:30	2.37	2.15		
	17AY3	3.70	2.02	1.85		
	17BE3	3.70	2.02	1.85		
	17C5/17CU5	3.10	1.71	1.55		
	17DQ6B	5.55	3.06	2.78		
	17JM6	5.90	3.22	2.95		
	17JZ8	3.55	1.95	1.78		
	21GY5	4.60	2.52	2.30		
	21J76	4.85	2.68	2.43		
	23Z9	4.75	2.62	2.38		
	25AV5GA	5.65	3.10	2.83		
	25L6GT	3.70	2.02	1.85		
	30KD6	8.05	4.45	4.03		
	33GY7	6.40	3.54	3.20		
	*34CE3	3.90	2.15	1.95		
	35C5	3.20	1.76	1.60		
	35W4	1.95	1.07	.98		
	35Z5GT	3.40	1.87	1.70		
	*50C5	3.05	1.69	1.53		
	50EH5	3.55	1.95	1.78		
	50L6GT	4.45	2.47	2.23		
	7056	2.45	1.35	1.23		
	7189A	4.40	2.42	2.20		
	7199	5.65	3.10	2.83		
8	lack and White		-	11/12		

Westinghouse **TUBES**

TUBES	REG.	EACH	OF 6
0Z4	\$2.10	\$1.79	\$1.64
5 6 S7	2.10	1.79	1.64
6CD6GA	3.66	3.30	3.05
12AZ7A	2.20	1.89	1.74
50EH5	1.95	1.70	1.57

Olson 5 PACK TUBE KIT



One each:
35W4, 50C5, 12BA6, 12AV6,
12BE6. Most common types for
AC-DC home radios. Shipping
weight ½ lb.

Westinghouse PILOT LAMP NUMBER 47 ★ .15 Amps ★ 6.8 Volts

OSON PL-87 BOX OF 10. 960

NE 2 NEON LAMP PL-153

4 FOR \$4 \$ 19

PACKAGE OF 10

Withstands vibration and shock. Operates on 110 to 120 volts AC with series resistor. Rated at 1/17 watt. Wire terminals. Shipping weight ¼ lb.

NEON GLOW LAMP PL-160 \$139

Otton PL-160 10 @ \$1.29 EA.

★ Built-in Lens 10 @ \$1.29 EA.
★ Ideal for Panel and Indicator Lights
★ For 110-120 Volts
with Series Resistor
★ Minimum Lighting Voltage 60 Volts
★ Package of 5

Shipping weight 1/4 lb.

TECHNICAL BOOKS

HWS THE SUBSTITUTION HAND-BOOK. TUB-10 No. B-271 \$1.75

GE TRANSISTOR MANUAL No. B-276

TUBE MANUAL RCA No. 8-275 \$1.75

HOW TO BUILD

\$3.25 Olson Electronics 67

\$2.00



Otton SW-458

★ New Baton Handle ★ D.P.D.T. Contacts ★ Contacts: 0.3A @ 125 V. AC Size: 1%" x ½" x ¾". %" handle. Shipping weight ¾ lb.

PRICE

MERCURY SWITCH

★ Can Be Used In Thermostats - Postion Indica-Posilar Alarms -Window or Door Switches 6" Wire Leads Switch Size: 3/8" x 13/8"

SW-461 * S.P.D.T. \$109 Reg. \$2.12

Shpg. 14 lb.

\$169 Reg. \$2.48 SW-430

VA

Assorted ★ Some Ne — Some New

Removed from New ★ Single and

Shipping weight 1 lb.

HEAVY DUTY **PUSH-PULL SWITCH**



★ Ideal for Auto Accessories, Camper Lights, Etc. ★ S.P.S.T. 30 Amp. Capacity ★ Convenient Screw Terminals

* Rugged Tenite Knob

* Mounts thru %" Hole

'Size: overall: 3" L. x 1" x %".

Shipping weight ½ lb.

Push On-Push Off Switch



SW-538 ·

* Momentary Contact or Push-on-Push-off

★ S.P.S.T.-0.4 A@125 V. AC ★ 8" Wire Leads ★ Mounts in %" Hole. Size: ¾" x 1" x ¾". ping weight ¼ lb. 34". Ship-


Magnetic Reed Switch

SW-508 \$ 1 98 3 for \$5.70

Includes Bar Magnet N.O. Switch Closes with Magnetic Field

Ideal for Door and Window Switch or Alarm Systems, Limit Switch, Counting Devices, Etc. 10 Watt — 1/2 Amp. 50 volt ***** 10 Contacts

Size: 1\%" x \%2" dia. with \%" leads. Shipping weight \% lb.






* Package of 2 * S.P.S.T.

3 amp @ 250 Volts

Mounting Hardware Included

Shipping wt. 4 lb. 4 for \$4



★ 125 V. @ 10

* Built-In Buib. Shpg. wt. 1/4 lb. \$1 19 4 for \$4.00

Otton MINIATURE TOGGLE

5W-423 \$ 29 3 for \$3.75

ntacts

★ Momentary Contacts
★ SPDT, 3A Contacts
★ Requires ¼" Mtg. Hole
★ Spring-return Both Directions
Size: 1" x 1/6" x 1/6" (less
lever). Shipping weight 1/4 lb.

DPDT SWITCH 3 for \$3.75 Contacts, SW-406

DPDT TOGGLE Spring return one direction only, center off 3 for \$4.14

68 Olson Electronics

Olson SLIDE SWITCH KIT 10 ASSORTED TYPES



★ Single and Multi-pole Types. Shipping weight 1 lb.

PHONE TYPE LEVER SWITCH

SPDT Contacts Easy Mtg. Rugged Construction

SW-431

3 Locking Positions Heavy Duty Insulated Rollers

Size 2\%" x 1\%" v 5\%", plus lever. Shipping weight \\ 1b.

Olson

SEE-SAW SWITCH

★ Works like a toggle switch
 ★ Unique flush

operating handle

SW-409 ★ DPDT contacts 3A @ 250 V. ★ 34" mounting hole

Size 1/6" dia. x 1/8' Shipping weight 1/4 lb.



PUSH SWITCHES Otsoe SW-452 \$4 19

99

S.P.S.T. Five miniature push switches, momentary cor Size: ¾" x ¾4". Shipping weight ¼ lb.



Oison SW-410

Shipping

weight 1/4 lb.

Kit of 6 * SPST Contacts

Spring Return One Way/Snap Action in Opposite Direction

6 Amp 125 Volt Mounting Hardware

Included

POPULAR AC CIRCUIT BREAKERS

★ Snap Action & Push Button Types ★ Compact Size — Easy Mounting ★ For 120 Volt AC Applications.




AS LOW AS

Shpg wt. 1/4 lb.

B

SNAP ACTION SWITCHES



A N.O. or N.C. Contacts, SPDT, 10A. @ 125 V. AC. 1" Lever Actu-

ator.
Size: 1½" x ½" x %". Shipping weight ½ lb.

@me SW-441 4 for \$2.80 79c

B Spring Loaded Contacts. SPST, N.O. 10A @ 125 V. AC. Onen SW-454 4 for \$1 Styles may vary slightly. Size: 21/8" x 1/6". Shipping weight 1 lb.

© 10 Amps @ 125-250 volts A.C. UL listed. Snap action operation. Precision engineered. Size: 1½" x 5%" x 5%". Shpg. wt. ½ lb. Gene 5%-474 SPDT Lots of 10 69c ea. 4 for 3.60 Single 99c ea.

Same as above less Roller & SW-470, 99c ea., 4 for \$3.60, @ 69c ea.

D ACRO N.C. SPST Contacts, 10
Amp. @ 125 V. AC. UL Listed
NO or NC, 3 A. @ 250 V. AC,
UL Listed. Size: 1½" x ½" x
½". Shpg. wt. ½ lb. SW-453
Your Choice 79c each; 3/\$2.07
10 Amp @ 125-250 A.C, rating
SW-469

E "MAGNET SWITCH" S.P.S.T. Contacts. 15A @ 250 V. Lever Actuator with permanent Magnet.

Common SW-494 4 for \$4.00 \$1.19 ea.

Size: 1%" x 1\%" x 1\%". Shipping weight \(\frac{1}{2} \) ib.

F "LEVER ACTION" SWITCH

©ison SW-507 single 89c 4 for \$3.20

Lots of 10 59c ea.

N.C. SPST Contacts, 10 Amp. @

125 V. AC. UL Listed.

Size: 1½" x ¾". Shipping wt.

1/4 lb.

G Unimax Otson SW-489 89c 2 for \$1.60.

S.P.D.T. 15A. NO. or NC Contacts, Screw Terminals, Push-Button Ac-

Size: 1%" x 1%" x %". Shipping weight ¼ lb.

S. Seferian 3125 Glencairn Ave-ue, Toledo, OH 43614, wins 43614. wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

TOGGLE * SPST Contacts * Contacts: 6A @ 250 Volts Size % Dia. x \$W.412 114". 34 Mtg. \$119 Hole. Shipping weight 14 lb. DPDT Toggle Same as above Except for Contacts

SW-413 \$1.29



SW-384 \$1.19


TAB SWITCH * Package

of 2 S.P.S.T. Contact rating 10 amp at 117 Volts

★ Size: 13/8" x 1/2"" x 11/4"

Shipping

MOTORS and FANS



A Enercon 10 RPM Motor

★ Ideal For Timing Devices, Displays, Science Fair Projects, etc. ★ Enclosed Gear Train ★ Made For Seeburg Sound Equipment ★ Output Shaft: ½" L x ¾" Square ★ Heavy Duty Case With Threaded Mounting Holes ★ Self Starting — Clockwise Rotation

Size 2" x 3" x 1½". Shpg. wt. 1 lb. Operates on 110-120 Volts AC 50/60 Hz.

Otsoe MO-241

12 Volt DC Motor

★ Heavy Duty Service ★ Ideal for Auto Heaters and Fans ★ Has ½" x ¾" dia. Shaft ★ Includes Wire

Size: 4" x 2%" dia. Shipping weight 4 lbs.

Chies MO-214
3 tor \$11.25

C 1/4 RPM Timing Motor

International Reg. Motor

★ 5" Leads ★ Self Starting

★ Dust-proof Gear Housing ★ Sizes
2½" x 1¼4" x 2" ★ Operates on
125 V. AC. Shipping weight 1/4 lb.

MO-115 3 for \$2.10 79°

D High Torque Shaded Pole Motor

★ Self-Starting ★ Bronze Bearings ★ Heavy Duty Service ★ Ideal for Spline Snaft Size: 23/2" x 23/2" x 2". 110-120 V. AC. 60 Hz. Shpg. wt. 2 lbs. 100000 MO-230 3 tor \$4.17

E Rotron Muffin Fan

★ New Slim Line Design ★ Dia. of Air Intake 4½" ★ Dia. of Exhaust 6¼" ★ Port Opening 4¾" ★ Ideal for Cooling All Types of Equipment

Operates on 110-120 Volts AC 50/60 Hz. Used. Shpg. wt. 2 lbs.

\$598 MO-234 ...

Motor is ruggedly constructed of laminated steel and features permanently lubricated type bearings. Universal mounting bracket 3" blade. Shipping wt. 2 lbs. 110-120 V. AC.

F Ventilaton Motor

MO-83, 3 for \$9.30 \$349

SOLENOIDS and RELAYS



AC RELAY

★ 24 Volt 50/60 cps Colls ★ 5 Amp Contact Rating ★ Moisture Resistant Coll ★ Threaded Mounting Hole Size: 1¾" x 1" x 1½". Ship-ping weight ½ lb.

Otson SW-466 4PDT

J DC Relay

★ 24 V. DC Coil ★ D.P.D.T. Contact ★ 10A Contact ★ Famous U.S. Man-ufacturer ★ Universal Open Frame Construction.

Size: 1¾" x 1" x 1½". Shipping weight ¼ lb.

Otson SW-522 6 @ \$2.09

K Price Electric 12V. Relays

* Double & Single Pole Contacts ★ Miniature Size, ¾" Square ★ 2 AMP Contacts * 120 V. AC.

New, but removed from equipment.

SPST/N.O. Ottom SW-500, 10 @ 69c . DPST/ N.O. Oison SW-499, 19 @ 79c

12 Volt DC Relay

★ Mfr. Type RS ★ SPST No Contacts ★ 2 Amp Contacts @ 120 V AC ★ Coil Rating: 5000 ohm — 3.5 Ma ★ Compact Size: 1" x 34" x 34" \$139

Shpg. wt. 1/4 lb.

117 V. AC Solenoid

★ For Intermittent Duty ★ Operates Valves, Clutches, Switches, Etc.

Size: 21/2" x 11/8" x 21/4" stroke 110-120 V. AC, 60 cps. Shipping weight ½ lb.

SW-484, 3 for \$8.25 \$298

Eighth St. Radio Serv., c/o D. Eighth St. Radio Serv., c/o D. H. Aldred, Jacksonville, FL 32206, wins choice of merchan-dise worth \$5 from Olson's "Treasure Hunt." See back cov-er for instructions.



★ Ideal for Projects, Hobby Cars Etc. ★ Compact-High RPM ★ Shaft Length ¼" ★ 5" Wire Leads Size: 1¼" x ¾" dia. Ship-ping weight ¼ lb.

\$198 2 Kits for \$3 H



★ Standard Octal Plug Base ★ Completely Enclosed ★ 117 Volt AC Coll ★ SPDT Contacts. Size: 2½" H. (Incl. plug) x 1%" x 1%". Shipping weight ½ lb.

Like above but DPDT 2 for \$4.50 . \$2.49



G Comar 4 Position Stepping Switch

★ For 110-120 Volts AC ★ Continuous Rotation ★ SPST 1 Amp Contact
Rating ★ Non Bridging Water Type SW-527
YOUR YOUR Size: 134" x 2" x 21/4" H. Shipping weight 1 lb. CHOICE

Same As Above But Slightly Larger. 2" x 2" x 23/4" H.

Oixon SW-528 2 for \$6 H Gear Reducer 7 to 1 Ratio

★ Ball Bearing Planatary Gears ★ ¾," Diameter Shaft ★ Use To Slow or Speed-Up Small Motors ★ Rugged Construction Size: 1¾" x 4½" x 3¾" high. Shipping weight 3 lbs.

Otsos X-146 3 for \$21


\$339

Ⅲ DC Stepping Switches


11 and 26 Position ★ Operates on 48 V. DC. ★ Shpg. weight 3 lbs.
11 Position (10 Fos. and Off) ★ 6 Level Switching ★ 1 Level Bridging
5 Levels Non Bridging ★ Additional Contacts to Recycle Stepper

10 @ \$9

★ 26 Position (25 Pos. and Off) ★ 10 Level Switching ★ Non-Bridging Wipers ★ Has Interrupter Contacts







3-Conductor 100 ft.

★ 22 Gauge ★ Intercom Cable Shpg. wt. 1 lb. Shpg.

Olson W-105

\$1 98

2-Cond. Strand. 100 ft.



W-400

* 21 Gauge

* Speaker Cable

* Vinyl Insulation
Shpg. wt. 2 lbs.

\$269

* 18 Gauge

* AC Zip Cord

* Vinyl Insul.

Shpg. wt. 8 lbs.

Oison W-318

2-Conductor 200 ft.



* 24 Gauge * Speaker Cable * Vinyl Insul. Shpg. wt. 2 lb lbs. \$369

Oison W-399

VALUE LINE

LOOPSTICKS No. 1.75
Kit of 3. All directional radio antenna. Pulls in distant radio stations with remarkable ease. Shioping weight 1/4 lb.

TRANSISTOR SOCKETS
Kit of 10
One No. SC-1 17

Takes transistors with 3 contacts in line or triangle (JEDEC). Size: ¾" x ¼". ¼ lb.

MUELLER ALLIGATOR CLIPS

No. HW-72

★ Kit of 20

Deluxe #70 clips are cadmium-plated with solder connection. Handles up to 5 amps. Size 11%". shp. wt. 1/4 lb.

· 沙 宝 高 東 ·

LUG TERMINALS

Kit of 13 No. HW-60

Size: %" x %" lengths
1½", 2½" & 2¾". ¼ lb.



A.C. CHASSIS SOCKETS
Kit of 8 No. X-803
Bag of 8. Rated for 117
volts, 10 amps. Mount
in ½"x1%" hole. ¼ lb.

MINIATURE PLUGS & JACKS 6 assorted pairs.
Jacks are closed circuit type, Ideal for transistor earphones and receivers. Shpg. weight 1/4 lb. BASE

\$119

ALLIGATOR CLIPS
No. HW-62 * Kit of 10
Kit of 10 insulated
Alligator clips. 5 red
clips and 5 black
clips. Asstd. sizes.
Shpg. wt. 1/4 lb.

FOR

9V BATTERY SNAPS BA-102 Pkg. of 6 battery snaps to fit popular v. battery in transsistor radios, etc. Shpg. wt. ¼ lb.

No. TL-7

6" DIAGONAL CUTTERS

6-in. heavy duty, cuts the finest to the toughest wire. Shpg. wt. ½ lb.



No. TL-5 With side cutters. For Radio and TV repair. 6 inches long. ¼ lb.



BINDING POSTS Kit of 10 No. HW-61
Will take alligator clip, banana plug, tip plug, spade lug or wire. 1/4 lb.



PILOT LAMP SOCKETS
Kit of 10 Asst. No. AS-848
For bayonet type bulbs. Perfect for replacement in radio,
TV or phono. Shpg. wt. 1/4 lb.



INSULATING TAPE
2 rolls of 3/4" wide, self-sticking plastic insulating tape. 2 colors: one roll red, one roll black. Shipping weight 1/4 lb.

MINIATURE 6 VOLT SYNCHROS

* Designed for 26 V. but OK on

★ Designed for 26 V. Dut UK on 6 V. AC


★ Ideal for direction indicators on Antenna, Weather Vane, etc.

★ When one motor is turned, 2nd motor in remote location turns in same direction and same degree

★ Wiring diagram included

★ Operates on 6 V. AC, 60 cps.

Size: (each) 1%" D. x 2" (incl. shaft). Shpg. wt. 1 lb.



Olson MO-212 2 PAIR FOR \$9.50 Pair

6 Volt Transformer T-76

\$1.44

Olson PRINTED CIRCUIT WIRE KIT \$1 79

W-575

3 —50 ft. Rolls Solid and Stranded Type Ideal For All Solid State Circuits Great For Kit Builders, Hobbyists and Repair Work

Brand New-Vinyl Colored Jacket Shipping weight 1 lb.

5 LB. SURPRISE KIT



Chock-full of condensers, resistors, hardware items, knobs, etc. Just too good to throw away. Great for builders and experimenters. The sort of things you'd save when cleaning out the junk drawers of your work shop.

YOUR CHOICE \$1.39, 10 @ \$1.29 EA.

PANEL LAMPS

NEON Kit of 3 PL-148 Has built-in Jewel front for maximum hrightfor maximum bright-ness. Kit contains two red and one yellow light. Includes 3 dropping re-sistors. For use on 110-120 V. A.C. Shpg. wt. 1/4 lb.

BAYONET BASE BAYUNET BASE
PILOT LIGHT

1 Red and 1 Green
Easy Bulb Replacement
Fits 11/6" Mtg. Hole
78" x 34" x 21/4".
Shpg. wt. 1/4 lb.



PL-155 Kit of 2

> 6 VOLT No. PL-65-Kit of 2 With 6 volt bulbs. %" dia. x 1" long. (1 red, 1 green) Shpg. wt. ¼ lb. Shpg.

SWITCHES

TOGGLE

Kit of 3 No. SW-154

(SPST and DPDT).

Rated @ 3 amps, 125

volts. Size 11½"x¾".

Shpg. wt. 1½ lb.



CENTER-OFF TOGGLE
Kit of 2 No. SW-156
DPDT center off
toggle switches.
Rated 6 amps @
125 volts or 3 amps
@ 250 volts. Size:
%4" x 1% x %4".
Shipping weight ¼ lb.



\$LIDE

Kit of 6 No. SW-153

Assorted S P S T

SPDT, DPST and

DPDT. 1 amp, 125

v. Size: ½" x ½" x

½". ½ lb.

FUN FOR EVERYONE!



3-Transistor Circuit A complete receiver (less speak-er) chassis plus built-in trans-mitter. Also contains a code os-cillator. Receives standard broadcast band. Transmits code or voice to any near-by AM broad-cast receiver. No license required.

RECEIVER/TRANSMITTER CHASSIS

Olson AM-369

\$299

Size: 5¾" x 25%" x 1½". Operates on 9 volt battery (not included). Shipping weight 1 lb. Accessories: 9 Volt Battery

(1 reg'd. Oison BA-89 Microphone, Oson M-235 60c 3" PM Speaker, Oison S-56



Completely Assembled—For Experimenter or Hobbyist Operates on 9 Volt Battery Ideal for Small Phono or

PA Applications

Color-Coded Leads for Easy

5 TRANSISTOR **AMPLIFIER**

Otson AM-260

\$399

★ Power Output: 300 MW ★ Output Impedance: 8 Ohms

Size: 1¾" x 5½" x ¾". Shipping weight ½ lb.

9 Volt Battery, BA-89 3" PM Speaker, S-56 65c



Olson 8" SPEAKER BAFFLE

★ Scuff Resistant and Washable—May be Painted, Varnished ★ For Paging, P.A., School Rooms, Offices ★ Walnut Finish

* Walnut Finish

* Hang on Wall or Place on Shelf


Size: 10½" x 9¾" x 6½". Shipping

weight 2½ lbs.

Comm CA-259 Less Speakers

6 @ \$5.19 ea. \$549


8" Speaker, No. S-146 Line Trans., No. T-110 Ea. \$2.29



Solderless Circuit Component for Experiment and Design Olson PERF-BOARD

BUILD, DESIGN, CONSTRUCT RAPIDLY

— Experimental or Permanent Electronic Circuits. Accepts Miniature Components (below) for rapid set-up. May be easily cut with saw, to size you desire, Phenolic Boards with \(\frac{1}{2} \)" holes punched on .265 centers \(\frac{1}{4} \)"



3 Lots of Fa. For 100 ea. Sive K-116 3142"x 65%" .49 1.25 .37 K-118 65/8" x913/4" 1.00 2.85 .90




COPPER CLAD (Punched) PERF-BOARD

3 Lots of Ea. For 100 ea. Size K-120 31924"x65/8" .69 1.80 K-122 65/6"x91%6" 1.74 4.42 1.33



SPRING TYPE, Banana Plugs For quick and easy connections. 1\%" long. Shpg. weight \% lb.
No. HW-36\$1.19



M. Meyler, 558 Railroad St., Sindber, PA 15963, wins choice of merchandise worth \$5 from Olson's "Treasure Hunt." See back cover for instructions.

TAPE RESIST

Use to protect areas of printed circuit board from etchant. 1/4" x .320".

COPPER CLAD (Unpunched Board)

Ea. For 100 ea. Size

Banana Plug CORD SETS 13" wire with plug on each end. 10 different No. HW-42



TRANSISTOR SOCKET Binding posts pre-mounted. With mounting hardware. No. HW-43\$1.19



Q.PIN THRE SOCKET

Binding posts pre-mounted. mounting hardware. Shipping wt. ¼ lb. No. HW-39

NEON PILOT

YOUR CHOICE


★ Pkg. of 2

4 for \$5.00





- ★ Pkg. of 2 ★ 1 Yellow, 1 Red
- ★ 110-120 V. AC
- Size: %" Dia. x 1½" Shpg. wt. ¼ lb.



Oison W-573 Package of 4

HEAVY DUTY cord with plug

- 3 WIRE HEAVY DUTY LINE CORD

- ★ 8 Ft. Long 18 GA.
 ★ 3 Prong Polarized Plug
 ★ Ideal Replacement for Power Tools
 ★ Scuff-Resistant Vinyl Jacket Shipping weight 1/4 lb.

Otson W-567 .. 99c .. 2 for \$1.78



1 Red & 1 Yellow ★ 110-120 Volts





Olson

SPACERS Otsos HW-71 \$1 19 4 for



* Ideal for Mtg. ★ Ideal for Mtg. Sub Panels, Chassis, Etc. ★ Pkg. of 16 ★ Assorted Size: ¼" D. x 1" Shpg. wt. ¼ lb.

SAVE!



- ★ Simple as 1-2-3, 1—Pa 2—Dip it, 3—Wire it -Paint it,
- Professional Job Everytime
- → No Messy Photo Process

Resist Paint Kit Separately

Circuit Board STARTER KIT

makes it easy for you to make your own Printed Circuit Boards. Complete


CAS-460 Individual Catalog Price \$5.77

See More Accessories Left.

★ Kit Includes: 2 Copper-clad
Boards (1—4"x6", 1—6"x9")
16-0z. Bottle Etchant Solution,
Resist Paint & Thinner

Great for Experimentation

★ Great for Experimenter's, Hobbyists, Students, Etc.



HANDY UTILITY BOX

- Removable Aluminum Cover
- Perfect for housing test equipment, experimental circuits, etc.
- ★ Made of Sturdy Bakelite

Otson	CA-355	31/4"x21/8"x11/8"		59c	
Otson	CA-356	4"x21/8"x15/8"	***************************************	79c	
Otson	CA-324	61/4"x33/4"x2"		98c	



* 31/2" x 6" * Kit of 5

Fits CA-324 above 3 perioards — 1 aluminum panel, bakelite panel. Shipping wt.

Panel and Box Combo K-130 + CA-234 Oteon AS-305

OISON "PATTERN-PERF" PANEL



\$ 98

Special pattern in copper coating makes transmitter mounting a cinch. Ideal for quick test set-ups or final construction. Pre-punched, ready to use. Size: 6½" x 3¾". Fits CA-324 box above. Shipping weight ½ lb.

CLIP LEADS



Package of 10 (5 Pair)
Fully Insulated Wire and Clips
Ideal for Temporary Hook-Up
Keep Several Sets on Service Bench

Color Coded-"Sure-Grip" Clips Shipping weight 1/4 lb.

Otson BA-165 3 for \$5.07




15 Amp. Switch Capacity Slumber Switch and Buzzer Alarm Four Position Function Selector

Size: 3½" x 3-1/12" x 2". 110-120 v. AC, 60 Hz. (less face and hands). Shipping weight ¼ lb.

ELECTRICAL TIMER SWITCH

90 Minute Time Cycle



SW-511 S-749

2 for \$4.20

★ Ideal for Turning Off TV, Fan, Radio, Etc.

Radio, Etc.

★ Operates on 110-120 V. AC. 60 Hz.
Switch Rating: 25 Amp @ 230 V
AC, ½3 H.P. @ 120 V AC.
Do-it-yourselfer will enjoy making his own calibrated face plate and building into his equipment.
All are brand new, with rugged Lux Timing motor and instructions for hook-up.
Size: 3½″ x 2½″ x 2″ D. Shaft size: 1½″ L. x ¾″ dia.

Olson FLUTED KNOBS

Reg. 79c



Reg. \$1.19



for \$1.20 (Onco.) KN-34 Adds Custom Appearance Functionally Designed Ideal for Amateur & Experimenter Durable High Gloss Black Finish Size: 134" Dla. x %6"—Fits 1/4"

Has Brass Insert and Set Screw

Shipping weight 1/4 lb.

★ With Skirt and Indicator Line ★ High Gloss Black Finish Size: 1½" Dia. x 1½" — F ½" Shaft. Shpg. wt. ¼ lb. ©man KN-35. Pkg. of 2

Set of matched knobs like above but smaller $\frac{1}{2}$ x $\frac{1}{2}$ x $\frac{1}{2}$. Oison KN-36. Pkg. of 5

New Knobs Modernize Old Equipment



ASSORTED KNOBS

For radio and TV replacement. Variety of styles and colors.

Oison KN-30 KIT OF 25

YOUR CHOICE

51 19

FOR





★ Kit of 2 ★ Brushed Aluminum w/Walnut Inset Size: 1" dia. x %" L. Fits %" shaft. Shpg. wt. ½ lb.

Olson Pointer Knobs



★ Black w/Aluminum Inlay ★ White Pointer Dot ★ Fits ¼" Shaft ★ Size ⅓" D. x 5%" L. Shipping weight ¼ lb. Gisen KN-39. Pkg. of 2

Olson KNOB SET



★ Black Plastic/Metal Trim ★ Brass Insert w/Sat Brass Insert w/Set Screw For 1/4" Dia. Shaft 1/4" D. x 3/4" L.

Shipping weight 1/4 lb. Oison KN-32 Set of 5

Olson Calibrated Knobs



★ Black Plastic/Aluminum Trim
★ Calibrated 0 thru 10
★ For ¼" Shaft
★ Brass Insert W/Set Screw
★ Size: 1½" D. x 7%" L.
Shipping weight ¼ lb.

Shame KN-38. Pkg. of 2

Diodes



Replaces IN34, IN34A. IN60 and IN61. Shpg. wt. 1/4 lb.

DI-18



500 MA SILICON

(KIT OF 4)

★ RMS: 280 Volts ★ PIV: 400 Volts Shpg. wt. 3/4 lbs.

1 AMP. EPOXY PIV. 600 VOLTS

Shpg. wt. 1/4 lb. DI-24

CADMIUM PHOTOCELL





Resistance range from 200 ohms to 1 megohm. Sensitivity 500 to 600 Angstrom units. Max. voltage 150 v. DC. Max disipation 150 mw. Size: ½" dia. x ½" deep. Has 1" leads. Shpg. wt. ½ lb.

Oison FUSE HOLDERS



★ 1/2" Mtg. Hole * Kit of three standard holders for chassis

* For 3 AG Size Fuses Shipping weight 1/4 lb.



Miniature Controls Otson R-92

2 Kits for \$3

Designed for Printed Circuits
 ★ Stand-up Verticle Mounting
 ★ Great for Any Application Where Variable Resistance Is Needed
 ★ Cross Slot Adjustment
 ★ Kit of 10 Assorted Values

Size: %6" dia. Shpg. wt. 1/4 lb.

12 Piece Volume Control Kit



★ Name Brands Such As Centralab, Mal-lory—others ★ Various Shaft Lengths & Diameters ★ Some Include

★ Some Include
Switches
★ Carbon and Wirewound Type

VC-274 **59**°

Shipping weight 1 lb.

RECTIFIERS

SILICON ZENER DIODES #IN754A \$189

★ Ideal for Regulated Power Supplies, Etc. ★ 6.8 Nom Voltage ★ 400 M/Watt @ 5% Tolerance ★ Pkg. of 2

Shpg. wt. 1/4 lb.

6.8 Volt 1 Watt Zener Diode #IN3016B Pkg. of 2

SELENIUM RECTIFIERS

150 MA - 130 VOLTS Size: 11/8" x 11/8 Shpg. wt. 1/4 lb.



\$1.39

Olson RE-116 10 @ 60c ea.

SELENIUM RECTIFIER KIT

Kit of 7 w 130 volt selenium rectifiers. Contains the follow-ing sizes: 1—300 ma, 2—150 ma, and 4—100 ma. Stock up now on this unusual value. Shipping weight 1 lb.

Otson RE-118, ALL 7\$1,20

MOTOROLA SILICON RECTIFIER

★ 2.5 Amp ★ Mfgs. Type HEP 170 ★ PIV: 1000 Volts ★ RMS AC Input: 700 Volts Ideal replacement for all sili-con rectifiers up to 2.5 amp capacity. Shipping wt. 1/4

SILICON RECTIFIER 750 MA

79° 3 for \$2.10 No. RE-32

SPECIFICATIONS: Mfgrs. Type: SD-500-90; RMS A.C.
Input: 280 Volts: Peak Inverse Voltage: 400 Volts:
Output: D.C. 500 MA @
100° C; Current: 750 MA @
500 C. Shpg. wt. ¼ lb.

RCA IN3194 750 MA Silicon Diode. Pkg. of 2 Once DI-26 \$1.19

TRANSFORMERS



IF TRANSFORMER & COIL KIT OF 10

Kit contains IF transformers RF coils, peaking coils and chokes. Shipping weight 1/4 lb.

L-77

TRANSFORMERS



IF 455 KC

Consists of one each input and output transformer. Size: %" x %" x 2". Complete with instructions. Shipping wt. ¼ lb.

Audio Power Filament 70.7 V. Line **Transformer**



Oison T-110

3 @ \$2.00 12 @ \$1.50

Primary: 2,000Ω 500 to Secondary: 4-16

Power: 10 Watts Size: 2"x11/2"x15/8" Shpg. wt. 1% lbs.

POWER

Oison T-290 S 198

Primary: 110-125 volts A.C. Secondary: 24 v. @ 1 amp. Size: 23/4"x21/4"x 21/4"

Shpg. wt. 1% lbs.

3 ESPHR. **AUDIO OUTPUT** Otson T-92

Primary: 2,500 ohms; 3 watts Secondary: 3-4 ohms Applications: 50C5, 50L6, etc.

Size: 1½" x 1% x 1%

Shpg. wt. 1/4 lb.



FILAMENT Primary:


volts AC. Secondary: 6.3 1 amp. 2%"x1%"x wt. Size: 2%"x1 1½". Shpg. 1 lb.

12.6 V. @ 1 Amp.

Otson T-304 3 @ \$1.39 ea. \$1.49

SALE!

VOLTAGE REGULATED POWER SUPPLY



- ★ Ideal For Experimenters' Bench
- * For Transistor and
- For Transistor and Tube Applications Designed and Manu-factured in U.S. For A Leading "Copy Machine Company" Solid State Rectifiers High Capacitance Filters

★ FIVE DC VOLTAGES

+110 V. DC @ 880 ma. Max. Ripple .5 V p-p

#2 +5 V. DC @ 450 ma. Max. Ripple 40 Mv p-p

—18 V. DC @ 1.3 Amp. Max. Ripple 130 Mv. p-p

—24 V. DC @ 2.7 Amp. Max. Ripple 50 Mv. p-p

#5 —110 V. DC @ 245 ma. AC input 115 V. AC ± 15%

Approx. Size: 171/2" x 12" x 61/6". Approx. Shipping weight 50 lbs.

LIMITED QUANTITY

Olson X-145

Name (First)

PHONE NO.

ADDRESS-Box No. or Route

REG. 349.98

\$2999

(Last)

ZIP CODE

Free! Stereo System Price Quotation

OLSON ELECTRONICS: Please send me your SPECIAL LOW PRICE on the Stereo System I have selected . . .

How Many	* ITEM	MAKE -	MODEL	
	RECEIVER OR AMPLIFIER			
	CASE FOR ABOVE	□ Walnut	□ Metal	□ None
	TUNER			Jan A
	CASE FOR ABOVE	□ Walnut	□ Metal	□ None
	RECORD TURNTABLE		Verif	
	CARTRIDGE			Was I
	BASE FOR ABOVE			
	DUST COVER FOR ABOVE			
	45-RPM SPINDLE FOR ABOVE			
	SPEAKERS			
	WOOD FINISH OF CABINETS			er.
	TAPE DECK			
	OTHER ITEMS		X	
	PLEASE	PRINT	A Charles	

(Middle)

STATE

AREA CODE

1/2 PRICE



RECORDING TAPE

Factory Boxed
Made in USA
7" Reel 1 Mil
Polyester Backing
Shipping weight 1 lb.

As Low As 89°

89 c Into of 10 1200 Ft. Ones TA-75 10 @ 89c ea. 1.09 ea. 1800 Ft. Oison TA-110 10 @ 1.29 ea. 1.49 ea.

INDOOR PHOTO **ELECTRIC SWITCH**

* Never Needs Setting * Simple Plug-in Installation

Turns lights on and off at dusk and dawn. Size: 3½" x 2½" x 1¾". For 117 Volts AC. Capacity: 600 watts. Shipping weight 1/4 lb.


SW-203 Reg. 34-49_ \$359

Olson

Compact Auto Reverb

★ Operates Rear Speaker With or Without Reverb

Combination control turns reverberator on and off and adjusts balance between front and rear speaker. Complete with instructions and connectors. Size: 6½" W. x 1¾" H. Operates on 12 volts, neg. ground system. Shipping weight 3 lbs.



Disce RA-749 Styles May Vary Reg. 39.98

\$499

DC Volts: 0-25, 50, 500, 2500 V. AC Volts: 0-10, 50, 500, 1000 V. DC Current: 0-50 ua., 2.5 ma.,

250 ma.

* Resistance: 0-60 K, 6 meg.
Size: 3½" x 4½" x 1½" MULTIMETER
Shipping weight 2¾ lbs.

Olson 20K OHMS/ VOLT



\$999 Reg. 3H-98

★ Acoustic Suspension ★ Heavy Duty Magnet ★ Response: 65 to 18,000 Hz. ★ Power capacity: 5 watts. RMS. ★ Impedance: 8 ohms. ★ Size 6" x 9" x5". ★ Shore wit 6 like

Shpg. wt. 6 lbs. Reg. 314.98_ \$099

Olson **FAMOUS**

X-AIR SPEAKER

SYSTEM



FM/AM PORTABLE RADIO

USES BATTERY OR HOUSE CURRENT

Solid State Circuitry * Easy-to-Read Dial ★ Telescope FM Antenna ★ Built-in AM Antenna * Includes AC Cord, Batteries and Earphone.

Size: 7¾" x 4½" x 2½". Shpg. wt. 4 lbs.

Oisos RA-276 Reg. 315.98



TAPE and AUTO ACCESSORIES



A TAPE CARTRIDGE STORAGE RACK A TAPE CARRIDGE STORAGE RACK

★ Holds 12 8-Track or 4-Track Tapes

★ Built-in Deviders ★ Walnut Vinyl
Covered ★ Stands Vertical y er Horizontally.

Size: (11/2 x 11/2 x 11/2 Shipping weight 1 lb.

CA-455 REG. \$2.98\$2.49

C Gracoton CARTRIDGE STOR-CAPTRIDGE STORAGE CABINET

AGE CABINET

Holds 40, 4

or 8 Track Cartridges

Attractive Walnut Finish

Handsome Sliding Doors

Modern Styling.

Size: 24" x 6¾" x 7½".

Shipping weight 8 lbs.\$14.98

D SPEAKER FOR TAPE PLAYERS

5" Heavy Duty Speakers * Kit
of 2 With Grilles * Powerful Ceramic Magnets * Includes Wire and
Hardware * Impedance: 8 Ohms.
Shipping weight 5 lbs.

57.98

E 6x9 INCH REAR DECK SPEAKER

E SAS INCH REAR DECK SPEAKER

* Easy o Install Speaker

Fader (control enables volume
to be adjusted to any desired level. Includes wite, grille, lardware
and easy to follow instructions.
Shipping weight 804 lbs.

See 5-333 REG \$4.49 \$3.79

Universal 6"x9" Speaker Kit Works With Any Radio, 10-20-40 Ohm. Otion 5-592 \$4.90

HEAVY DUTY 51/4" SPEAKER KIT Chrome Anodized Grilles ★ Mounts
In Door or Panels ★ For 4 or 8
Ohms ★ Kit of 2 with Grilles.
Shipping weight 5 lbs.

S-58
S-58
S-58
S-58

G "LOCK MOUNT" TAPE PLAYER MOUNT ★ Prevents Car Stereo Theft
★ Makes Tape Player or CB Removable ★ Fully Adjustable ★ For
Car, Stereo, Radio, CB, Etc.
Shipping weight 3 lbs.

Sam AU-149

\$9.98

■ 8-TRACK CLEANER TAPE * Cleans

3 8-TRACK TEST CARTRIDGE

★ Check Frequency Response ★ Check Tape Tracking ★ Check Volume & Balance.

K CARTRIDGE TAPE-HEAD DEMAGNE-TIZER ★ Eliminates Distortion ★ With AC Line Cord and Plug, 110-120 Volts AC, 50/60 cps. 1 lb.

B-TRACK DEMAGNETIZER/CLEAN-ER ★ Plugs Into Cigar Lighter ★ Demagnitizes Tape Heads ★ Cleans Heads and Tape Guides ★ Operates on 12v DC ★ Just Plug-in Like Tape Cartridge. Shipping weight 1 lb. Size: 3%" x 5%" x %".

M DELUXE 8-TRACK BLANK TAPES

★ Special Coated Tape Eliminates
Stretching and Breaking ★ Wide
Range Response ★ Precision Built
for Trouble Free Operation ★ Convenient Tape Index Label.
Shipping weight ½ lb.
40 Min. © Min. 2626, 10/\$19, \$1.98
80 Min. © TA-625, 10/\$29, \$2.98

N 8-TRACK BLANK TAPE CARTRIDGES For All 8 Track Recorders. Min. 8-Track Otsen TA-248, \$1.69

12 or more \$1.39 40 Min. 8 Track (%) TA-613, \$1.79 12 or more \$1.69 12 or more 70 Min. 8 Track @soc TA-557, \$1.98 \$1.79 12 or more ...

Auto Tape Player Wiring Harness YOUR CHOICE 54.98 ★ For Most 4 & 8 Track Players ★ Inline Fuse Holder and Speaker Leads ★ Ideal for Using Tape Player in Various Autos, Etc. 4-Pin for Muntz, Automa¹ic & Audio Stereo

Groom AU-173 4-Pin for Tenna, Ranger &

Olion AU-174 5-Pin for Craig, Muntz, Audio Sonic AU-175 Shipping weight ½ lb.

P REVERSIBLE 12 VOLT DC MOTOR

★ 4500 RPM ★ Ideal for Heater
Fans, Defrosters, Electric Windows,

Size: 2½" dia. x 4" long. Has 5½" x ½" dia. shaft. Shipping wt. 4 lbs. (Used).

Oisos MO-232 3 for \$11.25 ..\$3.98

② STEREO SPEAKER BALANCE CONTROL ★ Ideal for Tape Players and Stereo Radios When 4 Speakers are Used ★ Balances Left and Right Channel Front to Rear ★ Black Finish with Chrome Accent ★ Includes Wire and Instruction Wire and Instructions.

Size: 3¾" x 1¾". Shipping weight ½ lb. Oison AU-172\$3.29

R CIGAR LIGHTER PLUGS

Two standard auto lighter plugs, with 32" cable attached. Ideal for CB, Radios, Players, Etc. Shipping weight ½ lb.

S FUSED CIGAR LIGHTER PLUG
★ Fits Standard Auto Lighter Jack
★ 1 Amp Fuse Included ★ 5' Cable
Attached ★ Ideal for CB, Tape Players. Etc.

Shipping weight 1/4 lb. Otson X-122

TEMERGENCY WARNING SWITCH

** Parking and gail lights blink together. Par all gland 12 V. Systems.

Shipping weight 1/2 lb.

Shape 5W 324 REG 5 189 89c

W REMOTE STARTER * For Auto/-Truck or Stationary Engine ★ Ideal for Remote Starting Gasoline Powror Kemote Starting Gasoline Powered Generator, Pumps, Etc. * Includes 40 ft. Cable and Plugs * For 12 V. DC., Pos. or Neg. Gnd. * Eliminate a Cold Auto in the Morning * Ride in Comfort.

Shipping weight 5 lbs.
STARTS CAR FROM THE COMFORT OF YOUR HOME

Oison AU-133 ☑ AUTO PARKING LIGHT ★ Built-in Magnet Mount ★ Built-in Photo Cell Activates Flashing Light at Dusk

★ Complete with Cable and Lighter Plug. Size: 41/4" x 45%" x 8" for 12 volts DC, or Neg. Gnd. Shipping weight 2 lbs.

Otson AU-136\$4.89

W LOW FUEL LEVEL INDICATOR

★ Alerts You When Your Gas Is Low

★ Adjustable from Empty to 1/4 Full

★ Solid State Circuitry ★ Flashing
Red Light Becomes Brighter as Fuel Gets Lower.

Although custom designed for arious cars. "Do-It-Yourselfers various cars. "Do-It-Yourselfers will be able to install in almost any make or year of car, truck, boat or other vehicle. Size: 134."

x 2" x 1½". Shpg. wt ½ lb.

X @mea 12 VOLT BATTERY CHARGER
★ Keeps Batterie; Fully Charged for
Instant Starts ★ For Autos, Trucks,
Tractors, Boats ★ Cannot Overcharge
★ Output 12 Volts @ 1 Amp.
Shipping weight 3 lbs.

Otson AU-140 \$3.98

▼ AUTO RADAR SENTRY ★ Audible Signal Warns of Radar Traps ★ No External Wires ★ Transistorized ★ Built-in Antenna ★ "S" and "X" Bands.

Includes 8 transistors and 5 diodes. The batteries (included) will last hundreds of hours. Size: 3½" x 2½" x 3½". Shipping wt. 3 lbs.

Extra Batteries (2 reg'd.)

Olson BA-108 (Mercury Cell) Ea. 1.00

MARK 10 CAPACITIVE DISCHARGE:
IGNITION SYSTEM ★ Up to 20%
Increase in Gas Mileage ★ Installs
in 10 Mins. ★ 3-10 Times Longer
Spark Plug Life ★ Increased Acceleration and Performance ★ 12 V.
Neg. Gnd. Shpg. wt. 4 lbs.

Otson AU-137\$39.98

2 TRIPP-LITE INVERTER ★ Built-In Battery Charger ★ Transistorized ★ 12 Volt DC to 117 V. AC.

Supplies 117 volt AC, 60 cycle voltage at 200 watts continuously from 12 V. DC battery. Use with from 12 V. DC battery. Use with small power tools, electrical shaver, radio, TV, and some household appliances. Standard electrical female output. Size: 5½" x 3½". Shipping weight 6½ lb. NOT FOR USE WITH REFRIGERATORS, AIR CONDITIONERS, FRY PANS AND SIMILAR APPLIANCES.

Otton RA-877\$49.95

AU-142 \$900

With Purchase of Any Auto Reverb or Radio Below. Separately \$3.49

★ Activates Horn

★ Built-in Emergency Warning Switch

★ For 6 and 12 Volt Cars

★ Protects Car Against Tampering and Theft

★ Fast, Easy Installation

Shipping weight 5 lbs.



SAVE!

Protect Your Investment

Olson AUTO **BURGLAR ALARM**

VW Deluxe AM All Transistor Radio



PA-166

Designed for 1958 thru 1971 Volkswagen autos. Features ex-cellent sensitivity and durable construction. 6 and 12 volts. Includes all mounting hardware. Size: 7½" W. x 4½" D. x 1¾" H. Shipping weight 7½ lbs.

Side Cowl Antenna for 1958 thru 1967. AA-160\$2.59

Radio Motorola

Universal

Pushbutton

Auto

WAS \$15.98 IN 271 CAT.

SPECIAL

Can be mounted in most 12volt neg. gnd. cars, trucks, campvolt neg. gnd. cars, trucks, campers, etc. Styles may vary. Approx. Size: 7¾ " W. x 9" D. x 3¾"
W. Shipping weight 12 lbs.

Top Cowl Mounting Antenna w/Cable 2 Plug. □ AA-134 ... \$2.49 ea.

GIBBS

450

AM Radio 12-VOLT TRANSISTORIZED

Universal

With Built-In 4" Speaker Slide Rule Tuning Dial

Excellent sensitivity and sta-bility. Compact size: 6¼" x 2¾" x 8¾". For use on 12-volt nega-tive gnd. system. Shipping weight 6½ lbs.

Cowl Mounting Antenna w/Cable & Plug Oison AA-134 \$2.49 ea.

STEREO

Gison AU-134 **n**88



Works with Reg. Car Radio 4 Watt Amplifier Off/On Indicator Light

Stereo Indicator Light

Volume and Balance Controls For Stereo Tape Systems and

MPX Radios

Black Leatherette and Chrome

* Variable Reverb Control
Operates on 12 volts DC. Size:
1%" H. x 8" W. x 5%" D.
Shipping weight 3 lbs.

GIBBS

TUNABLE REVERB

Oison AU-112 \$1999



★ Dual Delay Units Produce
Better Effect
★ Operates Rear Speaker with
or Without Reverb
★ Special 2 Transistor Circuit

6"x9" PM Speaker, Otton S-136

Deluxe 6"x9" Speaker Grille, Otton CA-456

★ Stylish Front Panel
★ For All 12 Volt DC Neg. Gnd.
Cars, Boats, Campers, Etc.
Size 6¼" W. x 2" H. x 3½" D.
Shipping weight 8 lbs.



Adds FM to Any AM Auto Radio

Internal Wiring
Illuminated Slide-Rule Dial
All Mounting Hardware Included
Use Existing AM Antenna

Auto Converter Oison RA-257

Olson FM

★ Operates on 12 Volts DC Neg. Gnd. ★ Tuning Range: 88-108 MHz

Size: 7" W. x 1\%" H. x 4\%" D. Shipping weight 4 lbs.

STEREO FM AUTO RADIO



Concert Hall Realism for the Car

★ Sensitive 24 Transistor Circuit
★ Slim-Trim Styling Makes
Ideal for All Cars
★ New Thumb Wheel Controls
★ Built-in AFC Locks in Station
★ Illuminated Dial w/Stereo
Indicator Light
★ Response: 55 to 14,000 Hz
★ Impedance: 8 Ohms
★ For All 12 Volt Neg. Gnd. Cars S-25 DELUXE UNIVERSAL MOUNTING SPEAKERS

Styles May Vary

RA-140

WAS \$59.97 IN 171 CAT.

Size: 8" W. x 534" D. x 2" H. Shipping weight 6 lbs.

\$9.98 pr.

2-WAY

WAS A


Olson WIDE RANGE 6" x 9" SPEAKER KITS

* For Reverbs, Radios and Players

2 for \$18

SO 95

Oison 5-21 Was \$12.98 In 171 Cat.



Massive Ceramic Magnet

High Frequency Radiator

Impedance: 8 Ohms



Olson Electronics 75

Shipping weight 5 lbs. * MONTHLY PAYMENT CHART, See Page 18

Otson 5-152

Fits Standard 6"x9" Cutout
With Grille, Fader Control, and
Mtg. Hardware
Powerful 5" Woofer
Crystal Clear 3½" Tweeter
Electronic Crossover
Universal 10-20-40 Ohm
Impedance
Shipping weight 5 the

* Complete with Grille, Fader Con-trol, Wire, and Instructions

* Specially Treated Cloth Suspension

Shipping weight 5 lbs.

Your Favorite Music While You Drive . . .

on 8 Track Stereo







A RANGER Compact

New Finger Grip Controls
Response: 40-12,000 Hz.

This compact distinctive styled unit features solid state circuitry, "out of the way" controls for safety and convenience, and a jewel pilot light complete with mounting bracket and power cord-Operates on 12 volts DC. Neg. Gnd. Size: 5" x 3" x 6%". Shipping weight 9 lbs.

\$39.95 Universal Mtg. Speakers Otson S-25 \$9.98 pr.

B RANGER Mini-8

Built-in Burglar Alarm

Built-in Burglar Alarm
Illuminated Control Knobs
The mightiest of the compact 8 track players which has all the features of the larger models, the built-in alarm scares off the would-be thief by the auto's horn continuously blowing. Fowerful 12 watt solid state amplifier can drive multiple speakers easily. Features fine tuning, channel selector button, illuminated controls and channel indicator. Response: 40 to 12,000 Hz. Complete with mounting bracket and power cord. Operates on 12 volts DC neg gnd. Size: 534" x 3" x 7" D. Shipping weight 8 lbs.

* \$10 Monthly

\$54.98

Universal Mtg. Speakers Otson S-25

\$9.98 pr.

C RANGER'S Finest

Built-in Burglar Alarm
Self-Cleaning Tape Head

Compare these quality features:
Ranger's finest car player has features galore to add to its dependability and operation ease. New slider type controls for volume, balance and tone, along with fast forward button offer safety and convenience. The powerful solid state 14 watt amplifier delivers clean, undistorted sound. A built-in tape light makes easy viewing of tape at night. Has fine tuning, motor on-off switch for use with tuner, illuminated track indicator and cartridge eject button. Response: 40 to 12,000 Hz. Size: 3½" x 73½" W. x 7½" D. Operates on 12 volts DC neg. or poss. gnd. Shipping weight 13 lbs.

Sto Monthly

\$79.95

Universal Mtg. Speakers Otton S-25

\$9.98 pr.

D Built-in FM Stereo Radio

Just think! Your favorite music to add to your driving pleasure. Great for boat, camper, truck, etc. Powerful solid state amplifier delivers enough power to drive multiple speakers. New "out of the way" thumb wheel controls for balance, tone, volume and fine tuning. Illuminated channel track indicators. Sensitive static free FM reception and true stereo separation from FM or tape. Response: 40 to 18,000 Hz. Complete with mounting bracket and power cord. Operates on 12 volts DC neg. gnd. Impedance: 8 ohms. Size: 8" W. x 71/2" D. x 21/2" H. Shipping weight 12 lbs.

Steen AU-189

* \$89.99

New Thumb Wheel Controls

FM Stereo Indicator Lamp
Sensitive stereo FM brings in the weakest stations. Solid state 12 watt amplifier can easily drive multiple speakers. Has illuminated channel and station indicator, fine tuning, auto/manual channel changer and built-in alarm. Response: 40 to 12,000 Hz. Complete with mtg. bracket and power cord. Size: 8" W. x 9" D. x 31/8", H. Operates on 12 volts DC neg. gnd. Shipping weight 13 ibs.

* \$10 Monthly

\$109.95

\$9.98 pr.

Universal Mtg. Speakers Oison S-25

Separately \$4.89 and solve the purchase of any tape player on this page Built-in Magnet Mount Built-in photo cell activates flashing light at dusk. Complete with cable and lighter plug. Size: 41/4" x 45/6" x 8" for 12 volts DC neg. gnd. Shpg. wt. 2 lbs.

A CRAIG SPECIAL BUY!

16 Watt Solid State Amplifier

An ideal unit for car, boat, camper, etc. Has thumb wheel controls for volume and tone. Features automatic stop and signal at end of tape, rewind and fast forward, plus cassette slot door that protects head and other parts from dust. Complete with mounting bracket and power cord. Response: 70 to 10,000 Hz. Impedance: 8 ohms. Size: 71/4" W. x 73/4" D. Operates on 12 volt DC neg. gnd.

Shipping weight 8 lbs.

Standard AU-190 * \$10 Monthly

Mfr. 1970 Sugg. Resale Price \$89.95

\$59.99

Universal Mtg. Speakers Ottom S-25

\$9.98 pr.

Universal Mtg. Speakers Onco S-25

* MONTHLY PAYMENT CHART, See Page 18

For Your Driving Plea Music on an 8 Track Stere

Records and Plays Through Your Home Stereo System
Automatic Record Level Control

A handsome addition to any stereo system. Advanced solid state circuitry. Indicator lights for program selection, pause, record and automatic stop. Can record and stop after each program or continuously record through 4 programs. Has inputs for mike and line plus oiled wainut enclosure. Size: 3½" x 13¼" x 7¾". Operates on 110-120 volts AC, 60 cps. Shipping weight 12 lbs.

Otton RA-349 See Blank Tapes Pg. 74 _

\$119.95

B ROBERTS

New Slider Controls
Plays Through Your Home Stereo

Features push-button controls, solid state preamp, dual Vu meters, channel indicator lights and record indicator light. Has fast forward control, stereo head-phone jack, and inputs for mike and line. Beautiful walnut cabinet. Sizes: 13½" x 9½" x 5½". Ceperates on 110-120 volts AC, 60 Hz. Shpping weight 15 lbs. See Blank Tapes Pg. 74

Otton RA-344 Model 808D

\$179.95

C Otson 8 Track Stereo Tape Player

Automatic Channel Selection
Plays Through Your Stereo System

Plays convenient 8 track auto type tape cartridges. Just push the pre-recorded cartridge into place and the unit turns on automatically. Illuminated program indicators. Continuous music, or you can select the program you want. Cabinet features a blend of walnut and vinyl. Simple plug-in connections. Frequency response: 50 to 15,000 Hz. Only 41/2" H. x 111/4" W. x 81/4" D. Operates on 110-120 volts AC, 60 cps. Shipping weight 10 lbs.

(Ohion RA-234 Was \$49.93 in 271 Cat.

\$39.99

Accessories For Your Auto Tape Player . . .

Otson Deluxe Stereo Speakers

Mounts Anywhere

Ideal for car, station wagon, camper, etc. Extra wide range response. Has over-size ceramic magnet and two 10-ft. cables attached. Impedance: 8 ohms. Size: (each) 7" x 81/4" x 35/4". Shipping weight 3 lbs.

\$9.98 Olson S-25

B Deluxe 51/4" Speaker Kit

Mount in Doors or Panels local for auto tape players, stereo/FM radios, etc. Has heavy-duty ceramic magnet and cloth roll suspension that increases bass response. Includes snap-on chrome grilles, wire and hardware, for 4 or 8 ohm Impedance. Power capacity to 8 watts. Shipping weight 3 lbs.

\$15.98

C OUR FINEST

6"x9" 2-Way Auto Speaker System

■ Ideal for Auto Tape Players, Radios, Reverbs, Etc.

Powerful 6" x 9" woofer, crystal clear 2½" tweeter and electronic crossover. Has cloth roll suspension that gives added flexibility for deep, distortion free bass. 10 oz. ceramic magnet. Mount on rear deck, side panels, in campers, bus, etc. Complete with fader control, stylish black grille, hardware, wire, template and instructions. Shipping weight 6 ibs.

\$17.98

D Our Finest TRUSONIC Auto Speakers

■ The Ultimate in Car Stereo Speakers

It's like listening to your home stereo. Mounts in doors, kick panels, rear deck, etc. Has massive 2-lb. ceramic magnet, free-cone suspension that provides deep solid bass and moisture-proof cone. Power capacity: 12 watts each speaker, wide range response and 8 ohm impedance. Kit includes 2 speakers with snap-on chrome grilles, wire, hardware, templates and instructions. Size: 5" dia. x 1% 0. Shgs. wt. 8 lbs.

2 Kits for \$60

\$34.98

Trusonic 5" Speaker Separately. Ideal for Home Hi-Fi/Stereos


\$16.98 each

E SKOSS Auto Tape Player Stereo Headphones

Response: 30 to 15,000 Hz.
8' Retractable Cord

Ideal for keeping the kids occupied while traveling. Eliminates road and back-ground noises, offers smooth fatigue-free response. Includes jack for hook-up to player. Shpg. wt. 2 lbs.

* MONTHLY PAYMENT CHART, See Page 18



d Your Favorite

corder/Player...





Oison Deluxe 30 Watt Stereo FM/AM Receiver

- Stylish Black-out Front Panel Illuminated Dial and Tuning Meter Beautiful Walnut Finished Wood

★ FM-AFC ★ Built-In AM Antenna

* Stereo Station Indicator * Stereo Headphone Jack

Here's the ideal starter Receiver for Junior, Sis, Mom or even Dad. The One RA-287 is one of our best buys in Stereo components. Easy to hook up—Beautiful to look at and simple to operate. It has many features found on the larger and more expensive models, but at a price you can-afford.

Specifications: Tuner: Excellent Sensitivity, MPX Separation; Sodb. Capture Ratio; 6 db Image Rejection; 40db Amplifier; Response, 40-30,000 Hz. Bass Control: ± 10 db @ 100 Hz. Treble Control: ± 1db at 10,000 Hz. Impedance 8 ohms. Inputs: Mag. Phono and Aux (crystal Phono or Tape Deck). Has Tape Recorder output jacks, Circuit breaker circuit protection, push button speaker connection.

nection.

Size: 15¾" x 3¾" x 9¼" D. Operates on 110-120 V. AC. 50/60

Hz. Shipping weight 10 lbs.

FREE Separate Sep 12 PEARLS

RA-287 Reg. \$135



Track Auto Stereo **Tape Player**

> Olson AU-117 Styles May Vary

Reg. \$29

★ Automatic Channel Changer ★ Electric Motor Speed Control ★ Powerful Solid State Amplifier

Handsomely styled in black and chrome. Installs easily under dash with mounting brackets included. Clear, full range tone. Response: 80 to 12,000 Hz. Operates on 12 volts DC, neg. ground. Size: 6" x 7" x 3". Shipping weight 8 lbs.



Destroit.

Olson Deluxe Stereo Speakers

\$888 5-20 Reg. \$9.98

★ Includes Two Speakers Complete
With Cabinets ★ Mount Anywhere
In Car, Station Wagon, Bus Camper,
Etc. ★ Molded Cabinet Resists
Scuffs and Nicks ★ Features HiFidelity Special Design Speakers
★ Impedance: 8 Ohms.

Size: 71/6" W. x 57/8" D. x 41/2" H. Shipping weight 2 lbs.



Custom Stereo Speakers

S-979 Reg. \$3.99

★ Heavy Duty 3"x5" Speaker ★
Rugged Vinyl Cabinets ★ Mounts on
Kick Panels, Doors ★ Cable Included ★ 8 Ohms.

Size: 7" W. x 3%" H. x 81/2" D. Shipping weight 2 lbs.

DELUXE SPEAKER SYSTEM. Two Speakers Like Above with Heavyduty magnets plus mtg. hardware. Otton 5-18 \$7.77

((P))

PACE 23 Channel CB 2-Way Radio

Complete Ready for 23 Channel Operation All Silicon Transistors for

Reliability

Dual Conversion Receiver Ideal for Business, Emergency,

Public Service, Etc.
Built-in SWR Meter Lets You Tune Set to Antenna

Includes Powerful Variable Out-put Desk Mike * Walnut Finish Cabinet

Great Gifts

or Grad!

for Mom, Dad

Headphone Jack for Private

Listening

Also Great for Auto or Boat

Size: 16¼" x 5" x 9. Operates
on 110-120 Volts 60 Hz. and 12

on 110-12 Volts DC.

Reg. \$330

1st Time at These



2-Way Radio Base or Mobile

* Business, Car, Home Up to 12 Crystal Controlled

Channels * Sonu State Circuit

* Built-in AC Power Supply

* Signal Strength Meter

Rugged Push to Talk Mike
Sensitive Dual Conversion Receiver
Complete with crystals for channel 9, and Mobile Mounting Brack-

et. Operates on 110-120 Volts and 12 Volts DC Neg. or Pos. Gnd. Size: 9½" W. x 5" D. x 2½" H. Shipping weight 7 lbs.

SEE MORE CB UNITS & ACCESSORIES PG. 38-39

Otson CB-182 Reg. \$79.99

*\$10 Monthly

\$6666

Extra Crystal Certificate: Oison CB-185 for (1-Trans-1-Receive)

... \$4.95 set

Compact **Auto Reverb**

* Operates Rear Speaker With or Without Reverb

Combination control, switch turns reverberator on and off and also adjusts balance between front and rear speaker. Complete with Styles May Vary instructions and connectors. Size: W. x 1%" H. Operates on volts, neg. ground system. Shipping weight 3 lbs.




199

6x9" PM Speaker

\$3.29 6x9" Speaker Grille Otson CA-327 \$1.39

* MONTHLY PAYMENT CHART, See Page 18



* Sensitive Solid State Circuit

Complete With Matching Speaker Custom

Designed for '69 Cars

RA-357

has done it again in bringing to you, our customers the finest in new custom fit radios at a price below the cost of a used one. Can be mounted in most 12-volt neg, gnd. cars, trucks, campers, etc. Styles may vary. Aprox. Size: 7%" W. x 9" D. x 3%" W. Shipping weight 12 lbs.

SPECIAL OFFER



8 Track Tape Starter Kit

- * Attractive Walnut Vinyl Covered Storage Rack
- ★ 12 Blank 8 Track Tapes 6-30 Min., 3-48 Min., 3-70 Min.
- * Rack Stands Vertically or Horizontally
- ★ Great for Tape Library, at Home, School, etc.

Size: 14¼" x 4½" x 4½". Shipping weight 5 lbs.

AS-461

Reg. \$23.94 Value If Purchased Separately



Stereo Level Control

- Controls Volume of Ext. Speakers Balances Dissimilar Speakers
- ★ Controls Volume of Ext. Speakers ★ Balances Dissimilar Speakers ★ Mount on Wall or Back of Cabinet Size: 4½" W. x 2%" D. x 2½"

H. Shipping weight 1 lb.

Olson HF-137 Reg. \$3.98

\$799

Speaker Control

* Balance Between Front and Rear

Shipping weight 1/4 lb.

Olson SW-133

Deluxe Control, Like Above But Has Jack on Front Panel for External Speaker. AU-110. 99c



Deluxe Stereo Tape Caddy

★ Holds 12 8-Track or 4-Track Tapes ★ Alligator Vinyl Covered ★ Lug-gage Type Latch & Hinges ★ Sturdy Carrying Handle ★ Built-in Dividers Size: 14½" x 4½" x 6". Shipping weight 3 lbs.

\$299

ronic Educational Kits

- & Why of Electronics & Mechanics No Tools Required Assembly Instructions Absolutely Safe
- s of All Ages
- ojects

TRANSISTOR RAL

Model RE-2

★ Build Transistor Radios, PA Systems, Code Practice Oscillator, Phono Amplifier
& Radio Direction Finder

* Easy to Assemble, Take
Apart & Reassemble
Complete with Detailed

Instructions

Shipping weight 5 lbs Mfr's 1970 Sugg. Resale, \$24.95

V. Battery (1 reg'd.)





23-IN-1 KIT Model EE-20

★ 23 Different Useful Projects ★ 23 Different Useful Projects

Individual Template for Each
Circuit ★ Build Transistor Radio, Morse Code Trainer, Phono
Amp., Intercom, Burglar Alarm,
PA Amp., Electronic Organ.
Plus Many More.

Shipping weight 5 lbs.

™ KB-227 \$099 Mfr's 1970 Sugg. Resale, \$27.95

9 V. Battery (1 req'd.)





40-IN-1 MECHANICAL KIT

Model ME-1200

Learn & Understand the Source of Energy & Over 600
Parts, Wheels, Gears, Motor,
Etc. & Make Generators,
Cranes, Pumps, Plus Many More. Shpg. wt. 8 lbs.

KB-228 \$1499 Mfr's 1970 Sugg. Resale, \$39.98

9 V. Battery (1 req'd.)





CATALOG	INDE	X	
Ant. Acc.	56, 5	7, 58,	, 5
Ant. TV Auto Acc.		-	5
Auto Acc.	74, 7	5, 76,	7
Auto Radios			7
Auto Tape Player	S		7
Batteries			5
Batteries	3	8, 39	71
Changers	2	6, 27,	, 2
Capacitors			6
Grille Cloth			5
Guitar Accessorie	S		5
Intercoms			6
Knobs			72
Microphones		44,	4
Motors	-		69
PA Equip.		42,	4.
Phono Acc.		28,	25
Plugs & Jacks	-		23
Psychedelic Light	S		50
Radios 35,			41
Relays	A		69
the state of the s	the state of the last		

Resisters	63
Security Devices	48, 49
Slot Cars	55
Slot Cars Speakers, Auto 21, 22, 75	76 77
Speakers, Hi-Fi	20 21
Chacker Customs	11 16
Speaker Systems 17, 18,	10 41
Stereo Headphones	. 24, 11
Switches	68
Tape Acc 31	, 33, 34
Tape Recorders	30, 32
Telephones	64
Testers 52,	53. 54
Tools	60. 61
Transformers	
Transistors	
Tubes	
Tuners, Amps. 2, 3,	15 36
Receivers 2, 3, 4, 5	C 10
Receivers 2, 3, 4, 3	14 70
11, 12, 13,	
TV Sets 37,	
TV Camera	46, 47





SPECIAL OFFER LIMITED TIME ONLY 2 FREE!

Speakers With Purchase of RA-278.
Reg. \$10 Val. See
October S-77 (Pg. 18)
for Specifications.
Offer Expires July



Olson RA-278 Reg. \$128

Olson 8 TRACK FM/AM STEREO RECEIVER

Classical Sound At A Popular Price



Genuine CULTURED PEARL

with each \$10 purchase of merchandise purchased from Olson Elec ropics Offer does not

No Limit y to fair trade items. ORDER — 1 FREE PEARL ORDER — 2 FREE PEARLS ORDER — 5 FREE PEARLS ORDER - 10 FREE PEARLS



★ Plays Popular 8 Track Cartridge ★ Beautiful Walnut Cabinet Tapes

New Black Out Dial Glass Receives AM-FM and FM Stereo Plug-In Jacks for Record Changer

Stereo Indicator Light and

* Stereo Headphone Jack

* Illuminated Tape Channel Indicators

* Smooth Flywheel Tuning Tuning Meter
Separate Bass and Treble Tone
D. 110-120 v. AC. 60 Hz. Shipping weight 17 lbs.

STEREO HEADPHONES ADD GREATER LISTENING PLEASURE — Complete Selection, See Page 24

ELECTRONICS

260 5. Forge St. Akron, Ohio 44308

★ Quick, Convenient "Shop-at-Home Values" ★ All Orders Shipped Same Day Received ★ Order Blank, pg.]

THE FIRST TIME AT THIS PRICE FROM Olson

Compact **Auto Reverb**

RA-749 \$499 Reg. \$9.98

Styles May Vary

* Music Enjoyment For Your Car

* Operates Rear Speaker With or Without Reverb

Complete with instruction and connectors. Size: $6\frac{1}{2}$ " W. x $1\frac{9}{4}$ " H. Operates on 12 volts, neg. ground system. Shipping weight 3 lbs.

OLSON CATALOGS
Please Send Given Catalogs, No Charge

for One Year To My Friends: PLEASE PRINT

NAME				8		
ADDRESS						
CITY			s	TATE		
ZIP CODE	8	E SURE	10	GIVE	ZIP	CODE
NAME						Ш
ADDRESS						
CITY				TATE		
ZIP CODE	В	SURE	10	GIVE	ZIP	CODF

PHONE SERVICE

Direct Dial Akron, Ohio (Area Code 216) Phone: 535-9191

Treasure Hunt You May Win \$5.00

In Merchandise S o m e w h e r e throughout this catalog are the names of several Olson customers. Your name may be there! If it is, write us giving the page number and Olson will send you FREE from the catalog, \$5 worth of merchandise of your choice. In Merchandise your choice. This Offer Expires July 5, 1971

N, OHIO NO. 240 BULK RATE I.S. POSTAGE PAID AKRON, 4

571 GUARANTEED ELECTRONICS Ohio Akron, St., 00 vi



CATALOG 571 COPYRIGHT 1971

SEE CATALOG INDEX PAGE 79

RETURN ADDRESS — Please Print

ADDRESS_____

STATE ZIP



PLACE POSTAGE STAMP HERE



OLSON ELECTRONICS, INC. 260 S. Forge Street Akron, Ohio, 44308

FRIEND'S NAME FRIEND'S ADDRESS_	FRIEND'S NAME.	is
CITY	CITY	
12" STATE	STATE ZIP	— MYLAR
SPEAKER	Please Send Olson Flyer, No Charge, To My	RECORDING TAPE
\$ 2 For \$20 NO. 5-311	Friends:	1½ mil Single \$1.29 3 for \$3.30 Lots of 12
* 12" Woofer * 3" Tweeter * Built-in Crossover	BRAND, NEW! 18 Drawer	7" REEL 7A-542
* Heavy Duty Frame TUBE No. AS-533 PER KIT *25	KIT Par Cal	rts binet
Each kit contains 5 tubes each as listed: 35W4, 5 12BA6, 12AV6 and 12BE6. S ping weight 3/4 lb.	OC5. 2846 2AV6 2866 AME	unts on Wall tal Frame n Be Stacked